CALPUFF AND AERMOD MODELING OF BENZENE IN CORPUS CHRISTI

Prepared for
The University of Texas at Austin
Center for Energy and Environmental Resources, MS R7100
10100 Burnet Road
Austin, TX 78759

Prepared by
Edward Tai
Lynsey Parker
Chris Colville
Greg Yarwood
ENVIRON International Corporation
773 San Marin Drive, Suite 2115
Novato, CA 94998

January 2009

TABLE OF CONTENTS

Page

1. INTRODUCTION 1-1

2. CALMET MODELING 2-1

2.1. CALMET Inputs 2-1
2.2. CALMET Run 1. 2-5
2.3. CALMET Sensitivity Tests 2-9
2.4. Summary 2-36

3. CALPUFF MODELING 3-1

3.1. Initial CALPUFF Run 3-1
3.2. CALPUFF Sensitivity Tests 3-3
3.3. Full-Episode CALPUFF Run 2-23
3.4. Source Apportionment 3-24
3.5 Summary 3-30

4. AERMOD MODELING 4-1

4.1. AERMOD Inputs 4-1
4.2. Modeling Results 4-7
4.3. Conclusions 4-10

5. SUMMARY 5-1

APPENDICES

CALMET Run 13 Input File A-1
CALPUFF Run 4 Script B-1
AERMAP Input Runstream File C-1
AERMET Input Runstream File D-1
AERMOD Input Runstream File E-1

TABLES

Table 2-1. Default properties for each landuse category in CALMET 2-2
Table 2-2. Wind field options used in CALMET Run 1 2-6
Table 2-3. Vertical layer structure used by CALMET in Run 1 and Run 2 2-9

Table 3-1. CALPUFF technical options 3-2
Table 3-2. Benzene deposition properties 3-3

Table 3-3. Largest hourly benzene on October 2, 2006 from CALPUFF Run 1 and Run 1a 3-4
Table 3-4. Benzene emissions by facility in the 2005 TCEQ Photochemical Modeling Database 3-5
Table 3-5. Revised list of the top emitting benzene facilities near Corpus Christi 3-7
Table 3-5. Summary of CALPUFF peak benzene concentrations from sensitivity runs on October 2, 2006 at gridded and discrete receptors 3-20
Table 3-6. Largest benzene contribution from each facility at gridded receptors 3-29
Table 3-7. Largest benzene contribution from each facility to discrete receptors 3-29

Table 4-1. Highest hourly benzene concentration from all discrete receptors using AERMOD with meteorology from Solar Estates (C633) 4-7
Table 4-2. Highest hourly benzene concentration from all discrete receptors using AERMOD with Oak Park meteorology (C634) 4-7

Table 5-1. Maximum benzene concentrations at discrete receptors from individual facilities using AERMOD and CALPUFF 5-3

FIGURES

Figure 2-1. Domain map of Corpus Christi 2-1
Figure 2-2. Gridded fields of terrain and dominant landuse type 2-4
Figure 2-3. Location of the meteorological stations near Corpus Christi 2-5
Figure 2-4. Spatial plots of CALMET Run 1 horizontal wind and vertical velocity (right) fields in layer 1 (20m), layer 7 (1200m), and layer 9 (3000m) from top to bottom 2-8
Figure 2-5. Spatial plots of CALMET Run 2 wind and vertical velocity fields in layers 1 and 10 at the top and bottom, respectively 2-10
Figure 2-6. Dominant landuse category without and with high-resolution coastline data 2-12
Figure 2-7. Diurnal profiles of mixing heights with and without high-resolution coastline data over two grid cells: near the coast and inland 2-12
Figure 2-8. Spatial plots of wind fields from Run 2 (left), Run 3, and the wind speed difference for layer 1 and layer 10 2-13
Figure 2-9. Vertical velocity fields from Run 2 and Run 3 in layer 10 at 10 PM on Oct. 1 2-14
Figure 2-10. Revised locations of the meteorological stations in and surrounding the Corpus Christi domain 2-15
Figure 2-11. Time series of the wind speed in a grid cell in the Gulf before (Run 3) and after (Run 4) relocating the buoy 2-15
Figure 2-12. Spatial plots of the wind field from Run 4, layer 1 from 8PM to 10 PM 2-15
Figure 2-13. A comparison of layer 1 wind fields from Run 3, Run 4 (relocated buoy), and the difference in wind speed 2-16
Figure 2-14. Vertical velocity fields at the top of the domain in Run 4 and Run 5 2-17

Figure 2-15. Vertical profiles of vertical velocity and wind speed near the Port of Corpus Christi (top) and in the urban area of Corpus Christi 2-18
Figure 2-16. Mixing height sensitivity to the O'Brien vertical velocity adjustment at 6PM 2-20
Figure 2-17. Horizontal wind and vertical velocity sensitivity to the O'Brien adjustment 2-21
Figure 2-18. Time series of observed and predicted surface wind speeds at Oak Park and Corpus Christi Naval Air Station with and without the O'Brien adjustment 2-22
Figure 2-19. Differences in wind speed and vertical velocity in layer 1 and layer 10 when accounting for kinematic effects of terrain 2-24
Figure 2-20. Vertical velocity in layer 10 with and without terrain kinematics on the right and left sides, respectively 2-25
Figure 2-21. Comparison of layer 1 wind and vertical velocity fields when reducing the maximum radius of influence in layer 1 2-26
Figure 2-22. Comparison of layer 10 vertical velocity fields when reducing the maximum radius of influence aloft 2-27
Figure 2-23. Comparison of vertical velocity fields in layers 1 and 10 when reducing the maximum number of stations influencing each grid cell from 99 to 5 2-28
Figure 2-24. Sensitivity to the layer 1 wind speed and vertical velocity when lowering the radius of influence of terrain 2-29
Figure 2-25. Spatial plots of sensitivities to the layer 1 wind field when reducing and increasing the number of smoothing passes 2-30
Figure 2-26. Layer 10 wind speed and vertical velocity from Run 4 and impacts from additional smoothing passes aloft 2-31
Figure 2-27. Comparison of the magnitude of impacts from each component combined in Run 12 2-32
Figure 2-28. Transformation of the wind field from Run 2 to Run 13 in three vertical layers 2-34
Figure 2-29. Transformation of the vertical velocity field from Run 2 to Run 13 in three vertical layers 2-34
Figure 3-1. Map of discrete receptors and NEI 2002 benzene emission sources 3-2
Figure 3-2. Location of benzene emission sources color-coded by facility in the 2005 TCEQ Photochemical Modeling inventory 3-6
Figure 3-3. Location of Flint Hills emission sources 3-6
Figure 3-4. Location of Citgo emission sources 3-7
Figure 3-5. Benzene emissions by facility in the 2005 TCEQ Photochemical Modeling inventory, scaled to the emission rate by facility 3-8
Figure 3-6. Spatial plots of the daily maximum hourly benzene concentrations on October 1 and October 2 using NEI emissions and the 2005 TCEQ Photochemical Modeling inventory 3-9
Figure 3-7. Location of discrete receptors and 2005 TCEQ Photochemical Modeling inventory facilities 3-10
Figure 3-8. A comparison of benzene concentrations without slugs (Run 2) and with slugs (Run 3). 3-12
Figure 3-9. Sensitivity to micrometeorological variables to compute dispersion coefficients at 3AM and daily maximum 3-14

Figure 3-10. Benzene sensitivity to puff splitting 3-15
Figure 3-11. Impacts to benzene when allowing vertical wind shear above the stack tops 3-16
Figure 3-12. Spatial plots of the 3AM and daily maximum benzene with (Run 7) and without (Run 2) surface roughness effects 3-17
Figure 3-13. Impacts to the daily maximum benzene when using micrometeorological variables to compute the dispersion coefficients, when applying roughness to the dispersion coefficients , and when using slugs 3-21
Figure 3-14. Comparison of the daily maximum benzene when using meteorology adjusted with the O'Brien scheme (Run 8) and without the adjustment (Run 4)..... 3-23
Figure 3-14. Episode maximum benzene from all sources in CALPUFF Run 4 3-24
Figure 3-15. Contour maps of the episode maximum 1-hour benzene concentrations from each of the five largest contributors..... 3-26

Figure 4-1. Corpus Christi Regional Modeling Domain. The black dashed boxed is the CALPUFF domain, and the red solid box is the AERMOD modeling domain 4-2
Figure 4-2. Locations of all emission sources used in AERMOD. 4-2
Figure 4-3. Location of the meteorological sites 4-4
Figure 5-1. Spatial plots of the episode maximum benzene concentration from two AERMOD runs and from CALPUFF 5-2
Figure 4-4. Contour plots of the maximum 1-hr average benzene concentration [ppb] at gridded receptors using AERMOD with Solar Estates meteorological data and Oak Park 4-8
Figure 4-5. Contour plots of the maximum 1-hr average benzene contribution [ppb] at gridded receptors from each of the top five facilities. Left side shows AERMOD with Solar Estates meteorology; right side uses Oak Park meteorology 4-10

1. INTRODUCTION

The Port of Corpus Christi is surrounded by numerous refineries and chemical industries, which can emit air toxics such as benzene. Short distances between these industries and residential neighborhoods create the potential for high exposures to air toxins. The University of Texas at Austin (UT) is conducting an air toxics study in the Corpus Christi area to model the impacts in highly populated areas including sensitive locations such as schools, hospitals, and clinics.

ENVIRON has prepared a base case CALMET and CALPUFF run to simulate benzene over Corpus Christi using a 72 x 72 domain at 1 km resolution in the NWS-84 spherical datum for the October-November, 2006 episode. The 72 x 72 grid corresponds to a 2 x 2 block of 36 km CAMx regional model grid cells, should a gridded model be used in the future. CALMET incorporated data from 18 surface stations (8 local stations near the ship channel and 10 National Weather Service monitors), 1 upper air sounding site (Corpus Christi Airport), 5 precipitation sites, and 1 buoy.

CALMET sensitivity tests were subjectively evaluated in Section 2 to examine model options that produced the most favorable wind fields. The final configuration incorporated all desirable options. In Section 3, CALPUFF sensitivity tests used the optimal CALMET configuration to evaluate the model's response to different emissions, meteorology, and other model options. The most favorable CALMET and CALPUFF configurations were used to run the full October 1 to November 30, 2006 episode. Model results examined benzene concentrations at both discrete and gridded receptors from all sources and from individual facilities.

The AERMOD model was also set up to predict benzene concentrations in Corpus Christi. Section 4 compares two AERMOD runs using surface meteorological data from two stations separated by approximately 10 km since AERMOD is limited to one meteorological station per run. A source apportionment analysis was also performed to examine the impacts from the largest facilities. Section 5 compares the results between the AERMOD and CALPUFF runs.

2. CALMET MODELING

CALMET and CALPUFF were used to predict benzene concentrations at schools, hospitals, clinics, and highly populated areas in Corpus Christi during October and November, 2006. CALMET is a diagnostic meteorological model and CALPUFF is a Lagrangian puff dispersion model (to be discussed in Section 3).

CALMET reads in terrain, landuse, and meteorological observations to produce gridded wind and temperature fields, and other surface parameters. After initializing the wind fields for each hour, CALMET accounts for slope flows, kinematics, and terrain blocking effects. Meteorological observations are then nudged into the fields, followed by divergence minimization and smoothing.

This section describes the inputs needed for CALMET followed by model sensitivity tests to find the optimal model configuration for the region. All runs were made in Linux using CALMET Version 5.8, the latest version approved by the EPA.

2.1. CALMET INPUTS

The Corpus Christi modeling domain covers most of Nueces and San Patricio Counties, spanning 72 km by 72 km in 1 km resolution, as shown in Figure 2-1. The domain uses the same Lambert Conformal Projection (LCP) used by TCEQ in their CAMx modeling work, with a center at 100W and 40N and true latitudes at 30N and 60N. The domain, which runs from (216, -1368) to (288, -1296), coincides with the 36 km domain used by TCEQ for regional modeling with CAMx.



Figure 2-1. Domain map of Corpus Christi.

CALMET uses terrain following coordinates. The initial run used 10 vertical layers up to 4 km above the ground. Latter runs revised the vertical structure to 14 layers up to 3 km to improve coordination with the TCEQ CAMx vertical layer structure.

Terrain and landuse data were processed using the TERREL and CTGPROC preprocessors, respectively. USGS 1-degree terrain data (~90 m resolution) were downloaded from http://edcftp.cr.usgs.gov/pub/data/DEM/250/ and input into the TERREL program. DEM files for Corpus Christi and Beeville were needed to cover the entire domain. Terrain data was output at 1 km resolution for the Corpus Christi domain in the NWS-84 spherical datum, as used in CAMx.

USGS landuse/land cover data files in Composite Theme Grid (CTG) format were downloaded from http://edcftp.cr.usgs.gov/pub/data/LULC/250K/. Files were compressed using the CTGCOMP preprocessor; fractional landuse for each of the 38-landuse categories in each grid cell were output using the CTGPROC preprocessor.

The MAKEGEO preprocessor consolidated the terrain and landuse outputs from TERREL and CTGPROC. In addition to listing terrain and the dominant landuse category for each grid cell, MAKEGEO output the roughness length, albedo, Bowen ratio, soil heat flux parameter, anthropogenic heat flux, and leaf area index of each cell. These parameters were computed from the default values of each property that were assigned to each landuse category, as listed in Table 2-1, weighted by the fractional landuse in each grid cell.

Spatial plots of terrain and the dominant landuse category are displayed on the left and right sides of Figure 2-2, respectively.

Table 2-1. Default properties for each landuse category in CALMET.

Category	Description	Rough-ness Length (m)	Albedo (0 to 1)	Bowen Ratio	Soil Heat Flux Parameter	Anthro Heat Flux (W/m**2)	Leaf Area Index	Output Category ID
11	Residential	0.5	0.18	1	0.2	0	1	10
12	Commercial and Services	1	0.18	1.5	0.25	0	0.2	10
13	Industrial	1	0.18	1.5	0.25	0	0.2	10
14	Transportation, Communications, Utilities	1	0.18	1.5	0.25	0	0.2	10
15	Industrial and Commercial Complexes	1	0.18	1.5	0.25	0	0.2	10
16	Mixed Urban or Built-up Land	1	0.18	1.5	0.25	0	0.2	10
17	Other Urban or Built-up Land	1	0.18	1.5	0.25	0	0.2	10
21	Cropland and Pasture	0.25	0.15	1	0.15	0	3	20
22	Orchards	0.25	0.15	1	0.15	0	3	20
23	Confined Feeding Operations	0.25	0.15	1	0.15	0	3	20

Category	Description	Rough-ness Length (m)	Albedo (0 to 1)	Bowen Ratio	Soil Heat Flux Parameter	Anthro Heat Flux (W/m**2)	Leaf Area Index	Output Category ID
24	Other Agricultural Land	0.25	0.15	1	0.15	0	3	20
31	Herbaceous Rangeland	0.05	0.25	1	0.15	0	0.5	30
32	Shrub and Brush Rangeland	0.05	0.25	1	0.15	0	0.5	30
33	Mixed Rangeland	0.05	0.25	1	0.15	0	0.5	30
41	Deciduous Forest	1	0.1	1	0.15	0	7	40
42	Evergreen Forest	1	0.1	1	0.15	0	7	40
43	Mixed Forest	1	0.1	1	0.15	0	7	40
51	Streams and Canals	0.001	0.1	0	1	0	0	51
52	Lakes	0.001	0.1	0	1	0	0	51
53	Reservoirs	0.001	0.1	0	1	0	0	51
54	Bays and Estuaries	0.001	0.1	0	1	0	0	54
55	Oceans and Seas	0.001	0.1	0	1	0	0	55
61	Forested Wetland	1	0.1	0.5	0.25	0	2	61
62	Non-forested Wetland	0.2	0.1	0.1	0.25	0	1	62
71	Dry Salt Flats	0.05	0.3	1	0.15	0	0.05	70
72	Beaches	0.05	0.3	1	0.15	0	0.05	70
73	Sandy Areas other than Beaches	0.05	0.3	1	0.15	0	0.05	70
74	Bare Exposed Rock	0.05	0.3	1	0.15	0	0.05	70
75	Strip Mines, Quarries, Gravel Pits	0.05	0.3	1	0.15	0	0.05	70
76	Transitional Areas	0.05	0.3	1	0.15	0	0.05	70
77	Mixed Barren	0.05	0.3	1	0.15	0	0.05	70
81	Shrub and Brush Tundra	0.2	0.3	0.5	0.15	0	0	80
82	Herbaceous Tundra	0.2	0.3	0.5	0.15	0	0	80
83	Bare Ground	0.2	0.3	0.5	0.15	0	0	80
84	Wet Tundra	0.2	0.3	0.5	0.15	0	0	80
85	Mixed Tundra	0.2	0.3	0.5	0.15	0	0	80
91	Perennial Snowfields	0.05	0.7	0.5	0.15	0	0	90
92	Glaciers	0.05	0.7	0.5	0.15	0	0	90



Figure 2-2. Gridded fields of terrain (left) and dominant landuse type (right).

Meteorological data was processed using four additional preprocessors. SMERGE processed the surface meteorology; READ62 processed upper air meteorology; PXTRACT/PMERGE processed precipitation; and BUOY processed surface stations over water. Figure 2-3 displays the location of all meteorological stations. CALMET will process meteorological data from all stations, regardless of whether they are located inside or outside the modeling domain, denoted by the inner black box.

Surface meteorological data was available from 8 local monitors near the Port of Corpus Christi and from 10 land-based National Weather Service (NWS) stations. A perl script was developed to format the local data into a CALMET-ready format. SMERGE formatted the NWS meteorology, which was obtained in the TD-3505 format, and added it to the formatted local surface sites.

The CALMET-formatted surface meteorology file contained surface wind speed and direction, temperature, relative humidity, pressure, cloud cover, and ceiling height. Linear interpolation was performed when one of the meteorological variables was missing from all 18 monitors during the hour.

The closest buoy to Corpus Christi was Buoy 42020, located 50 nautical miles southeast of Corpus Christi. The hourly buoy data for Buoy 42020 came from the National Data Buoy Center. Data was reformatted to be compatible with the BUOY preprocessor, which output hourly air temperature, relative humidity, wind speed and direction, and a difference in air and sea surface temperature. Missing data was linearly interpolated.

Precipitation data in the National Climate Data Center TD-3240 format was processed using PXTRACT to extract individual monitoring stations near Corpus Christi, and using PMERGE to reformat and merge all precipitation stations together. Five precipitation monitoring stations were available during the modeling period.

Upper air data was processed using the READ62 preprocessor. Data from the Corpus Christi International Airport upper air station was downloaded from http://raob.fsl.noaa.gov/ in the original FSL format. READ62 output multi-level pressure, height, temperature, and wind speed and direction data from the surface to 500 mb every 12 hours.

Since CALMET requires data at least once every 12 hours, missing data were manually filled in at the mandatory levels. From 850 mb to 500mb, all data was linearly interpolated using records from 12 hours before and after the missing period. Below 850 mb, height and temperature data were interpolated using records from ±24 hours to account for diurnal impacts; winds were interpolated using records from ±12 hours.



Figure 2-3. Location of the meteorological stations near Corpus Christi.

2.2. CALMET RUN 1

The first CALMET run consisted of 10 vertical layers up to 4 km. CALMET was configured with the default wind field options and parameters, as listed in Table 2-2. The complete list of input files and options used in the final configuration can be found in Appendix A.

Table 2-2. Wind field options used in CALMET Run 1.

Description	Variable	Option selected
Model selection variable	IWFCOD	1. Diagnostic wind module
Compute Froude number adjustment	IFRADJ	1. Yes
Compute kinematic effects	IKINE	0. No
Use O'Brien procedure	IOBR	0. No
Compute slope flow effects	ISLOPE	1. Yes
Extrapolate surface wind observations to upper layers	IEXTRP	-4. Similarity theory used, ignore layer 1 at upper air stations
Extrapolate surface winds when calm	ICALM	0. No
Layer-dependent biases	BIAS	-1,9*0 (-1 = no upper air station influence; 0 = weigh surface and upper air stations equally)
Use MM5 as input to CALMET	IPROG	0. No
Use varying radius of influence	LVARY	F
Max radius of influence over land in layer 1	RMAX1	75 km (no default)
Max radius over land aloft	RMAX2	75 km (no default)
Max radius over water	RMAX3	100 km (no default)
Min radius of influence in wind field interpolation	RMIN	0.1 km
Radius of influence of terrain features	TERRAD	15 km (no default)
Relative weighting of first guess field and obs in layer 1	R1	10 km (no default)
Relative weighting of first guess field and obs aloft	R2	25 km
Max divergence in divergence minimization procedure	DIVLIM	5.0E-6
Max number of iterations for div. Minimization	NITER	50
# passes in smoothing	NSMTH	2 (layer 1), 4 aloft
Max # stations in each layer for interpolation of data to a grid point	NINTR2	99 for all layers
Critical Froude number	CRITFN	1.0
Empirical factor for kinematic effects	ALPHA	0.1

A CALMETPAVE FORTRAN program was developed to convert the CALMET outputs to CAMx format so they could be viewed using the PAVE graphics program. The left side of Figure 2-4 displays the wind fields at 6PM on October 1 for three vertical layers in the model. The background colors represent wind speed; the wind vectors at every third grid cell show the direction of the wind flow. The right side of Figure 2-4 shows the vertical velocity field in the same three layers. CALMET outputs horizontal wind fields in the middle of each vertical layer; vertical velocity is at the top of each layer interface. The layer interfaces plotted are at 20 m (layer 1), 1200 m (layer 7), and 3000 m (layer 9). Note the scale is higher for the upper layers.

In the snapshot of the horizontal wind field, winds were mostly southeasterly or east-southeasterly in all three layers. Wind speeds were faster over water in the lowest layer. The observational nudging at some surface sites was very apparent, denoted by the round local maxima, such as over Robstown, Corpus Christi Airport, and Malaquite Beach; their influence spread aloft into layer 7.

Vertical velocity in layer 1 was within ±0.01 m/s in most grid cells. Upwind of each of the three local maxima, sinking air was detected to help feed the increasing wind speed; rising air could be found downwind of each maxima to compensate for the horizontal speed convergence. Vertical velocity magnitudes were greatest near the Port of Corpus Christi, where numerous local surface observation sites were located.

Small differences in the wind observations can lead to subtle changes in the horizontal wind field, which can be more evident when viewing the vertical velocity fields. These perturbations in the vertical velocity appeared to amplify aloft, approaching 2 m/s by layer 9 (3000 m), which seems too fast. Changes to the model configuration were needed.



Figure 2-4. Spatial plots of CALMET Run 1 horizontal wind (left) and vertical velocity (right) fields in layer 1 (20m), layer 7 (1200m), and layer 9 (3000m) from top to bottom.

2.3. CALMET SENSITIVITY TESTS

Sensitivity tests were performed on some of the key options to identify the configuration that produced more realistic meteorological fields, based on the wind fields of October 1. Tests included the following:

- Updating the vertical layer structure
- Adding high resolution coastline data
- Moving the buoy closer to the domain
- Turning on the O'Brien vertical velocity adjustment
- Activating terrain kinematics and divergence minimization
- Changing the maximum radius of influence
- Changing the maximum number of stations to influence each grid cell
- Changing the terrain radius of influence
- Changing the number of sweeps for smoothing

Sensitivity to vertical layer structure

Run 2 was configured exactly like Run 1 except 14 vertical layers up to 3 km were used instead of 10 layers up to 4 km. The new layer structure is listed in Table 2-3 and matches the CAMx layer structure used by TCEQ, except the first layer in CAMx was split into two layers in CALMET. CALMET requires the top of the first layer to be between 18 and 22 m so that the middle of the layer will be around 10 m – the typical height of the wind measurements.

Table 2-3. Vertical layer structure used by CALMET in Run 1 and Run 2.

Layer	Run 1 layer interfaces (m)	Run 2 layer interfaces (m)	Run 2 heights at midlayer (m)
14		3026	2565
13		2103	1728
12		1353	1211
11		1068	930
10	4000	791	701
9	3000	610	565
8	2000	520	476
7	1200	432	388
6	640	344	301
5	320	257	214
4	160	171	128
3	80	85	60
2	40	34	26
1	20	18	9

The top of Figure 2-5 shows spatial fields of the horizontal wind and vertical velocity fields in layer 1 of CALMET Run 2 at 6PM on October 1. Run 2 horizontal and vertical wind fields resembled Run 1, but the magnitudes were slightly lower in Run 2 because the height of layer 1 in Run 2 was slightly lower than in Run 1.

The bottom of Figure 2-5 displays corresponding wind and vertical velocity fields from layer 10 of Run 2, whose midlayer is approximately 700 m above the ground. Since the height structure between Run 1 and Run 2 differed, no direct comparison could be made for the layers aloft, but the trends were the same.

In Run 2, the magnitudes of wind speed and vertical velocity were much greater aloft than at the surface. Areas with local maxima in wind speed in layer 1 also had local maxima aloft, except near Malaquite Beach, where the boundary layer was below layer 10 (700m) since the area was mostly above water. Similarly, areas over land with positive vertical velocity in layer 1 also had rising air in layer 10, but amplified by 1-2 orders of magnitude.



Figure 2-5. Spatial plots of CALMET Run 2 wind and vertical velocity fields in layers 1 and 10 at the top and bottom, respectively.

Sensitivity to high-resolution coastline data

A sensitivity test evaluated the impacts when applying high-resolution coastline data into the landuse preprocessors and into CALMET. Run 3 was configured exactly like Run 2, but with improved coastline data.

Figure 2-6 shows the dominant landuse category in each grid cell without(left) and with (right) the high-resolution coastline data. Not only were the coastal and barrier islands much better defined, but the dominant landuse category in some grid cells changed, particularly near Port Aransas, where wetlands changed to water.

Since CALMET treats areas over water differently than over land, the left side of Figure 2-7 compares the diurnal profile of the mixing heights on October 1 over cell (71,36), located near Port Aransas, whose dominant landuse was altered from a wetland to water when adding the high-resolution coastline data. When water was the dominant landuse, the mixing height remained between 300 m and 500 m throughout the day. As a wetland-dominated grid cell, the mixing height was slightly higher at night and early morning, but was much higher – approaching 1100 m – in the daytime.

The right side of Figure 2-7 compares the diurnal profiles of the mixing heights between Runs 2 and 3 at an inland grid cell (20, 50). The mixing heights showed little change inland when adding high-resolution coastline data, as would be expected.

The large difference in mixing heights near some coastal areas led to differences in the wind field, especially aloft during the nighttime. Figure 2-8 displays spatial plots of the wind field from Run 2 (no high-resolution coastline) on the left, Run 3 (with enhanced coastline) in the middle, and the difference in wind speed on the right. The top and bottom show layers 1 and 10, respectively. All plots show the wind field on October 1 at 10PM, when a major difference in the wind field was more pronounced.

In layer 1, the wind fields were very similar except near Port Aransas, where the wind speed in Run 3 is about 0.1 m/s faster than in Run 2. In layer 10, which was above the boundary layer for all hours of the day for grid cells over water, the wind field in Run 3 was somewhat uniform while Run 2 predicted southeasterlies near the coast that were up to 15 m/s faster.

The coastal vertical velocities in layer 10 near the eastern domain in Run 2 were mitigated in Run 3, as shown in Figure 2-9. In Run 2, a circular streak of rising air near the western boundary was also eliminated in Run 3. This streak is most likely attributed to the boundary formed from the 75 km maximum radius of influence aloft from Port Aransas.

Based on the October 1 evaluation, the high-resolution coastline data made numerous improvements to the model and was included in all further sensitivity tests.



Figure 2-6. Dominant landuse category without (left) and with (right) high-resolution coastline data.



Figure 2-7. Diurnal profiles of mixing heights with and without high-resolution coastline data over two grid cells: near the coast (left) and inland (right).



Figure 2-8. Spatial plots of wind fields from Run 2 (left), Run 3 (center), and the wind speed difference (right) for layer 1 (top) and layer 10 (bottom).



Figure 2-9. Vertical velocity fields from Run 2 (left) and Run 3 (right) in layer 10 at 10 PM on Oct. 1.

Sensitivity to relocated buoy

Buoy 42020 is located 50 nautical miles southeast of Corpus Christi and is relatively distant from the modeling domain. Since wind fields over water should be relatively uniform, Run 4 moved the location of the buoy closer to the domain to increase its influence over water. Run 4 placed the buoy at (300,-1360) – 73 km northwest of its true location, but still outside the domain. Figure 2-10 shows the new location of the buoy. A comparison was made between Run 3, in which the buoy was in its original location, and Run 4. Both runs incorporated the high-resolution coastline data.

Figure 2-11 shows a time series of the layer 1 wind speed over a grid cell in the Gulf (cell (71,2)) between Runs 3 and 4. The stronger influence of the buoy increased the wind speed during most hours of the day; this should be expected since wind speeds are generally faster over water than over land because of less friction. The greatest difference occurred at 9PM (hour 21).

Spatial plots of the layer 1 wind field of Run 4 are shown in Figure 2-12 for three consecutive hours from 8 PM to 10 PM. At 8PM and 10PM, a circular area of high wind speed was centered over Malaquite Beach, but was not present at 9PM because the wind observations at this site were not available. Since CALMET is a diagnostic model, the wind field does not take into account wind data from the previous hour. Without the influence of the NWS Malaquite Beach observations at 9PM, impacts from the buoy should be more pronounced.

Figure 2-13 compares the wind fields in layer 1 at 9PM when relocating the buoy. Run 4 wind speeds in the Gulf were almost 1 m/s faster when moving the buoy closer to the domain. The relocation of the buoy should improve the wind field in the Gulf with little impact over land; this option was used in all subsequent runs.



Figure 2-10. Revised locations of the meteorological stations in and surrounding the Corpus Christi domain.



Figure 2-11. Time series of the wind speed in a grid cell in the Gulf before (Run 3) and after (Run 4) relocating the buoy.



Figure 2-12. Spatial plots of the wind field from Run 4, layer 1 from 8PM to 10 PM.



Figure 2-13. A comparison of layer 1 wind fields from Run 3 (left), Run 4 (relocated buoy, middle), and the difference in wind speed (right)

Sensitivity to the O'Brien Vertical Velocity Adjustment

A sensitivity test was performed to evaluate the impacts from activating the O'Brien vertical velocity adjustment scheme. Run 5 was configured exactly like Run 4, except the IOBR flag was turned on.

In Run 4, the vertical velocity exceeded 2 m/s west of Oso Bay at the 3 km height level, which was too high. The O'Brien scheme caps the vertical velocity at the top of the model domain to 0 m/s for all grid cells and hours, as shown in Figure 2-14. If the vertical velocity in a grid cell at the top of the model is positive, all vertical velocities in the associated vertical column will be reduced in the adjustment. Conversely, if air is sinking at the top of the model, the vertical velocities in all layers beneath the grid cell will be increased. Horizontal winds are adjusted to compensate for the change in vertical velocity.

Figure 2-15 provides two examples of the O'Brien adjustment. The top pair of plots shows vertical profiles of the vertical velocity and wind speed on the left and right sides, respectively, over a grid cell near the Port of Corpus Christi (grid cell (31,38)). The dark blue lines represent Run 4, which has no O'Brien adjustment; Run 5, shown in pink, uses the O'Brien adjustment. In Run 4, vertical velocity was positive in all layers. The O'Brien adjustment reduced the vertical velocity in all layers, particularly aloft, but maintained a positive vertical velocity in all layers. To compensate, the horizontal wind speed increased an average of 1.5 m/s in each layer.

In the second example, shown at the bottom of Figure 2-15, a grid cell over the residential area of Corpus Christi was selected. The vertical velocity in Run 4 increased with height in all layers, approaching 2 m/s at the top of the domain. Like the grid cell near the Port, the O'Brien scheme reduced the vertical velocity in all layers. Vertical velocity in the top layers was reduced almost an order of magnitude; in the boundary layer, vertical velocity changed from positive to negative. The horizontal wind speed was reduced in all layers, unlike the column over the Port of Corpus Christi.



Figure 2-14. Vertical velocity fields at the top of the domain in Run 4 (left) and Run 5 (right).



Figure 2-15. Vertical profiles of vertical velocity and wind speed near the Port of Corpus Christi (top) and in the urban area of Corpus Christi (bottom).

Spatial plots of the change in mixing height at 6PM when applying the O'Brien adjustment are shown in Figure 2-16. Mixing heights near the coast were up to 500 m lower with the O'Brien scheme, mixing heights closer to the Port of Corpus Christi were higher.

Figure 2-17 compares the spatial plots of the wind fields and vertical velocities in the top and bottom rows, respectively, for layer 1 without the adjustment (Run 4, left), with the adjustment (Run 5, middle), and their differences (right). The O'Brien adjustment appeared to make a new circulation in which the sea breeze near the coast weakened by up to 3 m/s in layer 1, and increased up to 2.6 m/s further inland.

West of Oso Bay (in the urban part of Corpus Christi), the O'Brien adjustment turned the vertical velocity in layer 1 from positive to negative, helping feed a diverging horizontal wind field in layer 1 in which winds over Corpus Christi shifted from southeasterly in Run 4 to faster easterlies in Run 5, while the southeasterlies over Corpus Christi Bay were stronger than in Run 4.

Time series of the observed and predicted layer 1 wind speed (with and without O'Brien) are shown in Figure 2-18 at two sites – Oak Park (C634) and Corpus Christi Naval Air Station. Oak Park wind speeds almost matched the observed in Run 4 during all hours of the day; the O'Brien

adjustment created a 2 m/s over prediction in the afternoon. At the Corpus Christi NAS, Run 4 and Run 5 wind speeds were similar except in the afternoon, when the O'Brien scheme reduced the wind speed about 2 m/s lower than both Run 4 and the observed.

Run 4 generated large vertical velocities aloft. The O'Brien adjustment could lower the magnitudes of these high vertical velocities, but its impact on the horizontal wind field at the surface level was too large. The O'Brien adjustment should not be used.



Figure 2-16. Mixing height sensitivity to the O'Brien vertical velocity adjustment at 6PM.



Figure 2-17. Horizontal wind (top) and vertical velocity (bottom) sensitivity to the O'Brien adjustment.



Figure 2-18. Time series of observed and predicted surface wind speeds at Oak Park and Corpus Christi Naval Air Station with and without the O'Brien adjustment.

Sensitivity to terrain kinematics

In Run 6, the flag for the kinematic effects of terrain (IKINE) was activated to examine its impact, even though the domain was relatively flat. The divergence minimization scheme is automatically applied after the kinematics. Results were compared to Run 4.

Kinematic effects to the Corpus Christi wind field were relatively small. Wind speed in layer 1 was reduced a few tenths m/s over the Gulf in most hours and increased slightly inland and in Corpus Christi Bay, as shown in the top left plot in Figure 2-19.

Vertical velocity changed no more than 0.002 m/s in all hours and grid cells in layer 1 on October 1. Three areas where the layer 1 vertical velocity was higher were over water near the eastern boundary, shown in the top right plot of Figure 2-19. These differences were amplified in layer 10, as can be seen in the bottom right plot of Figure 2-19.

Figure 2-20 plots the vertical velocity fields of layer 10 without kinematics (Run 4, left) and with kinematics (Run 6, right). Without kinematics, localized sinking air was predicted over the three areas over water. With kinematics, the sinking motion was mitigated. There was no obvious reason to have local minima in the vertical velocity fields over water; therefore, terrain kinematics is a recommended option in CALMET.

Kinematics also suppressed the rising air over Malaquite Beach in layer 10. Kinematics had minimal impact near the Port of Corpus Christi.



Figure 2-19. Differences in wind speed (left) and vertical velocity (right) in layer 1 (top) and layer 10 (bottom) when accounting for kinematic effects of terrain.



Figure 2-20. Vertical velocity in layer 10 with and without terrain kinematics on the right and left sides, respectively.

Changing the maximum radius of influence

Two runs evaluated the sensitivity to changes in the maximum radius of influence. Run 7 reduced the maximum radius of influence over land in layer 1 from 75 km to 20 km. Run 7a reduced the maximum radius of influence aloft from 75 km to 20 km.

Figure 2-21 compares the wind fields and vertical velocity fields between Run 4, which had a 75 km radius of influence in layer 1, and Run 7, where the radius was reduced to 20 km. Run 4 had a smoother wind field while Run 7 produced faster winds immediately after hitting the barrier islands and coastline, but not over the water areas in between. This pattern occurred often during night and early morning hours. The layer 1 vertical velocity field showed narrow lines of sinking air directly over the coastline and barrier islands to feed the wind speed increase and bands of rising air when transitioning from water to land. Theoretically, wind speed should slow down when hitting land due to increased friction. Figure 2-21 illustrates the opposite.

Run 7 also created partial rings of discontinuities at the boundaries of the maximum radius of influence, such as the land areas surrounding the NWS Port Aransas monitor in the vertical velocity field.



Figure 2-21. Comparison of layer 1 wind and vertical velocity fields when reducing the maximum radius of influence in layer 1.

Similarly, when the radius of influence aloft was reduced to 20 km, "crop circle" discontinuities were apparent in both the horizontal and vertical wind. Figure 2-22 shows the vertical velocity fields from Run 4 and Run 7. A ring of pronounced rising and/or sinking motion in a 20 km radius centered over the Corpus Christi Airport in Run 7 was obviously due to the smaller radius of influence. If the maximum radius of influence is set to a value larger than the domain, such as at 75 km in Run 4, it reduces the chance for these discontinuities to appear inside the domain at both the surface and upper levels.



Figure 2-22. Comparison of layer 10 vertical velocity fields when reducing the maximum radius of influence aloft.

Sensitivity to a reduced number of stations to influence each grid cell

There are eight local surface meteorological stations near the Port of Corpus Christi. Run 4 allowed up to 99 stations to be used to interpolate data to each grid cell, weighted by the inverse distance to each observation site. Run 8 reduced the maximum number of stations to 5 to emphasize local differences. A comparison was made between Run 4 and Run 8 to evaluate its impacts.

Figure 2-23 shows the layer 1 and layer 10 vertical velocity fields in the top and bottom rows, respectively, from Run 4 (left) and Run 8 (right) at 6 PM. When the maximum number of meteorological stations was reduced, the domain maximum vertical velocity increased. This would be expected since fewer stations for interpolation leads to less smoothing. Run 8 shows numerous lines of higher (and sometimes lower) vertical velocity in all layers; these lines run in different directions and appear out of place. Therefore, this adjustment is not recommended.



Figure 2-23. Comparison of vertical velocity fields in layers 1 and 10 when reducing the maximum number of stations influencing each grid cell from 99 (Run 4, left) to 5 (Run 8, right)

Implementing the lake breeze option

The lake-breeze option in CALMET allows a user to define a coastline by two points inside a rectangular subset of the domain. The meteorology at a station located a certain distance to the defined coastline would be applied to all locations of the same distance downwind of the coastline in the domain subset. Multiple stations and multiple subsets of coastlines can be defined.

This option was not run successfully. If it were, it is highly likely that discontinuities would form at the edges of each rectangular subset. Therefore, this option was not pursued further.

Sensitivity to a lower radius of influence from terrain

In Run 4, the flag for the radius of influence of terrain, TERRAD, was set to 15 km, which seemed too high for this application. Run 10 reduced TERRAD to 1 km. Run 10 showed almost no change from Run 4. Differences in layer 1 were on the order of 1E-3 m/s for wind speed and 1E-5 m/s for vertical velocity. Figure 2-24 displays spatial plots of the differences in the wind speed and vertical velocity; most differences were west of the Port of Corpus Christi.



Figure 2-24. Sensitivity to the layer 1 wind speed and vertical velocity when lowering the radius of influence of terrain.

Sensitivity to the number of smoothing passes

CALMET applies a smoothing module to help alleviate local peaks in the wind field. The default number of smoothing passes for each layer is 2 in layer 1 and 4 for all layers aloft, as used in Run 4. Two runs examined the sensitivities to the smoothing module: Run 11 reduced the number of smoothing passes to 1 for all layers, and Run 11a increased the number of smoothing passes to 6 for the top 6 layers in hopes of reducing the peaks in vertical velocity aloft.

Figure 2-25 shows the layer 1 wind speed at 6 PM for Run 4 on the left. The middle and right columns show the differences in the wind field when reducing the number of smoothing passes (Run 11) and when increasing the number of passes aloft (Run 11a), respectively. In Run 4, local maxima in wind speed were predicted at three locations – Robstown, Corpus Christi Airport, and Malaquite Beach. When fewer smoothing passes were applied in layer 1 (Run 11), each of these maxima were enhanced. In Run 11a, the number of smoothing passes in the first layer was the same as in Run 4, but the additional smoothing passes aloft still managed to mitigate the local maxima in layer 1.

In layer 10, the additional smoothing passes aloft in Run 11a helped reduce perturbations in the horizontal wind and vertical velocity fields, especially near the Port of Corpus Christi. The largest differences were on the order of tenths m/s for both horizontal and vertical winds, as can be seen in Figure 2-26. Additional smoothing aloft is recommended.



Run 4 (4 smoothing passes)	Run 11 (1 smoothing pass) – Run 4	Run 11a (6 smoothing passes aloft) – Run 4

Figure 2-25. Spatial plots of sensitivities to the layer 1 wind field when reducing (middle) and increasing (right) the number of smoothing passes.



Figure 2-26. Layer 10 wind speed (top) and vertical velocity (bottom) from Run 4 (left) and impacts from additional smoothing passes aloft.

Combination of options

The 14 layer vertical structure, high-resolution coastline data, and relocated buoy were options instated since Run 4. Numerous other CALMET options were compared to Run 4 to examine their impacts. Run 12 combined four options:

- O'Brien adjustment (run5)
- Kinematics (run6)
- Reduce terrain radius of influence (run10)
- Add more sweeps for smoothing aloft (run11a)

Figure 2-27 compares the magnitude of impacts to the wind field in layer 1 using the same color scale for each component at 6 PM on October 1. The O'Brien vertical velocity adjustment had a much larger impact than any of the other components. Kinematics had the second largest impact, followed by additional smoothing sweeps and the smaller radius of influence from the terrain. Due to the strong influence from the O'Brien scheme, Run 12 resembled Run 5.



O'Brien impact | Kinematics impact



Terrain radius of influence | Additional sweeping aloft

Figure 2-27. Comparison of the magnitude of impacts from each component combined in Run 12.

	
Combination of options	

Figure 2-27. (continued) Comparison of the magnitude of impacts from each component combined in Run 12.

Second combination run

Since the O'Brien vertical velocity adjustment altered the wind field too much, Run 13 was configured exactly like Run 12 but without the O'Brien adjustment. The new configuration consisted of:

- 14 layer vertical structure (run2)
- High resolution coastline data (run3)
- Relocated buoy (run4)
- Kinematics (run6)
- Reduce terrain radius of influence (run10)
- Add more sweeps for smoothing aloft (run11a)

The transformation of horizontal wind fields from Run 2 to Run 13 are shown in Figure 2-28 for layers 1, 10, and 14 (domain top). Similar plots for the vertical velocity are depicted in Figure 2-29. The most prominent improvements to the wind fields occurred along the coast and over the Port of Corpus Christi in layer 10, where the wind field was smoother. Vertical velocity perturbations aloft were mitigated in Run 13, especially over water, but remain high near the top of the modeling domain.

Run 13 was considered the most favorable configuration among all runs evaluated, and was selected to provide the meteorological inputs for the CALPUFF sensitivity tests.



Figure 2-28. Transformation of the wind field from Run 2 to Run 13 in three vertical layers.



Figure 2-29. Transformation of the vertical velocity field from Run 2 to Run 13 in three vertical layers.

2.4. SUMMARY

CALMET is the meteorological preprocessor to CALPUFF. All available meteorological data near Corpus Christi (18 surface sites, 5 precipitation sites, 1 buoy, and 1 upper air station) were incorporated into CALMET to generate gridded wind and temperature fields. In the initial run, CALMET often produced local maxima or minima over surface meteorological sites, produced wind speeds that were too fast aloft over water at night, and generated vertical velocities that were too big near the top of the domain.

Sensitivity tests were conducted to help address these issues. Results were subjectively evaluated since all meteorological inputs were already used for observational nudging inside the model. CALMET options that helped improve the wind fields included the use of high-resolution coastline data, which reduced night time coastal wind speeds aloft; the repositioning of the buoy closer to the domain, which helped represent over-water data in the domain better; terrain kinematics, which mitigated local peaks in vertical velocity over water; and extra smoothing aloft, which helped reduce the vertical velocity near the top of the domain.

Options that did not improve the wind field included the implementation of the O'Brien vertical velocity adjustment, which helped reduce the vertical velocity more than any other option, but altered the horizontal wind field considerably; the reduction of the maximum radius of influence in all layers, which generated "crop circles", or circular boundaries of discontinuity; and the reduction of the number of stations to influence each grid cell, which created stronger perturbations.

CALMET Run 13 combined all of the favorable options. The wind fields from CALMET Run 13 were applied to CALPUFF for sensitivity tests, detailed in Section 3.

3. CALPUFF MODELING

The CALPUFF dispersion model was used to predict the magnitude of benzene concentrations transported from chemical plants and refineries near the Port of Corpus Christi to nearby populated areas, hospitals, clinics, schools, and universities. The EPA-approved CALPUFF version 5.8 was used.

CALPUFF is a non steady-state Lagrangian puff model based on the Gaussian dispersion equations. CALPUFF can handle complex terrain algorithms, land/water interaction effects, dry and wet deposition, basic chemistry, and building downwash. Inputs include CALMET meteorological fields, emissions, and a list of discrete and/or gridded receptors.

CALPUFF sensitivity tests were first performed to find the most reasonable configuration for the Corpus Christi domain. The most favorable configuration was then used to simulate the full October 1 to November 30, 2006 episode, and to examine the impacts from each of the largest facilities.

3.1. INITIAL CALPUFF RUN

In CALPUFF Run 1, the model was configured with CALMET Run 1 meteorology, benzene point source emissions extracted from the 2002 NEI inventory, and 141 discrete receptors representing populated areas, clinics, schools, hospitals, and universities. This run consisted of 10 vertical layers up to 4 km. Figure 3-1 displays the locations of the emissions and receptors. Run 1 was configured with the default technical options as listed in Table 3-1, unless stated otherwise. The full list of model options can be found in Appendix B.

Benzene dry deposition parameters were obtained from the User's Guide for the Emissions Modeling System for Hazardous Air Pollutants Version 2, as defined in Table 3-2.

The 2002 NEI benzene inventory consisted of 627 point sources within the modeling domain totaling 169 tons per year (tpy), of which the Flint Hills Resources – Corpus Christi West facility emitted over half (87 tpy).

CALPUFF was run from October 1 to November 30, 2006. Model output concentrations had units of $\mu g/m^3$, which were converted to parts per billion (ppb), assuming a temperature of 25C and pressure of 1013.25 mb (1 atm). The highest hourly concentration among all discrete receptors and dates was 78.6 ppb at midnight on November 6. The receptor represented a school near Robstown with LCP coordinates (230.6, -1337.2), which is very close to where NEI placed the Flint Hills West facility. The Flint Hills West location was incorrectly located too far to the west.



Figure 3-1. Map of discrete receptors and NEI 2002 benzene emission sources.

Table 3-1. CALPUFF technical options.

Description	Variable	Option Selected
Vertical distribution in near field	MGAUSS	1 = Gaussian
Terrain adjustment method	MCTADJ	3 = partial plume path adjustment
Subgrid scale complex terrain	MCTSG	0 = not modeled
Near-field puffs modeled as elongated slugs	MSLUG	0 = no
Transitional plume rise modeled	MTRANS	1 = yes
Stack tip downwash	MTIP	1 = yes
Method for building downwash	MBDW	2 = PRIME method (not default)
Vertical wind shear modeled above stack top	MSHEAR	0 = no

Description	Variable	Option Selected
Allow puff splitting	MSPLIT	0 = no
Chemical mechanism flag	MCHEM	0 = no chemistry (not default)
Wet removal modeled	MWET	1 = yes
Dry deposition modeled	MDRY	1 = yes
Gravitational settling	MTILT	0 = no
Method to compute dispersion coefficients	MDISP	3 = PG dispersion coefficients
PG sigma-y,z adjustments for roughness	MROUGH	0 = no
Partial plume penetration of elevated inversion	MPARTL	1 = yes
Strength of temperature inversion from PROFILE.DAT	MTINV	0 = no (computed from measured/default gradients)
PDF for dispersion when convective	MPDF	0 = no

Table 3-2. Benzene deposition properties.

Property	Parameter
Diffusivity	0.0896 cm2/s
Solubility enhancement factor	1.0
Reactivity	0-10 – set to 0 in this study
Mesophyll resistance	16,382 s/cm
Henry's Law coefficient	0.2287

3.2. CALPUFF SENSITIVITY TESTS

Sensitivity tests were performed on CALPUFF to identify the configuration that appeared to be the most scientifically sound. Each sensitivity test was performed on October 1 and 2, 2006 using CALMET Run 13. October 1 was treated as a model spin-up period; October 2 was used to compare benzene concentrations at both the 1-km resolution gridded receptors and the 141 discrete receptors. Winds were predominantly from the southeast.

Sensitivity tests examined the following:

- Revised vertical layer structure
- New emissions from the 2005 TCEQ Photochemical Modeling EI
- Using slugs
- Micrometeorological variables to compute the dispersion coefficients
- Adding puff splitting
- Allowing vertical wind shear above stack tops
- Incorporating surface roughness when computing Pasquill-Gifford dispersion coefficients

Sensitivity to new meteorology

CALPUFF Run 1a was configured exactly like Run 1 except CALMET Run 13 meteorology was used, which was based on a 14-layer vertical layer structure instead of the 10 layers used in Run 1. In addition to the discrete receptors, gridded receptors at 1 km resolution were also output. The benzene emissions were from the 2002 NEI inventory.

Table 3-3 lists the receptors with the five highest hourly benzene concentrations among the discrete receptors on October 2 from CALPUFF Runs 1 and 1a. The top 5 concentrations in Run 1 were at the same locations as in Run 1a. All five of these receptors were located downwind of the incorrectly-located Flint Hills West facility.

All improvements to CALMET between Run 1 and Run 13 made little difference to the 1-hour maximum concentration, increasing 0.32 ppb to 38.75 ppb. The second highest concentration showed a greater change, dropping 3.2 ppb to 29.4 ppb in Run 1a.

Table 3-3. Largest hourly benzene on October 2, 2006 from CALPUFF Run 1 and Run 1a.

Rank	Run 1 Conc [ppb]	Run 1a Conc [ppb]	Receptor
1	38.43	38.75	63 (230.63, -1337.16)
2	32.64	29.40	74 (231.06, -1336.46)
3	4.41	4.83	27 (231.19, -1336.21)
4	4.36	4.42	16 (232.01, -1336.35)
5	2.42	2.10	51 (230.35, -1335.86)

Sensitivity to emissions from the 2002 NEI vs. 2005 TCEQ Photochemical Modeling inventories

Since the NEI inventory placed the largest contributor of benzene emissions in the incorrect location, Run 2 used the 2005 TCEQ Photochemical Modeling inventory instead of the 2002 NEI inventory used in Run 1a. Table 3-4 lists the 2005 TCEQ Photochemical Modeling inventory benzene emissions by facility, ranked by the rate of emissions. The total benzene emitted in the Corpus Christi domain was 256 tpy – almost 50% more than in the NEI inventory.

Figure 3-2 plots the location of each emission record coded by facility. Larger facilities had their own color and/or symbol. All emissions from facilities emitting less than 3.0 tpy are shown in grey.

Emissions from Flint Hills Resources LP and Citgo Refining & Chemicals Company were reallocated based on a spatial distribution. Flint Hills Resources LP, represented by the red circles in Figure 3-2, is shown again in Figure 3-3 without any other facilities. Three distinct clusters were observed; therefore, Flint Hills needed to be split into three facilities. All points west of 250 km were assigned to Flint Hills West (65.56 tpy), which was much closer to the Port of Corpus Christi than in the NEI inventory. All points east of 260 km were located in San Patricio County and were named Flint Hills San Patricio (1.08 tpy). In between, the remaining points were assigned to Flint Hills East (0.25 tpy).

The 2005 Photochemical Modeling EI had already split Citgo into three separate facilities -- Citgo West (dark green circle in Figure 3-2), Citgo Deep Sea Terminal (grey plus), and Citgo East (light pink circle), differentiated by the first two letters of the facility identification of CW, CD, and CE, respectively. Figure 3-4 plots the locations of each Citgo point source. Several

Citgo East emission records were found closer to the Citgo West facility than Citgo East; these points, totaling 0.70 tpy, were reclassified as part of Citgo West. Citgo East's revised benzene emissions was 45.37 tpy; Citgo West was increased to 7.55 tpy benzene.

Figure 3-5 plots the revised total benzene emissions by facility, scaled by the magnitude of the emission rates. The five largest emitters – Flint Hills West, Valero East, Citgo East, Valero West, and Koch Petroleum – are all concentrated on the north side of Nueces County along the inner Corpus Christi Bay, and account for over 80% of the total benzene emissions. These five facilities are highlighted in orange in the plot; their revised totals are listed in Table 3-5.

Table 3-4. Benzene emissions by facility in the 2005 TCEQ Photochemical Modeling inventory.

Rank	Facility Name	Emission [tpy]
1	FLINT HILLS RESOURCES LP	66.90
2	VALERO REFINING COMPANY TEXAS LP (Valero East)	54.41
3	CITGO REFINING & CHEMICALS CO (Citgo East)	46.07
4	VALERO REFINING-TEXAS LP (Valero West)	29.99
5	KOCH PETROLEUM GROUP LP	13.51
6	EQUISTAR CHEMICALS LP	11.65
7	CITGO REFINING & CHEMICALS CO LP (Citgo West)	6.86
8	TICONA POLYMERS INC	4.52
9	ENTERPRISE PRODUCTS OPERATING LP	4.49
10	SHERWIN ALUMINA COMPANY	2.67
11	VALERO LOGISTICS OPERATIONS LP	2.18
12	MAGELLAN TERMINALS HOLDINGS LP	2.10
13	NUSTAR LOGISTICS LP	1.92
14	PLAINS MARKETING LP	1.70
15	CITGO REFINING AND CHEMICALS CO LP	1.20
16	KIRBY INLAND MARINE LP	1.19
17	TRIGEANT LTD.	1.10
18	TEXAS CRUDE ENERGY INC	0.98
19	CORPUS CHRISTI COGENERATION LP	0.79
20	ENTERPRISE HYDROCARBONS LP	0.49
21	CROSSTEX CCNG PROCESSING LTD	0.36
22	CHAPARRAL ENERGY LLC	0.32
23	ABRAXAS PETROLEUM CORP	0.29
24	E.I. DUPONT DE NEMOURS & CO INC.	0.21
25	OCCIDENTAL CHEMICAL CORPORATION	0.13
26	AIR LIQUIDE AMERICA CORP	0.09
27	CORPUS CHRISTI ARMY DEPOT	0.09
28	BARNEY M DAVIS LP	0.07
29	ELEMENTIS CHROMIUM LP	0.06
30	GREGORY POWER PARTNERS LP	0.04
31	NATURAL GAS PIPELINE CO OF AMERICA	0.03
	Total	256.42



Figure 3-2. Location of benzene emission sources color-coded by facility in the 2005 Photochemical Modeling inventory.



Figure 3-3. Location of Flint Hills emission sources.



Figure 3-4. Location of Citgo emission sources.

Table 3-5. Revised list of the top emitting benzene facilities near Corpus Christi.

Rank	Facility	Emissions (TPY)
1	Flint Hills West	65.56
2	Valero East	54.41
3	Citgo East	45.37
4	Valero West	29.99
5	Koch Petroleum	13.51
All others		47.57



Figure 3-5. Benzene emissions by facility in the 2005 TCEQ Photochemical Modeling database, scaled to the emission rate by facility.

The 2005 TCEQ Photochemical Modeling benzene inventory contained 1014 point sources within the modeling domain – about 400 more than NEI. The additional number of sources increased computational time by 70% (28 min in Run 1a vs. 48 min in Run 2 to simulate October 2 on a linux machine with AMD Athlon XP 3200+ CPU).

The top and bottom of Figure 3-6 show spatial plots of the daily maximum hourly benzene on October 1 and 2, respectively. The left side displays Run 1a, which used the 2002 NEI inventory, and the right side shows Run 2, based on the 2005 TCEQ Photochemical Modeling inventory database. Note that even though the color scale is only set to 4 ppb, local peaks near the sources can go much higher.

The NEI inventory incorrectly placed Flint Hills West near Robstown, resulting in an erroneous plume and gridded domain peak concentrations of 6.6 and 57.7 ppb downwind of Flint Hills West on October 1 and 2, respectively.

The 2005 TCEQ Photochemical Modeling inventory placed Flint Hills West in the correct location with lower emissions (87 tpy in NEI vs. 66 tpd in 2005 TCEQ Photochemical Modeling inventory). The largest gridded benzene concentration was 34.9 ppb on October 1. The high value was attributed to the facility being in the same grid cell as the receptor. If grid cells containing emission sources were excluded, the domain peak would be reduced to 7.5 ppb.

When examining discrete receptors on October 1, the peak concentration was much lower (0.3 ppb) because winds were predominantly from the southeast, placing most discrete receptors upwind of the major facilities, as can be seen in Figure 3-7. On October 2, the highest gridded and discrete concentrations of benzene were 9.9 ppb (7.5 ppb when excluding cells with facilities) and 1.2 ppb, respectively.

Since the 2005 TCEQ Photochemical Modeling inventory located the largest facility – Flint Hills West – in the proper location, all runs that follow will use benzene emissions from it.



Figure 3-6. Spatial plots of the daily maximum hourly benzene concentrations on October 1 (top) and October 2 (bottom) using NEI emissions (left) and emissions from the 2005 TCEQ Photochemical Modeling inventory (right).



Figure 3-7. Location of discrete receptors and emission facilities in the 2005 TCEQ Photochemical Modeling inventory.

Sensitivity to slugs

Slugs can be thought of as a continuous release of puffs to resemble an elongated puff. They are recommended for near field modeling. Since many schools are located very close to the large emission sources, the use of slugs needs to be examined. Run 3 was configured exactly like Run 2, but with the slug option (MSLUG) turned on.

Effects of slugs can be seen more easily when viewing an individual hour. Snapshots of the benzene concentration at 3AM on October 2 are displayed in Figure 3-8. This hour contained the highest benzene concentration in Run 2 and largest change in benzene when using slugs. The left and middle compare benzene concentrations without and with the use of slugs, respectively. The right side shows their differences.

Without slugs, the peak benzene concentration at 3AM was 9.9 ppb over the Flint Hills West facility (grid cell (30, 39)). With slugs, benzene was reduced 1.4 ppb to 8.5 ppb – the largest reduction of any hour in the domain, while benzene increased 2.1 ppb in an adjacent diagonal cell that did not contain any emission sources. The largest differences when incorporating slugs occurred late night and early morning close to the emission sources; differences decreased rapidly downwind.

Among the discrete receptors, the highest hourly concentration (1.25 ppb) in Run 2 was located at a school near Flint Hills West with coordinates (245.9, -1332.6). Slugs increased the peak concentration among discrete receptors by 0.06 ppb, located in the same receptor.

The full potential of slugs could not be determined from the October 1 and 2 analysis because most of the nearby receptors were upwind of the facilities. The use of slugs required four times more computational time. Run 2 took 48 minutes to simulate October 2; Run 3 required 194 minutes.



Figure 3-8. A comparison of benzene concentrations without slugs (Run 2) and with slugs (Run 3).

Micrometeorological variables to compute dispersion coefficients

In Run 2, the dispersion coefficients (σ_y and σ_z) were computed from empirical formulas based on the Pasquill-Gifford stability class and downwind distance. Run 4 examined the impacts to benzene when using micrometeorological variables to compute these dispersion coefficients. The micrometeorological variables, such as friction velocity, convective velocity scale, and Monin Obukhov length, were derived from meteorological observations and surface characteristics from CALMET.

The top of Figure 3-9 compares benzene concentrations at 3AM on October 2 between Run 2 and Run 4; the bottom compares the daily maximum concentrations. The micrometeorological variables appeared to generate larger spread parameters near Flint Hills West, resulting in lower peaks near the source and higher concentrations further downwind. At grid cell (30,39), the domain peak of 9.9 ppb in Run 2 dropped 7.5 ppb at 3AM, and almost 7 ppb during the domain maximum. The same grid cell also showed the greatest reduction (1.4 ppb reduction) when using slugs in Run 3.

Benzene concentrations were higher near Valero East and downwind. The domain peak shifted to Valero East as the new method of computing dispersion coefficients increased benzene over 4 ppb to 6.7 ppb in grid cell (38, 36), which was in between but not directly over the Valero East facility.

At the discrete receptors, the largest concentration was 1.18 ppb near Flint Hills West in Run 2. In Run 4, the micrometeorological variables reduced the peak concentration to 0.54 ppb at a receptor further downwind of Flint Hills West since concentrations very close to the facility were greatly reduced.

The use of micrometeorological variables to compute the dispersion coefficients reduced computational time by 30% (Run 4 required 32 minutes compared to 48 minutes for Run 2).



Figure 3-9. Sensitivity to micrometeorological variables to compute dispersion coefficients at 3AM (top) and daily maximum (bottom)

Sensitivity to puff splitting

Puff splitting is useful when there is a lot of wind shear, allowing puffs to separate into different directions, but could be more time consuming as CALPUFF has to keep track of more puffs. Run 5 was configured with the puff splitting flag, MSPLIT, activated.

Compared to Run 2, puff splitting had no impact on benzene concentrations nor to the computational time on October 2. Figure 3-10 shows the difference in gridded benzene concentrations at 3AM on October 2. Differences in all grid cells and hours were on the order of 1.E-5 ppb. The domain peak was unchanged at 9.9 ppb, or 7.5 ppb when excluding grid cells with point sources. The highest benzene concentration at a discrete receptor was 1.2 ppb at a school near Flint Hills West.



Figure 3-10. Benzene sensitivity to puff splitting.

Sensitivity to vertical wind shear above stacks

A sensitivity test examined the effects of wind shear above stack tops when coupled with puff splitting. These two features were added to Run 2 in the Run 6 configuration.

Run 6 was compared to both Run 2 to evaluate the effects of puff splitting with vertical wind shear, and to Run 5 to examine the impacts of vertical wind shear above the stacks only, as shown on the left and right sides of Figure 3-11. The vertical wind shear above stack tops produced minor differences on the order of 1E-3 ppb, including a 0.005 ppb increase at the domain peak. The results were the same whether puff splitting was included or not, since puff splitting created differences on the order of 1E-5 ppb.



Impacts from puff splitting + vertical wind shear

Impacts from vertical wind shear above stacks only

Figure 3-11. Impacts to benzene when allowing vertical wind shear above the stack tops.

Sensitivity to surface roughness

CALPUFF Run 7 incorporated surface roughness into the Pasquill-Gifford dispersion coefficients. Figure 3-12 compares the 3AM and daily maximum benzene between Run 2 and Run 7. When compared to Run 2, the daily maximum domain peak over Flint Hills West dropped from 9.9 to 6.3 ppb. When grid cells containing emission sources were removed, the domain peak was only 3.6 ppb – the lowest peak among all runs evaluated.

The largest reduction to the daily maximum was located one diagonal grid cell away from Flint Hills West, where benzene was reduced 4.4 ppb; the largest increase (+2.8 ppb) was found over Valero East. A similar pattern was found in Run 4, when micrometeorological variables were used to compute the dispersion parameters. The surface roughness tended to show mostly benzene reductions downwind of the facilities, whereas micrometeorological variables often led to more benzene downwind.

Among the discrete receptors, the school near Flint Hills West had the highest benzene concentration in both Run 2 and Run 7. Run 2 was 1.18 ppb; The addition of surface roughness in Run 7 reduced the peak concentration by 0.44 ppb to 0.74 ppb.

The addition of the surface roughness to the dispersion coefficient calculations added 20% more computational time, increasing from 48 minutes in Run 2 to 59 minutes in Run 7.



Figure 3-12. Spatial plots of the 3AM (top) and daily maximum (bottom) benzene with (Run 7) and without (Run 2) surface roughness effects.

Choosing the most favorable CALPUFF configuration

Table 3-5 summarizes the CALPUFF sensitivities performed in this study, listing the largest benzene concentration from gridded receptors in cells with and without emission sources, and from discrete receptors. The time needed to simulate CALPUFF on October 2 on an AMD Athlon XP 3200+ machine in Linux is also shown in the rightmost column.

Flint Hills West was the biggest emitter of benzene in both the NEI and 2005 TCEQ Photochemical Modeling inventories. NEI placed Flint Hills West too far to the west, creating a domain peak of 58 ppb immediately downwind of the erroneous location. The 2005 TCEQ Photochemical Modeling EI correctly placed Flint Hills West closer to the Port of Corpus Christi, and was the inventory selected for the episodic model run.

Run 2 was configured with emissions from the 2005 TCEQ Photochemical Modeling inventory and CALMET Run 13 meteorology. All subsequent runs were compared to Run 2.

The two runs that adjusted the dispersion coefficients – Run 4, which used micrometeorological variables, and Run 7, which accounted for surface roughness in the dispersion coefficients – made the largest impacts to benzene. Both runs reduced the domain peak in grid cell (30,39) in Run 2 (9.9 ppb) over Flint Hills West by several ppb. Both runs increased benzene concentrations 1.7 ppb over grid cell (39,36), which was near the Valero East facility – the second largest source of benzene.

Figure 3-13 compares the differences in daily maximum benzene in Run 4 and Run 7 when compared to Run 2. Benzene was generally higher downwind of the major emission sources when using micrometeorological variables to compute the dispersion coefficients, but lower when factoring in surface roughness.

Since benzene observations were not available to determine which method for computing dispersion coefficients yielded the best model performance, the method chosen was based on scientific soundness. Theoretically, if the meteorological data is good, the use of meteorological variables to compute the dispersion coefficients should yield more realistic results than those based on empirical formulas and constants extracted from defined classes. Considering that there were eight surface stations near the Port of Corpus Christi, the use of micrometeorological variables was selected as the method to compute dispersion parameters in the final CALPUFF configuration.

The use of slugs in Run 3 did not alter benzene concentrations as much as the changes to the dispersion coefficients had. For example, the largest reduction (-1.4 ppb) at 3AM took place in the same grid cell as the peak reductions in Run 4 and Run 7 – cell (30,39) over Flint Hills West, where benzene was reduced 7.5 and 3.7 ppb, respectively. Slugs also increased benzene in grid cell (39, 36) near Valero East by 0.3 ppb; Run 4 and Run 7 increased the benzene by 1.7 ppb.

The influence of slugs did not seem as widespread as the micrometeorological variables, as can be seen in the difference plots in Figure 3-13. Considering that the impacts from slugs were smaller in magnitude and areal extent compared to the micrometeorological variables, and that slugs required 4 times more computational time, slugs were not used in the final set of runs.

Vertical wind shear altered benzene concentrations by a few thousandths of a ppb while puff splitting impacts were even smaller. Neither option was used in the final runs.

The most favorable CALPUFF configuration evaluated was Run 4, which consisted of micrometeorological variables to compute the spread parameters and the 2005 TCEQ Photochemical Modeling EI.

Table 3-5. Summary of CALPUFF peak benzene concentrations from sensitivity runs on October 2, 2006 at gridded and discrete receptors.

Run	Emissions	CALMET Run	Sensitivity	Highest Benzene (from all grid cells) [ppb]	Highest Benzene (from grid cells containing no facilities) [ppb]	Highest Benzene (from discrete receptors) [ppb]	Time to simulate Oct 2. (min)
Run 1	NEI 2002	Run 1 (10 vertical layers)		n/a	n/a	38.430	2
Run 1a	NEI 2002	Run 13	14 vertical layers	57.716	57.716	38.748	28
Run 2	2005 TCEQ Photochemical Modeling EI	Run 13	2005 TCEQ Photochemical Modeling inventory emissions	9.939	7.506	1.184	48
Run 3	2005 TCEQ Photochemical Modeling EI	Run 13	Run 2 with slugs	8.639	6.730	1.246	194
Run 4	2005 TCEQ Photochemical Modeling EI	Run 13	Run 2 using micrometeorological variables to compute spread parameters	6.714	6.714	0.535	32
Run 5	2005 TCEQ Photochemical Modeling EI	Run 13	Run 2 with puff splitting	9.939	7.506	1.184	48
Run 6	2005 TCEQ Photochemical Modeling EI	Run 13	Run 2 with puff splitting and vertical wind shear above stacks	9.944	7.507	1.184	48
Run 7	2005 TCEQ Photochemical Modeling EI	Run 13	Run 2 with surface roughness effects	6.263	3.644	0.740	59



Figure 3-13. Impacts to the daily maximum benzene when using micrometeorological variables to compute the dispersion coefficients (left), when applying roughness to the dispersion coefficients (middle), and when using slugs (right).

Sensitivity to meteorology

The final sensitivity test examined how sensitive CALPUFF responded to different meteorology. Since CALPUFF Run 4, which used meteorology from CALMET Run 13, was believed to have the most favorable setup, a sensitivity test was performed using CALMET Run 12 as the meteorological inputs. CALMET Run 12 contains all the options in CALMET Run 13 plus the O'Brien vertical velocity adjustment, which made noticeable changes to the wind field.

Figure 3-14 compares the daily maximum benzene concentration between Run 4 and Run 8; the bottom shows the difference between the two runs. CALPUFF definitely responded to the different meteorology. Concentrations near Valero East and Citgo East were lower in Run 8 than in Run 4 because the O'Brien scheme produced faster wind speeds near the Port on October 2, just like on October 1. The faster southeasterlies spread benzene further downwind and further west, as can be seen in the difference plot.

The largest concentration from all grid cells on October 2 was 6.7 ppb in Run 4 and 6.6 ppb in Run 8. The peak value was similar, but the location differed. When grid cells containing emission sources were removed, the peaks from the two runs were in the same location (LCP coordinates (253.5, -1332.5)); Run 8 was a few tenths lower than in Run 4.

The highest benzene at discrete receptors from both runs was located downwind of Flint Hills West. Run 8's peak was closer to Flint Hills West, and consequently, higher in concentration than in Run 4.



Figure 3-14. Comparison of the daily maximum benzene when using meteorology adjusted with the O'Brien scheme (Run 8) and without the adjustment (Run 4).

3.3. FULL-EPISODE CALPUFF RUN

The CALPUFF Run 4 configuration was considered the most realistic setup. This configuration consisted of CALMET Run 13, which used high-resolution coastline data, kinematic effects of terrain, and additional smoothing in layers aloft, and CALPUFF Run 4 inputs, which consisted of benzene emissions from the 2005 TCEQ Photochemical Modeling inventory, micrometeorological variables to compute the dispersion coefficients, and both gridded and discrete receptors. CALPUFF was run for the entire October 1 to November 30, 2006 episode.

Figure 3-14 shows a spatial plot of the episode maximum benzene concentration. The small blue X's represent the locations of the 141 discrete receptors and the black dots represent each facility. The highest hourly benzene concentration was located directly over the Flint Hills West facility at 53.2 ppb on November 17. A second gridded peak was located over Valero East at

47.4 ppb. When grid cells containing emission sources were excluded, the domain and episode peak concentration was 29.0 ppb at LCP location (256.5, -1334.5) on October 17, which was close to a number of facilities including Valero East and Citgo East. The highest 1-hour benzene concentration at a discrete receptor was 34.2 ppb at a school with LCP coordinates (253.6, -1333.9) at midnight on October 22.



Figure 3-14. Episode maximum benzene from all sources in CALPUFF Run 4.

3.4. SOURCE APPORTIONMENT

The CALPUFF Run 4 configuration was applied to five more runs for the full two-month episode. These runs isolated the emissions from each of the five largest facilities – Flint Hills West, Citgo East, Valero East and West, and Koch Petroleum – to examine each facility's impact.

Contour plots of the highest 1-hour benzene contribution in the 2-month episode from each of the five facilities are displayed in Figure 3-15. Locations of the discrete receptors and facilities are also shown.

A list of the highest contributions from each facility to any grid cell in the domain and to any grid cell that was outside the facility can be found in Table 3-6. The highest benzene contribution to a discrete receptor is listed in Table 3-7. Episode peaks at all gridded and discrete receptors always occurred late night or in the early morning. The highest contribution to a gridded receptor was directly over the facility in all five cases.

Flint Hills West emitted the most benzene and was responsible for almost all of the benzene at the all-source peak of 53.2 ppb. Excluding cells that were inside the Flint Hills West facility, the highest concentration among gridded receptors was 21.0 ppb. Flint Hills West was relatively distant from most of the discrete receptors, but one of the receptors adjacent to the facility did receive 19.1 ppb benzene on November 18.

Citgo East contributed the most benzene (23 ppb) to a gridded receptor not directly over the facility. Since Citgo East was somewhat close to the main residential area of Corpus Christi, its influence was felt by more receptors than Flint Hills West, especially when the winds were northerly. The largest contribution to a discrete receptor (19.0 ppb) from Citgo East was almost the same as from Flint Hills West (19.1 ppb), despite emitting 30 % less benzene.

Valero East contributed more to a discrete receptor than any other facility. Its contribution of 27.7 ppb at midnight on October 22 to a school with LCP coordinates (253.6, -1333.9) was located at the same receptor and time as the episode peak from all sources combined (34.2 ppb), accounting for 80 % of the total.

Valero West's largest contribution to any discrete receptor of 6.0 ppb was lower than Valero East or Citgo East due to the facility's smaller emission rate and distance further to the west from the majority of the discrete receptors.

Koch Petroleum emitted the least of the five facilities, but had higher contributions to the discrete receptors than Valero West due to its short distance to discrete receptors located to the south. The highest contribution was 9.5 ppb on November 6.



Figure 3-15. Contour maps of the episode maximum 1-hour benzene concentrations from each of the five largest contributors.



Figure 3-15. (Continued) Contour maps of the episode maximum 1-hour benzene concentrations from each of the five largest contributors.



Figure 3-15. (continued) Contour maps of the episode maximum 1-hour benzene concentrations from each of the five largest contributors.

Table 3-6. Largest benzene contribution from each facility at gridded receptors.

Facility	Peak Benzene (all grid cells)	Location	Date	Peak Benzene (gridded cells excluding emission sources	Location	Date
All	53.24	(245.5, -1331.5)	Nov 17, 7am	28.96	(256.5,-1334.5)	Oct 17, 5am
Flint Hills West	53.17	(245.5, -1331.5)	Nov 17, 7am	20.99	(246.5, -1331.5)	Oct 16, 10pm
Citgo East	44.40	(255.5, -1333.5)	Nov 17, 7am	22.99	(255.5, -1334.5)	Nov 6, 11pm
Valero East	30.59	(254.5, -1332.5)	Nov 6, 10pm	15.74	(255.5, -1333.5)	Oct 7, 3am
Valero West	14.80	(249.5, -1333.5)	Oct 16, 10pm	8.51	(248.5, -1333.5)	Oct 5, 1am
Koch Petroleum	11.87	(256.5, -1333.5)	Oct 7, 2am	6.60	(256.5, -1334.5)	Oct17, 5am

Table 3-7. Largest benzene contribution from each facility to discrete receptors.

Facility	Peak Benzene (discrete receptors)	Location	Date
All	34.20	(253.6, -1333.9)	Oct 22, 12am
Flint Hills West	19.10	(245.9, -1332.6)	Nov 18, 7am
Citgo East	18.98	(255.1, -1334.7)	Nov 17, 7am
Valero East	27.67	(253.6, -1333.9)	Oct 22, 12am
Valero West	6.01	(251.3, -1333.7)	Oct 6, 12am
Koch Petroleum	9.50	(255.8, -1334.7)	Nov 6, 11pm

3.5 SUMMARY

A comparison of CALPUFF sensitivities to several important options in the model was evaluated on October 2, 2006 – the second date in the episode. Two benzene emission inventories were examined – the 2002 NEI and 2005 TCEQ Photochemical Modeling EI. The 2005 TCEQ Photochemical Modeling EI contained 50 % more benzene emissions than NEI; the 2005 TCEQ Photochemical Modeling EI also correctly located the largest contributor of benzene – Flint Hills West – whereas NEI positioned it too far to the west. Therefore, all comparisons were based on the 2005 TCEQ Photochemical Modeling EI.

CALPUFF was run with gridded receptors in 1 km resolution and discrete receptors representing populated areas in addition to schools and hospitals. The gridded receptors were most sensitive to options that computed the dispersion coefficients differently. In the initial run, CALPUFF used empirical formulas based on the Pasquill Gifford stability classes and downwind distance to compute the dispersion coefficients. The use of micrometeorological variables instead of the empirical formulas, and the impacts from surface roughness on the Pasquill-Gifford dispersion parameters produced similar trends near each facility. At Flint Hills West, benzene concentrations were reduced; near Valero East, benzene increased. Further downwind, benzene concentrations tended to be higher with micrometeorological variables, but lower with the roughness effects.

Theoretically, micrometeorological variables should produce better results than the use of empirical formulas and classed bins, if the meteorological network is dense and accurate. Considering that there were eight surface meteorology stations near the Port of Corpus Christi, micrometeorological variables to compute the dispersion parameters seemed to be the most reasonable choice.

Other options included the use of slugs, which are elongated puffs useful for near-field modeling. The slug impact was small near the emission sources in comparison to the effects from micrometeorological variables and required 4 times more computational time; therefore, slugs were not used. The options for puff splitting and vertical shear above the stack tops had no impact on benzene and were turned off.

The CALPUFF configuration with the 2005 TCEQ Photochemical Modeling EI and micrometeorological variables was the most favorable and was used to simulate the October 1 – November 30, 2006 episode. The highest hourly benzene concentration at a discrete receptor was 34 ppb on October 22.

CALPUFF was run five more times using emissions from each of the five facilities emitting the most benzene. Flint Hills West emitted the most benzene and was responsible for the highest concentration (53 ppb) in the domain located in the same grid cell as the facility. Excluding grid cells containing the associated facility, Citgo East contributed the most to a gridded receptor at 23 ppb. Among the discrete receptors, Valero East contributed the most at 28 ppb benzene to a school with LCP coordinates of (253.6, -1333.9) at midnight on October 22 – the same discrete receptor and hour as the episode peak from all sources.

4. AERMOD MODELING

AERMOD was used to predict benzene concentration in the Corpus Christi region for a two-month period due to emissions of benzene by chemical plants and refineries in the region. This chapter presents a brief overview of the AERMOD modeling system, a description of the emissions inventory, the model setup specifications, tables of maximum predicted concentrations of benzene at discrete receptors and contour plots of predicted maximum concentrations of benzene over the region.

AERMOD is a steady-state plume model that incorporates air dispersion based on planetary boundary layer (PBL) turbulence structure and scaling concepts. It can treat both surface and elevated sources, and both simple and complex terrain. The AERMOD modeling system consists of one main program (AERMOD) and three pre-processors (AERSURFACE, AERMAP and AERMET).

AERSURFACE is the preprocessor used to process land cover data to determine the surface characteristics (i.e., albedo, Bowen ratio and surface roughness) for use in the meteorological preprocessor, AERMET.

AERMET is used to calculate PBL parameters (friction velocity, Monin-Obukhov length, convective velocity scale, temperature scale, mixing height, and surface heat flux), based on input surface characteristics from AERSURFACE, as well as standard meteorological observations (wind speed, wind direction, temperature and cloud cover).

AERMAP is the terrain preprocessor for AERMOD. AERMAP determines the elevation for each source and the elevation and terrain height scale (h_c) for each receptor.

AERMOD uses PBL parameters calculated by AERMET and similarity expressions to calculate vertical profiles of wind speed, lateral and vertical turbulent fluctuations, potential temperature gradient, and potential temperature. AERMOD uses the hill height scale (h_c) determined by AERMAP to calculate the critical dividing streamline height (H_c).

4.1. AERMOD Inputs

The AERMOD modeling domain was defined to cover approximately the same region as the CALPUFF modeling domain that was defined for another part of this project. The CALPUFF domain is specified in the Lambert Conformal Conic (LCC) Projection whereas AERMOD requires a Geographical Coordinate System or a Universal Transverse Mercator (UTM) Projection. The projection chosen for the AERMOD domain is NAD83 UTM14, and the domain is defined as a 72km square with the South West corner at the point (612km, 3043km) as shown in Figure 4-1.

The AERMOD domain is shifted slightly west from the CALPUFF domain because Digital Elevation Maps (DEMS) of the easternmost region were not readily available.

Figure 4-1. Corpus Christi Regional Modeling Domain. The black dashed boxed is the CALPUFF domain, and the red solid box is the AERMOD modeling domain.

The benzene emission rates and source characteristics for modeling were obtained from the 2005 TCEQ Photochemical Modeling inventory. There were 1066 point source stacks in the inventory, but 34 stacks were outside of the modeling domain and were removed. Stack locations were converted to UTM coordinates, grouped by facility, and renamed so stacks within certain facilities could be referenced in AERMOD as a range of sources for source apportionment analysis.



Figure 4-2. Locations of all emission sources used in AERMOD.

AERMAP

AERMAP is the terrain preprocessor for AERMOD. AERMAP determines the terrain base elevation for each receptor and source and calculates the hill height scale value (h_c) for each receptor. The hill height scale value is used by AERMOD to calculate the critical dividing streamline height (H_c). We used the current regulatory version of AERMAP (Version 06341), which is available from the U.S. Environmental Protection Agency's (EPA) internet site located at http://www.epa.gov/scram001/dispersion_related.htm. AERMAP requires an input runstream file, which directs the actions of AERMAP, and digital terrain data. Following is a summary of the input runstream file options and digital terrain data.

Digital Terrain Data

AERMAP requires contiguous coverage of the modeling domain with digital terrain data. We used 46 digital elevation model (DEM) files to cover the modeling domain. We selected the 7.5-minute North American Datum of 1927 (NAD27) format with 30 meter resolution. The DEM data files are available from either of the following internet sites: http://www.mapmart.com or http://www.webgis.com. The specific DEM files used to cover the modeling domain are listed in the AERMAP input runstream file, which is included as Appendix C.

Anchor Coordinates and NADA Parameter

The ANCHORXY keyword is used to relate the origin of the user-specified coordinate system for the receptors and sources to the UTM coordinate system, including specification of the reference datum for the receptors and sources through the NADA parameter. The NADA parameter specifies the horizontal datum that was used to establish the coordinates of the anchor point, which was set to 4, representing datum NAD83. The anchor coordinates were defined at the southwest corner of the modeling domain

Receptors and Sources

Discreet sensitive receptor locations were provided by UT in GCS coordinates, which were assumed to be in NAD83. Source locations, in GCS coordinates, were taken from the 2005 TCEQ Photochemical Modeling inventory.

In addition to the discreet sensitive receptors, a Cartesian grid of receptors with four kilometer grid spacing was output for quality assurance and contour mapping purposes.

AERSURFACE

AERSURFACE was not run for the Corpus Christi Regional Modeling demonstration case. Instead, the Texas Commission on Environmental Quality (TCEQ) recommended values for albedo (0.18) and Bowen ratio (0.75) for San Patricio County[1] were used. The surface roughness value was set to 1.0, which is indicative of typical urban/industrial areas.

These values for albedo, Bowen ration and surface roughness are representative of the entire modeling domain. The TCEQ used Matthews' (NASA) relationships to obtain average noontime albedo values from typical vegetation coverage in Texas. Bowen ratios have already been determined in Texas based on water models that include rainfall, surface runoff, and other

[1] ftp://ftp.tceq.state.tx.us/pub/OPRR/APD/AERMET/AERMETv06341/BackgroundInformation/aermet.pdf

factors. The TCEQ suggests a range of surface roughness values for urban/industrial areas of 0.7 to 1.5 m, with a suggested value of 1.0 m. For rural/suburban areas, the TCEQ suggests a value of 0.5 m.

AERMET

AERMET is the three-stage meteorological data processor for AERMOD. AERMET processes meteorological data and estimates planetary boundary layer (PBL) parameters for use in AERMOD. Gary McGaughey of UT performed the AERMET processing using the current regulatory version of AERMET (Version 06341), which is available from the EPA's internet site located at http://www.epa.gov/scram001/dispersion_related.htm. AERMET requires an input runstream file, which directs the actions of AERMET, and meteorological observations. Following is a summary of the AERMET meteorological observations. The Stage 1, 2 and 3 input runstream files are included as Appendix D.

Meteorological Observations

The following surface, upper air and on-site meteorological data were used in the AERMET processing for the period from October 1 through November 30, 2006:

- Surface: Corpus Christi International Airport (12924) TD-3505 format
- Upper Air : Corpus Christi International Airport (12924) FSL format
- On-Site: Solar Estates (C633) and Oak Park (C634) meteorological monitors

The two On-Site monitors were processed individually for each AERMET run, resulting in two sets of AERMET output files to be used by AERMOD, one corresponding to Solar Estates On-Site monitor and the other corresponding to the Oak Park monitor.



Figure 4-3. Location of the meteorological sites.

AERMOD

AERMOD is a steady-state plume dispersion model. AERMOD uses a Gaussian distribution in the horizontal and vertical directions in the stable boundary layer (SBL). In the convective boundary layer (CBL), AERMOD uses a Gaussian distribution in the horizontal direction, but a bi-Gaussian probability distribution function (pdf) in the vertical direction. The current regulatory version of AERMOD (Version 07026) was downloaded from the EPA's internet site located at http://www.epa.gov/scram001/dispersion_prefrec.htm#aermod and used in this study.

To test AERMOD predicted concentrations sensitivity to the choice of On-Site meteorological site, AERMOD was run twice, once using AERMET files generated with Solar Estates On-Site monitor data and once using the AERMET files generated with the Oak Park On-Site monitor data. AERMOD requires an input runstream file, which directs the actions of AERMOD. Following is a summary of the AERMOD input runstream file options.

Control Options
We specified the following control options.

- Terrain: Elevated (from AERMAP processing)
- Pollutant: Benzene
- Averaging Periods: 1-hour and 8-hour
- Dispersion Options: Concentration
  Deposition (Dry, Wet and Total)

To model deposition, the TOXICS keyword must be specified. Additional information about the definition of seasons and land use around the receptors also must be provided when using the gaseous deposition algorithms. The season definition values are specified through the GDSEASON keyword. The following default season definition values were used:

- Seasonal Category 1 (Midsummer with lush vegetation): June, July, August
- Seasonal Category 2 (Autumn with unharvested cropland): September, October, November
- Seasonal Category 3 (Late autumn after frost and harvest, or winter with no snow): December, January, February
- Seasonal Category 5 (Transitional spring): March, April, May

The land use categories are defined by wind direction through the GDLANUSE keyword. A land use category of 5 (suburban areas, grassy) was assigned to each of the 36 wind direction sectors (every 10 degrees) for all receptors.

Source Options

The INCLUDE keyword was used to include location (UTM coordinates) and elevation information on the sources from the AERMAP processing. Source characteristics were obtained from the 2005 TCEQ Photochemical Modeling inventory. Parameters for the gaseous deposition of benzene are listed below for all sources[2]:

- Diffusivity in air (D_a): 0.08962 cm^2/s
- Diffusivity in water (D_w): 104,000 cm^2/s
- Cuticular resistance (r_{cl}): 25,100 s/cm
- Henry's Law Constant: 557 Pa-m^3/mol

The default output units for deposition are in grams per square meter (g/m^2). The default output units result in very low deposition values. Therefore, the DEPOUNIT keyword was applied to convert the default output units to microgram per square meter ($\mu g/m^2$).

AERMOD automatically generates a source group containing all modeled sources. Five additional source groups were created, corresponding to the individual facilities with the highest emissions in order to track their individual contributions. The six source groups are:

- All sources
- Flint Hills West
- Citgo East
- Valero East
- Valero West
- Koch Petroleum

Receptor Options

AERMAP was used to define the receptor location (UTM coordinates), elevation and hill height scale values.

Meteorology Options

Surface meteorological data (TC_C633.sfc, TC_C634.sfc) and profile (TC_C633.pfl, TC_C634.prf) meteorological data files were generated by AERMET for the period from October 1 through November 30, 2006.

Output Options

Output tables listed the highest concentration for each receptor for each averaging period (i.e., 1-hour and 8-hour). The table is included in the AERMOD output file (*.OUT). Plot files list concentrations according to receptor location for different averaging periods and source groups. Plot files are used to make contour maps.

The AERMOD input runstream file is included as Appendix E.

[2] Argonne National Laboratory. 2002. *Deposition Parameterizations for the Industrial Source Complex (ISC3) Model*. Argonne, IL.

4.2. MODELING RESULTS

Tables 4-1 and 4-2 list the highest benzene concentrations predicted by AERMOD during the two month episode when using On-Site meteorological data from Solar Estates (C633) and from Oak Park (C634), respectively. Contributions from all sources and from each of the five largest facilities were extracted from a single run.

When meteorology came from Solar Estates, the highest benzene concentration at discrete receptors from all sources occurred on November 16 at 26.7 ppb. Using Oak Park meteorology, the highest concentration was 23% higher at 32.9 ppb, occurring two dates later. Among the peak contributions from the five individual facilities, Oak Park meteorology nearly doubled each benzene peak compared to Solar Estates meteorology.

Koch Petroleum was the only facility where its peak contribution occurred on the same date and discrete receptor. Flint Hills West and Valero East each had peaks at the same receptor, but the run using Oak Park meteorology had higher peaks two days later.

Contributions from Citgo East to discrete receptors were the highest among the five facilities in both runs, even though Flint Hills West and Valero East emitted more benzene. Proximity to the discrete receptors was very important. Similarly, Koch Petroleum's peak contribution to discrete receptors was higher than Valero West in both runs.

Table 4-1. Highest hourly benzene concentration from all discrete receptors using AERMOD with meteorology from Solar Estates (C633).

Source Group	peak 1-hr conc [ppb]	Date	UTMx [m]	UTMy [m]
All Sources	26.69	16-Nov	655185	3075797
Flint Hills West	11.55	16-Nov	645385	3078075
Citgo East	14.37	16-Nov	656425	3075136
Valero East	11.80	4-Oct	652985	3076600
Valero West	3.80	14-Oct	650765	3076849
Koch Petroleum	5.01	18-Nov	655185	3075797

Table 4-2. Highest hourly benzene concentration from all discrete receptors using AERMOD with Oak Park meteorology (C634).

Source Group	peak 1-hr conc [ppb]	Date	UTMx [m]	UTMy [m]
All Sources	32.86	18-Nov	652985	3076600
Flint Hills West	26.22	6-Nov	645385	3078075
Citgo East	29.34	18-Nov	654500	3075788
Valero East	24.92	6-Nov	652985	3076600
Valero West	6.79	13-Nov	645385	3078075
Koch Petroleum	12.85	18-Nov	655185	3075797

Contour plots of the episode maximum hourly benzene at the 4-km gridded receptors are shown in Figure 4-4 for AERMOD with Solar Estates (left) and Oak Park (right) meteorology. Black dots represent the locations of each emission source. The largest benzene using Oak Park meteorology was 44 ppb – 12 ppb more than when using Solar Estates. Oak Park also predicted higher concentrations further west.

Figure 4-5 compares the peak contributions to gridded receptors from each of the individual facilities. The left and right sides use Solar Estates and Oak Park meteorology, respectively. AERMOD with Oak Park meteorology had higher concentrations away from each source compared to the run using Solar Estates meteorology, but were not too different immediately around each facility, except at Citgo East, where the peak gridded receptor became almost three times larger (32 ppb vs. 11 ppb). Citgo East's peak contribution when using Oak Park meteorology exceeded the maximum contribution from all sources when using Solar Estates meteorology for both sets of discrete and gridded receptors.



Figure 4-4. Contour plots of the maximum 1-hr average benzene concentration [ppb] at gridded receptors using AERMOD with Solar Estates meteorological data (left) and Oak Park (right).



Citgo East
Maximum concentration: 11.383 ppb



Citgo East
Maximum concentration: 31.754 ppb



Koch Petroleum
Maximum concentration: 2.274 ppb



Koch Petroleum
Maximum concentration: 2.671 ppb



Flint Hills West
Maximum concentration: 8.767 ppb



Flint Hills West
Maximum concentration: 8.667 ppb



Figure 4-5. Contour plots of the maximum 1-hr average benzene contribution [ppb] at gridded receptors from each of the top five facilities. Left side shows AERMOD with Solar Estates meteorology; right side uses Oak Park meteorology.

4.3. CONCLUSIONS

The AERMOD results are highly sensitive to the choice of the on-site meteorological monitor used in the AERMET modeling. The two stations are located only approximately 10km apart and yet the maximum concentrations predicted using Oak Park meteorology are approximately double those predicted using Solar Estates meteorology at the discrete receptors for the 5 largest facilities. This demonstrates that using only one on-site meteorological monitor in addition to one other monitor (Corpus Christi International Airport monitor) to characterize the meteorological conditions within a 72 x 72km domain is a limitation that produces a high level of uncertainty in the results.

5. SUMMARY AND CONCLUSIONS

Numerous chemical plants, refineries, and other industrial facilities near the Corpus Christi ship channel release toxic air pollutants like benzene. Many of these facilities are located blocks away from residential areas. Two Gaussian dispersion models – CALPUFF and AERMOD – were used to predict the concentrations of benzene from these plants to populated areas, schools, hospitals, and clinics in Corpus Christi.

The meteorological preprocessor to CALPUFF is CALMET. CALMET sensitivity tests were performed to develop a model configuration that yielded the most acceptable wind fields in the Corpus Christi domain. Options that improved the wind fields included the use of high-resolution coastline data, the relocation of the buoy closer to the domain, terrain kinematics, and additional smoothing in the higher layers. All evaluations were based on a subjective analysis since all the meteorological data was being nudged into the model, leaving no data for an independent evaluation. Favorable CALPUFF options included the use of the STARS inventory to extract emissions and micrometeorological variables to compute the dispersion coefficients.

CALPUFF and AERMOD were run for a two-month period from October 1 to November 30, 2006 to evaluate the impacts of benzene from the numerous chemical plants and refineries near Corpus Christi. Benzene contributions from all sources and from each of the five largest facilities (Flint Hills West, Citgo East, Valero East and West, and Koch Petroleum) were examined.

Two AERMOD runs were evaluated to compare the impacts when using different meteorology. One AERMOD run used meteorology from Solar Estates (C633), which was near the Flint Hills West facility, and a second run used meteorology from Oak Park (C634), which was close to the Citgo East and Valero East facilities.

Figure 5-1 compares the spatial plots of the episode maximum benzene concentration from CALPUFF and the two AERMOD runs. CALPUFF used gridded receptors at 1 km resolution; AERMOD used 4 km resolution. CALPUFF predicted two peaks – one over Flint Hills West, which was the largest benzene source, and near the Valero East and Citgo East facilities, which were located close together and represented the second and third largest sources, respectively. The CALPUFF peak of 53 ppb over Flint Hills West was the highest among the three runs. Both AERMOD runs simulated only one local peak; neither predicted a second peak over Flint Hills West, despite being the largest source.

The AERMOD run using Oak Park meteorology dispersed benzene further downwind than CALPUFF or the AERMOD run with Solar Estates meteorology. The AERMOD run with Oak Park meteorology predicted higher concentrations than the run with Solar Estates in most areas, particularly to the west.



AERMOD (Solar Estates meteorology)
Gridded Max = 31.8 ppb

AERMOD (Oak Park meteorology)
Gridded Max = 43.5 ppb

CALPUFF. Gridded Max = 53.2 ppb

Figure 5-1. Spatial plots of the episode maximum benzene concentration from two AERMOD runs (top) and from CALPUFF (bottom).

Table 5-1 compares the episode maximum 1-hour benzene concentration among all discrete receptors between CALPUFF and the two AERMOD runs. The maximum contribution from all sources in the two AERMOD runs was higher when using Oak Park meteorology (33 ppb) compared to Solar Estates (27 ppb). CALPUFF's highest benzene concentration from all sources was slightly higher at 34 ppb. The dates of the peak concentration differed in all three runs.

When examining contributions from individual facilities to the discrete receptors, the AERMOD run using Oak Park meteorology predicted peak concentrations that were typically twice the large as the AERMOD run with Solar Estates meteorology. CALPUFF tended to predict peak contributions in between the two AERMOD runs, except from the Valero East facility, whose peak contribution of 28 ppb to a discrete receptor was higher than in either AERMOD run. Citgo East produced the highest benzene concentration from an individual facility to a discrete receptor in both AERMOD runs; Valero East was highest in CALPUFF. Dates of the peak concentrations in CALPUFF and AERMOD never matched.

Table 5-1. Maximum benzene concentrations at discrete receptors from individual facilities using AERMOD and CALPUFF.

Facility	AERMOD C633 Met	Date	AERMOD C634 Met	Date	CALPUFF	Date
All	26.69	Nov 16	32.86	Nov 18	34.20	Oct 22
Flint Hills West	11.55	Nov 16	26.22	Nov 6	19.10	Nov 18
Citgo East	14.37	Nov 16	29.34	Nov 18	18.98	Nov 17
Valero East	11.80	Oct 4	24.92	Nov 6	27.67	Oct 22
Valero West	3.80	Oct 14	6.79	Nov 13	6.01	Oct 6
Koch Petroleum	5.01	Nov 18	12.85	Nov 18	9.50	Nov 6

AERMOD is limited to one surface meteorological site to represent the entire domain. Based on the vast differences in benzene concentration when using Solar Estates meteorology instead of Oak Park, which are only about 10 km apart, there is a high level of uncertainty in the results arising from this limitation in AERMOD.

CALPUFF uses three-dimensional wind and temperature fields that incorporate meteorological data from multiple sites, which is a major advantage over AERMOD. This task did not compare model results to benzene observations to evaluate model performance. Benzene emissions from sources other than these refineries, chemical and other industrial plants were also not considered in this phase of work.

Two options not selected in the CALPUFF configuration are the use of slugs, which can be thought of as continuously-emitting elongated puffs that are important for near-field modeling but require four times more computational time, and building downwash, for which inputs were not available.

The use of slugs was not as responsive as the use of micrometeorological variables to compute the spread parameters. If slugs were to be used, it could be activated only on north wind dates to same computational time, since most of the discrete receptors are located to the south of the major facilities.

References

Colville, C. "Technical Description of AERMOD Setup for Corpus Christi Regional Modeling." ENVIRON International Corporation. 2008.

Scire, J; Robe, F.; Fernau, M.; Yamartino, R. "A User's Guide for the CALMET Meteorological Model (Version 5)." Earth Tech, Inc. 2000.

Scire, J.; Strimaitis, D.; Yamartino, R. "A User's Guide for the CALPUFF Dispersion Model (Version 5)." Earth Tech, Inc. 2000.

USEPA. "User's Guide for the Emissions Modeling System for Hazardous Air Pollutants (EMS-HAP) Version 2.0." 2002.

APPENDIX A
CALMET Run 13 Input File

```
Corpus Christi CALMET at 1 km resolution.  run13
061001
72 x 72
---------------- Run title (3 lines) ----------------------------------------
--

                    CALMET MODEL CONTROL FILE
                    -------------------------

-------------------------------------------------------------------------------
--

INPUT GROUP: 0 -- Input and Output File Names


Subgroup (a)
------------
Default Name  Type          File Name
------------  ----          ---------
GEO.DAT       input    ! GEODAT=
/etai2/cc_calpuff/calmet/preproc/geo/makegeo/output/geo.cc.coast2.1km.dat !
SURF.DAT      input    ! SRFDAT=
/etai2/cc_calpuff/calmet/preproc/met/smerge/output/surf.all.dat.a0  !
CLOUD.DAT     input    * CLDDAT=            *
PRECIP.DAT    input    ! PRCDAT=
/etai2/cc_calpuff/calmet/preproc/met/pmerge/output/precip.2006.dat !
WT.DAT        input    * WTDAT=             *

CALMET.LST    output   ! METLST= ../output/run13/msg.calmet.run13.061001.lst
!
CALMET.DAT    output   ! METDAT= ../output/run13/calmet.cc.run13.061001.dat
!
PACOUT.DAT    output   * PACDAT=            *

All file names will be converted to lower case if LCFILES = T
Otherwise, if LCFILES = F, file names will be converted to UPPER CASE
         T = lower case      ! LCFILES = T !
         F = UPPER CASE

NUMBER OF UPPER AIR & OVERWATER STATIONS:

    Number of upper air stations (NUSTA)  No default     ! NUSTA =  1  !
    Number of overwater met stations
                                 (NOWSTA) No default     ! NOWSTA =  1  !

NUMBER OF PROGNOSTIC and IGF-CALMET FILEs:

    Number of MM4/MM5/3D.DAT files
                                 (NM3D) No default       ! NM3D =  0  !

    Number of IGF-CALMET.DAT files
                                 (NIGF)   No default     ! NIGF =  0  !

                       !END!
-------------------------------------------------------------------------------
---
Subgroup (b)
---------------------------------
Upper air files (one per station)
---------------------------------
```

```
Default Name  Type       File Name
------------  ----       ---------
UP1.DAT       input     1  !
UPDAT=/etai2/cc_calpuff/calmet/preproc/met/read62/output/up.crp.2006.dat.a0!
!END!

-------------------------------------------------------------------------------
---
Subgroup (c)
-----------------------------------------
Overwater station files (one per station)
-----------------------------------------
Default Name  Type       File Name
------------  ----       ---------
SEA1.DAT       input     1  ! SEADAT=
/etai2/cc_calpuff/calmet/preproc/met/buoy/output/sea.42020.2006.dat.a0.moved
!    !END !
-------------------------------------------------------------------------------
---
Subgroup (d)
-------------------------------------------------
MM4/MM5/3D.DAT files (consecutive or overlapping)
-------------------------------------------------
Default Name  Type       File Name
------------  ----       ---------
MM51.DAT       input     1  * M3DDAT= *    *END*
-------------------------------------------------------------------------------
---
Subgroup (e)
--------------------------------------------------
IGF-CALMET.DAT files (consecutive or overlapping)
--------------------------------------------------
Default Name  Type       File Name
------------  ----       ---------
IGFn.DAT       input     1  * IGFDAT=CALMET0.DAT *    *END*
-------------------------------------------------------------------------------
---
Subgroup (f)
----------------
Other file names
----------------

Default Name  Type       File Name
------------  ----       ---------
DIAG.DAT      input      * DIADAT=                  *
PROG.DAT      input      * PRGDAT=                  *

TEST.PRT      output     * TSTPRT=                  *
TEST.OUT      output     * TSTOUT=                  *
TEST.KIN      output     * TSTKIN=                  *
TEST.FRD      output     * TSTFRD=                  *
TEST.SLP      output     * TSTSLP=                  *
DCST.GRD      output     * DCSTGD=                  *

-------------------------------------------------------------------------------
---
NOTES: (1) File/path names can be up to 70 characters in length
       (2) Subgroups (a) and (f) must have ONE 'END' (surrounded by
           delimiters) at the end of the group
       (3) Subgroups (b) through (e) are included ONLY if the corresponding
           number of files (NUSTA, NOWSTA, NM3D, NIGF) is not 0, and each
must have
```

```
           an 'END' (surround by delimiters) at the end of EACH LINE

                           !END!


-----------------------------------------------------------------------------
--

INPUT GROUP: 1 -- General run control parameters
--------------


     Starting date:   Year (IBYR) -- No default       ! IBYR=  2006  !
                     Month (IBMO) -- No default       ! IBMO=  10  !
                       Day (IBDY) -- No default       ! IBDY=  1  !
                      Hour (IBHR) -- No default       ! IBHR=  1  !

     Note: IBHR is the time at the END of the first hour of the simulation
           (IBHR=1, the first hour of a day, runs from 00:00 to 01:00)

     Base time zone        (IBTZ) -- No default       ! IBTZ=  6  !
        PST = 08, MST = 07
        CST = 06, EST = 05

     Length of run (hours) (IRLG) -- No default       ! IRLG=  24  !

     Run type            (IRTYPE) -- Default: 1       ! IRTYPE=  1  !

        0 = Computes wind fields only
        1 = Computes wind fields and micrometeorological variables
            (u*, w*, L, zi, etc.)
        (IRTYPE must be 1 to run CALPUFF or CALGRID)

     Compute special data fields required
     by CALGRID (i.e., 3-D fields of W wind
     components and temperature)
     in additional to regular            Default: T    ! LCALGRD = T !
     fields ? (LCALGRD)
     (LCALGRD must be T to run CALGRID)

      Flag to stop run after
      SETUP phase (ITEST)             Default: 2       ! ITEST=  2   !
      (Used to allow checking
      of the model inputs, files, etc.)
      ITEST = 1 - STOPS program after SETUP phase
      ITEST = 2 - Continues with execution of
                  COMPUTATIONAL phase after SETUP


     Test options specified to see if
     they conform to regulatory
     values? (MREG)                  No Default       ! MREG =  1   !

        0 = NO checks are made
        1 = Technical options must conform to USEPA guidance
                  IMIXH    -1       Maul-Carson convective mixing height
                                    over land; OCD mixing height overwater
                  ICOARE   0        OCD deltaT method for overwater fluxes
                  THRESHL  0.0      Threshold buoyancy flux over land needed
                                    to sustain convective mixing height
growth
```

```
!END!

-------------------------------------------------------------------------------
--

INPUT GROUP: 2 -- Map Projection and Grid control parameters
--------------

     Projection for all (X,Y):
     -------------------------

     Map projection
     (PMAP)                     Default: UTM    ! PMAP = LCC  !

         UTM :  Universal Transverse Mercator
         TTM :  Tangential Transverse Mercator
         LCC :  Lambert Conformal Conic
          PS :  Polar Stereographic
          EM :  Equatorial Mercator
        LAZA :  Lambert Azimuthal Equal Area

     False Easting and Northing (km) at the projection origin
     (Used only if PMAP= TTM, LCC, or LAZA)
     (FEAST)                    Default=0.0     ! FEAST  = 0.000  !
     (FNORTH)                   Default=0.0     ! FNORTH = 0.000  !

     UTM zone (1 to 60)
     (Used only if PMAP=UTM)
     (IUTMZN)                   No Default      ! IUTMZN =  -99   !

     Hemisphere for UTM projection?
     (Used only if PMAP=UTM)
     (UTMHEM)                   Default: N      ! UTMHEM = N  !
         N   :  Northern hemisphere projection
         S   :  Southern hemisphere projection

     Latitude and Longitude (decimal degrees) of projection origin
     (Used only if PMAP= TTM, LCC, PS, EM, or LAZA)
     (RLAT0)                    No Default      ! RLAT0 = 40N  !
     (RLON0)                    No Default      ! RLON0 = 100W  !

         TTM :  RLON0 identifies central (true N/S) meridian of projection
                RLAT0 selected for convenience
         LCC :  RLON0 identifies central (true N/S) meridian of projection
                RLAT0 selected for convenience
         PS  :  RLON0 identifies central (grid N/S) meridian of projection
                RLAT0 selected for convenience
         EM  :  RLON0 identifies central meridian of projection
                RLAT0 is REPLACED by 0.0N (Equator)
         LAZA:  RLON0 identifies longitude of tangent-point of mapping plane
                RLAT0 identifies latitude of tangent-point of mapping plane

     Matching parallel(s) of latitude (decimal degrees) for projection
     (Used only if PMAP= LCC or PS)
     (XLAT1)                    No Default      ! XLAT1 = 30N  !
     (XLAT2)                    No Default      ! XLAT2 = 60N  !

         LCC :  Projection cone slices through Earth's surface at XLAT1 and
XLAT2
         PS  :  Projection plane slices through Earth at XLAT1
                (XLAT2 is not used)
```

```
     ----------
     Note:  Latitudes and longitudes should be positive, and include a
            letter N,S,E, or W indicating north or south latitude, and
            east or west longitude.  For example,
            35.9  N Latitude  =  35.9N
            118.7 E Longitude = 118.7E


     Datum-region
     ------------

     The Datum-Region for the coordinates is identified by a character
     string.  Many mapping products currently available use the model of the
     Earth known as the World Geodetic System 1984 (WGS-84).  Other local
     models may be in use, and their selection in CALMET will make its output
     consistent with local mapping products.  The list of Datum-Regions with
     official transformation parameters is provided by the National Imagery
and
     Mapping Agency (NIMA).

     NIMA Datum - Regions(Examples)
     ---------------------------------------------------------------------
------
     WGS-84    WGS-84 Reference Ellipsoid and Geoid, Global coverage (WGS84)
     NAS-C     NORTH AMERICAN 1927 Clarke 1866 Spheroid, MEAN FOR CONUS
(NAD27)
     NAR-C     NORTH AMERICAN 1983 GRS 80 Spheroid, MEAN FOR CONUS (NAD83)
     NWS-84    NWS 6370KM Radius, Sphere
     ESR-S     ESRI REFERENCE 6371KM Radius, Sphere

     Datum-region for output coordinates
     (DATUM)                    Default: WGS-84    ! DATUM = NWS-84  !


     Horizontal grid definition:
     ---------------------------

     Rectangular grid defined for projection PMAP,
     with X the Easting and Y the Northing coordinate

            No. X grid cells (NX)      No default     ! NX =   72  !
            No. Y grid cells (NY)      No default     ! NY =   72  !

     Grid spacing (DGRIDKM)            No default     ! DGRIDKM = 1. !
                                       Units: km

     Reference grid coordinate of
     SOUTHWEST corner of grid cell (1,1)

        X coordinate (XORIGKM)         No default     ! XORIGKM = 216.000 !
        Y coordinate (YORIGKM)         No default     ! YORIGKM = -1368.000 !
                                       Units: km


     Vertical grid definition:
     -------------------------

        No. of vertical layers (NZ)    No default     ! NZ =  14  !

        Cell face heights in arbitrary
        vertical grid (ZFACE(NZ+1))    No defaults
                                       Units: m
```

```
        ! ZFACE = 0.,18.0, 33.9, 85.0, 170.6, 256.9, 344.0, 431.8, 520.3,
                  609.7, 790.6, 1068.2, 1353.4, 2103.3, 3026.3  !

!END!


------------------------------------------------------------------------------
--

INPUT GROUP: 3 -- Output Options
--------------


    DISK OUTPUT OPTION

       Save met. fields in an unformatted
       output file ?              (LSAVE)  Default: T     ! LSAVE = T !
       (F = Do not save, T = Save)

       Type of unformatted output file:
       (IFORMO)                            Default: 1    ! IFORMO =  1  !

            1 = CALPUFF/CALGRID type file (CALMET.DAT)
            2 = MESOPUFF-II type file     (PACOUT.DAT)


    LINE PRINTER OUTPUT OPTIONS:

       Print met. fields ?  (LPRINT)       Default: F     ! LPRINT = F !
       (F = Do not print, T = Print)
       (NOTE: parameters below control which
              met. variables are printed)

       Print interval
       (IPRINF) in hours                   Default: 1     ! IPRINF =  1  !
       (Meteorological fields are printed
        every  1  hours)


       Specify which layers of U, V wind component
       to print (IUVOUT(NZ)) -- NOTE: NZ values must be entered
       (0=Do not print, 1=Print)
       (used only if LPRINT=T)        Defaults: NZ*0
       ! IUVOUT =  0 ,  0 ,  0 ,  0 ,  0 ,  0 ,  0 ,  0 ,  0 ,  0 , !
       -----------------------


       Specify which levels of the W wind component to print
       (NOTE: W defined at TOP cell face --  10  values)
       (IWOUT(NZ)) -- NOTE: NZ values must be entered
       (0=Do not print, 1=Print)
       (used only if LPRINT=T & LCALGRD=T)
       -----------------------------------
                                           Defaults: NZ*0
        ! IWOUT =  0 ,  0 ,  0 ,  0 ,  0 ,  0 ,  0 ,  0 ,  0 ,  0 , !


       Specify which levels of the 3-D temperature field to print
       (ITOUT(NZ)) -- NOTE: NZ values must be entered
       (0=Do not print, 1=Print)
       (used only if LPRINT=T & LCALGRD=T)
       -----------------------------------
```

```
                                        Defaults: NZ*0
 ! ITOUT =  0 ,  0 ,  0 ,  0 ,  0 ,  0 ,  0 ,  0 ,  0 ,  0  !

Specify which meteorological fields
to print
(used only if LPRINT=T)             Defaults: 0 (all variables)
-----------------------


  Variable            Print ?
                 (0 = do not print,
                  1 = print)
  --------        ------------------

!  STABILITY  =          0           ! - PGT stability class
!  USTAR      =          0           ! - Friction velocity
!  MONIN      =          0           ! - Monin-Obukhov length
!  MIXHT      =          0           ! - Mixing height
!  WSTAR      =          0           ! - Convective velocity scale
!  PRECIP     =          0           ! - Precipitation rate
!  SENSHEAT   =          0           ! - Sensible heat flux
!  CONVZI     =          0           ! - Convective mixing ht.


Testing and debug print options for micrometeorological module

   Print input meteorological data and
   internal variables (LDB)         Default: F       ! LDB = F !
   (F = Do not print, T = print)
   (NOTE: this option produces large amounts of output)

   First time step for which debug data
   are printed (NN1)                Default: 1       ! NN1 =  1  !

   Last time step for which debug data
   are printed (NN2)                Default: 1       ! NN2 =  1  !

   Print distance to land
   internal variables (LDBCST)      Default: F       ! LDBCST = F !
   (F = Do not print, T = print)
   (Output in .GRD file DCST.GRD, defined in input group 0)

Testing and debug print options for wind field module
(all of the following print options control output to
 wind field module's output files: TEST.PRT, TEST.OUT,
 TEST.KIN, TEST.FRD, and TEST.SLP)

   Control variable for writing the test/debug
   wind fields to disk files (IOUTD)
   (0=Do not write, 1=write)        Default: 0       ! IOUTD =  0  !

   Number of levels, starting at the surface,
   to print (NZPRN2)                Default: 1       ! NZPRN2 =  0  !

   Print the INTERPOLATED wind components ?
   (IPR0) (0=no, 1=yes)             Default: 0       !  IPR0 =  0  !

   Print the TERRAIN ADJUSTED surface wind
   components ?
   (IPR1) (0=no, 1=yes)             Default: 0       !  IPR1 =  0  !

   Print the SMOOTHED wind components and
```

```
          the INITIAL DIVERGENCE fields ?
          (IPR2) (0=no, 1=yes)            Default: 0       !  IPR2 =  0  !

          Print the FINAL wind speed and direction
          fields ?
          (IPR3) (0=no, 1=yes)            Default: 0       !  IPR3 =  0  !

          Print the FINAL DIVERGENCE fields ?
          (IPR4) (0=no, 1=yes)            Default: 0       !  IPR4 =  0  !

          Print the winds after KINEMATIC effects
          are added ?
          (IPR5) (0=no, 1=yes)            Default: 0       !  IPR5 =  0  !

          Print the winds after the FROUDE NUMBER
          adjustment is made ?
          (IPR6) (0=no, 1=yes)            Default: 0       !  IPR6 =  0  !

          Print the winds after SLOPE FLOWS
          are added ?
          (IPR7) (0=no, 1=yes)            Default: 0       !  IPR7 =  0  !

          Print the FINAL wind field components ?
          (IPR8) (0=no, 1=yes)            Default: 0       !  IPR8 =  0  !

!END!


-----------------------------------------------------------------------------
--

INPUT GROUP: 4 -- Meteorological data options
--------------

    NO OBSERVATION MODE             (NOOBS)  Default: 0     ! NOOBS =  0   !
          0 = Use surface, overwater, and upper air stations
          1 = Use surface and overwater stations (no upper air observations)
              Use MM4/MM5/3D for upper air data
          2 = No surface, overwater, or upper air observations
              Use MM4/MM5/3D for surface, overwater, and upper air data

    NUMBER OF SURFACE & PRECIP. METEOROLOGICAL STATIONS

       Number of surface stations   (NSSTA)  No default     ! NSSTA =  18  !

       Number of precipitation stations
       (NPSTA=-1: flag for use of MM5/3D precip data)
                                    (NPSTA)  No default     ! NPSTA =  5  !

    CLOUD DATA OPTIONS
       Gridded cloud fields:
                                  (ICLOUD)  Default: 0     ! ICLOUD =  0  !
       ICLOUD = 0 - Gridded clouds not used
       ICLOUD = 1 - Gridded CLOUD.DAT generated as OUTPUT
       ICLOUD = 2 - Gridded CLOUD.DAT read as INPUT
       ICLOUD = 3 - Gridded cloud cover computed from prognostic fields

    FILE FORMATS

       Surface meteorological data file format
                                  (IFORMS)  Default: 2     ! IFORMS =  2  !
       (1 = unformatted (e.g., SMERGE output))
```

```
       (2 = formatted   (free-formatted user input))

       Precipitation data file format
                                  (IFORMP)  Default: 2     ! IFORMP =  2  !
       (1 = unformatted (e.g., PMERGE output))
       (2 = formatted   (free-formatted user input))

       Cloud data file format
                                  (IFORMC)  Default: 2     ! IFORMC =  2  !
       (1 = unformatted - CALMET unformatted output)
       (2 = formatted   - free-formatted CALMET output or user input)

!END!


-----------------------------------------------------------------------------
--

INPUT GROUP: 5 -- Wind Field Options and Parameters
--------------


    WIND FIELD MODEL OPTIONS
       Model selection variable (IWFCOD)     Default: 1      ! IWFCOD =  1  !
          0 = Objective analysis only
          1 = Diagnostic wind module

       Compute Froude number adjustment
       effects ? (IFRADJ)                    Default: 1      ! IFRADJ =  1  !
       (0 = NO, 1 = YES)

       Compute kinematic effects ? (IKINE)   Default: 0      ! IKINE  =  1  !
       (0 = NO, 1 = YES)

       Use O'Brien procedure for adjustment
       of the vertical velocity ? (IOBR)     Default: 0      ! IOBR =  0  !
       (0 = NO, 1 = YES)

       Compute slope flow effects ? (ISLOPE) Default: 1      ! ISLOPE  =  1
!
       (0 = NO, 1 = YES)

       Extrapolate surface wind observations
       to upper layers ? (IEXTRP)            Default: -4     ! IEXTRP = -4  !
       (1 = no extrapolation is done,
        2 = power law extrapolation used,
        3 = user input multiplicative factors
            for layers 2 - NZ used (see FEXTRP array)
        4 = similarity theory used
        -1, -2, -3, -4 = same as above except layer 1 data
            at upper air stations are ignored

       Extrapolate surface winds even
       if calm? (ICALM)                      Default: 0      ! ICALM  =  0  !
       (0 = NO, 1 = YES)

       Layer-dependent biases modifying the weights of
       surface and upper air stations (BIAS(NZ))
         -1<=BIAS<=1
       Negative BIAS reduces the weight of upper air stations
         (e.g. BIAS=-0.1 reduces the weight of upper air stations
       by 10%; BIAS= -1, reduces their weight by 100 %)
```

```
       Positive BIAS reduces the weight of surface stations
         (e.g. BIAS= 0.2 reduces the weight of surface stations
       by 20%; BIAS=1 reduces their weight by 100%)
       Zero BIAS leaves weights unchanged (1/R**2 interpolation)
       Default: NZ*0
                              ! BIAS =  -1 ,  13*0. !

       Minimum distance from nearest upper air station
       to surface station for which extrapolation
       of surface winds at surface station will be allowed
       (RMIN2: Set to -1 for IEXTRP = 4 or other situations
        where all surface stations should be extrapolated)
                                            Default: 4.     ! RMIN2 = -1.0 !

       Use gridded prognostic wind field model
       output fields as input to the diagnostic
       wind field model (IPROG)             Default: 0      ! IPROG =  0  !
       (0 = No, [IWFCOD = 0 or 1]
        1 = Yes, use CSUMM prog. winds as Step 1 field, [IWFCOD = 0]
        2 = Yes, use CSUMM prog. winds as initial guess field [IWFCOD = 1]
        3 = Yes, use winds from MM4.DAT file as Step 1 field [IWFCOD = 0]
        4 = Yes, use winds from MM4.DAT file as initial guess field [IWFCOD =
1]
        5 = Yes, use winds from MM4.DAT file as observations [IWFCOD = 1]
        13 = Yes, use winds from MM5/3D.DAT file as Step 1 field [IWFCOD = 0]
        14 = Yes, use winds from MM5/3D.DAT file as initial guess field
[IWFCOD = 1]
        15 = Yes, use winds from MM5/3D.DAT file as observations [IWFCOD = 1]

       Timestep (hours) of the prognostic
       model input data   (ISTEPPG)         Default: 1      ! ISTEPPG =  1
!

       Use coarse CALMET fields as initial guess fields (IGFMET)
       (overwrites IGF based on prognostic wind fields if any)
                                            Default: 0      ! IGFMET =  0  !

    RADIUS OF INFLUENCE PARAMETERS

       Use varying radius of influence      Default: F      ! LVARY =  F!
       (if no stations are found within RMAX1,RMAX2,
        or RMAX3, then the closest station will be used)

       Maximum radius of influence over land
       in the surface layer (RMAX1)         No default      ! RMAX1 = 75. !
                                            Units: km
       Maximum radius of influence over land
       aloft (RMAX2)                        No default      ! RMAX2 = 75. !
                                            Units: km
       Maximum radius of influence over water
       (RMAX3)                              No default      ! RMAX3 = 100. !
                                            Units: km


    OTHER WIND FIELD INPUT PARAMETERS

       Minimum radius of influence used in
       the wind field interpolation (RMIN)  Default: 0.1    ! RMIN = 0.1 !
                                            Units: km
       Radius of influence of terrain
       features (TERRAD)                    No default      ! TERRAD = 1. !
```

```
                                          Units: km
      Relative weighting of the first
      guess field and observations in the
      SURFACE layer (R1)                  No default      ! R1 = 10. !
      (R1 is the distance from an         Units: km
      observational station at which the
      observation and first guess field are
      equally weighted)

      Relative weighting of the first
      guess field and observations in the
      layers ALOFT (R2)                   No default      ! R2 = 25. !
      (R2 is applied in the upper layers  Units: km
      in the same manner as R1 is used in
      the surface layer).

      Relative weighting parameter of the
      prognostic wind field data (RPROG)  No default      ! RPROG = 0. !
      (Used only if IPROG = 1)            Units: km
      ------------------------

      Maximum acceptable divergence in the
      divergence minimization procedure
      (DIVLIM)                            Default: 5.E-6  ! DIVLIM= 5.0E-
06 !

      Maximum number of iterations in the
      divergence min. procedure (NITER)   Default: 50     ! NITER =  50  !

      Number of passes in the smoothing
      procedure (NSMTH(NZ))
      NOTE: NZ values must be entered
                                     Default: 2,(mxnz-1)*4 ! NSMTH = 2 ,
6*4, 7*6  !

      Maximum number of stations used in
      each layer for the interpolation of
      data to a grid point (NINTR2(NZ))
      NOTE: NZ values must be entered     Default: 99.    ! NINTR2 = 14*99
!

      Critical Froude number (CRITFN)     Default: 1.0    ! CRITFN = 1. !

      Empirical factor controlling the
      influence of kinematic effects
      (ALPHA)                             Default: 0.1    ! ALPHA = 0.1 !

      Multiplicative scaling factor for
      extrapolation of surface observations
      to upper layers (FEXTR2(NZ))        Default: NZ*0.0
      ! FEXTR2 = 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0. !
      (Used only if IEXTRP = 3 or -3)


   BARRIER INFORMATION

      Number of barriers to interpolation
      of the wind fields (NBAR)           Default: 0      ! NBAR =  0  !

      Level (1 to NZ) up to which barriers
      apply (KBAR)                        Default: NZ     ! KBAR =  10  !
```

```
      THE FOLLOWING 4 VARIABLES ARE INCLUDED
      ONLY IF NBAR > 0
      NOTE: NBAR values must be entered     No defaults
            for each variable               Units: km

         X coordinate of BEGINNING
         of each barrier (XBBAR(NBAR))      ! XBBAR = 0. !
         Y coordinate of BEGINNING
         of each barrier (YBBAR(NBAR))      ! YBBAR = 0. !

         X coordinate of ENDING
         of each barrier (XEBAR(NBAR))      ! XEBAR = 0. !
         Y coordinate of ENDING
         of each barrier (YEBAR(NBAR))      ! YEBAR = 0. !


   DIAGNOSTIC MODULE DATA INPUT OPTIONS

      Surface temperature (IDIOPT1)         Default: 0      ! IDIOPT1 =  0
!
         0 = Compute internally from
             hourly surface observations
         1 = Read preprocessed values from
             a data file (DIAG.DAT)

         Surface met. station to use for
         the surface temperature (ISURFT)   No default     ! ISURFT =  12  !
         (Must be a value from 1 to NSSTA)
         (Used only if IDIOPT1 = 0)
         --------------------------

      Domain-averaged temperature lapse
      rate (IDIOPT2)                        Default: 0     ! IDIOPT2 =  0  !
         0 = Compute internally from
             twice-daily upper air observations
         1 = Read hourly preprocessed values
             from a data file (DIAG.DAT)

         Upper air station to use for
         the domain-scale lapse rate (IUPT) No default     ! IUPT   =  1  !
         (Must be a value from 1 to NUSTA)
         (Used only if IDIOPT2 = 0)
         --------------------------

         Depth through which the domain-scale
         lapse rate is computed (ZUPT)      Default: 200.  ! ZUPT = 200. !
         (Used only if IDIOPT2 = 0)         Units: meters
         --------------------------

      Domain-averaged wind components
      (IDIOPT3)                             Default: 0     ! IDIOPT3 =  0  !
         0 = Compute internally from
             twice-daily upper air observations
         1 = Read hourly preprocessed values
             a data file (DIAG.DAT)

         Upper air station to use for
         the domain-scale winds (IUPWND)    Default: -1    ! IUPWND = -1  !
         (Must be a value from -1 to NUSTA)
         (Used only if IDIOPT3 = 0)
         --------------------------
```

```
          Bottom and top of layer through
          which the domain-scale winds
          are computed
          (ZUPWND(1), ZUPWND(2))        Defaults: 1., 1000. ! ZUPWND= 1.,
1000. !
          (Used only if IDIOPT3 = 0)    Units: meters
          --------------------------

       Observed surface wind components
       for wind field module (IDIOPT4)  Default: 0     ! IDIOPT4 =  0  !
          0 = Read WS, WD from a surface
              data file (SURF.DAT)
          1 = Read hourly preprocessed U, V from
              a data file (DIAG.DAT)

       Observed upper air wind components
       for wind field module (IDIOPT5)  Default: 0     ! IDIOPT5 =  0  !
          0 = Read WS, WD from an upper
              air data file (UP1.DAT, UP2.DAT, etc.)
          1 = Read hourly preprocessed U, V from
              a data file (DIAG.DAT)

       LAKE BREEZE INFORMATION

          Use Lake Breeze Module  (LLBREZE)
                                          Default: F      ! LLBREZE = F!

           Number of lake breeze regions (NBOX)           ! NBOX =  1  !

        X Grid line 1 defining the region of interest
                                                          ! XG1 = 0. !
        X Grid line 2 defining the region of interest
                                                          ! XG2 = 0. !
        Y Grid line 1 defining the region of interest
                                                          ! YG1 = 0. !
        Y Grid line 2 defining the region of interest
                                                          ! YG2 = 0. !

         X Point defining the coastline (Straight line)
                   (XBCST)  (KM)   Default: none    ! XBCST = 0. !

         Y Point defining the coastline (Straight line)
                   (YBCST)  (KM)   Default: none    ! YBCST = 0. !

         X Point defining the coastline (Straight line)
                   (XECST)  (KM)   Default: none    ! XECST = 0. !

         Y Point defining the coastline (Straight line)
                   (YECST)  (KM)   Default: none    ! YECST = 0. !


       Number of stations in the region     Default: none ! NLB =  0 !
       (Surface stations + upper air stations)

       Station ID's  in the region   (METBXID(NLB))
       (Surface stations first, then upper air stations)
         ! METBXID =  0 !

!END!
```

```
-------------------------------------------------------------------------------
--

INPUT GROUP: 6 -- Mixing Height, Temperature and Precipitation Parameters
--------------

    EMPIRICAL MIXING HEIGHT CONSTANTS

       Neutral, mechanical equation
       (CONSTB)                              Default: 1.41   ! CONSTB = 1.41
!
       Convective mixing ht. equation
       (CONSTE)                              Default: 0.15   ! CONSTE = 0.15
!
       Stable mixing ht. equation
       (CONSTN)                              Default: 2400.  ! CONSTN =
2400.!
       Overwater mixing ht. equation
       (CONSTW)                              Default: 0.16   ! CONSTW = 0.16
!
       Absolute value of Coriolis
       parameter (FCORIOL)                   Default: 1.E-4  ! FCORIOL =
1.0E-04!
                                             Units: (1/s)

    SPATIAL AVERAGING OF MIXING HEIGHTS

       Conduct spatial averaging
       (IAVEZI)  (0=no, 1=yes)               Default: 1      ! IAVEZI =  1  !

       Max. search radius in averaging
       process (MNMDAV)                      Default: 1      ! MNMDAV =  1  !
                                             Units: Grid
                                                    cells
       Half-angle of upwind looking cone
       for averaging (HAFANG)                Default: 30.    ! HAFANG = 30. !
                                             Units: deg.
       Layer of winds used in upwind
       averaging (ILEVZI)                    Default: 1      ! ILEVZI =  1  !
       (must be between 1 and NZ)


    CONVECTIVE MIXING HEIGHT OPTIONS:
       Method to compute the convective
       mixing height(IMIHXH)                 Default: 1      ! IMIXH =  -1  !
           1: Maul-Carson for land and water cells
          -1: Maul-Carson for land cells only -
              OCD mixing height overwater
           2: Batchvarova and Gryning for land and water cells
          -2: Batchvarova and Gryning for land cells only
              OCD mixing height overwater

       Threshold buoyancy flux required to
       sustain convective mixing height growth
       overland (THRESHL)                    Default: 0.05   ! THRESHL = 0.0
!
       (expressed as a heat flux             units: W/m3
        per meter of boundary layer)


       Threshold buoyancy flux required to
       sustain convective mixing height growth
```

```
      overwater (THRESHW)                    Default: 0.05   ! THRESHW = 0.05
!
      (expressed as a heat flux              units: W/m3
       per meter of boundary layer)


      Option for overwater lapse rates used
      in convective mixing height growth
      (ITWPROG)                              Default: 0      ! ITWPROG =  0
!
      0 : use SEA.DAT lapse rates and deltaT (or assume neutral
          conditions if missing)
      1 : use prognostic lapse rates (only if IPROG>2)
          and SEA.DAT deltaT (or neutral if missing)
      2 : use prognostic lapse rates and prognostic delta T
          (only if iprog>12 and 3D.DAT version# 2.0 or higher)

      Land Use category ocean in 3D.DAT datasets
      (ILUOC3D)                              Default: 16     ! ILUOC3D =  16
!
      Note: if 3D.DAT from MM5 version 3.0, iluoc3d = 16
            if MM4.DAT,           typically iluoc3d = 7


   OTHER MIXING HEIGHT VARIABLES

      Minimum potential temperature lapse
      rate in the stable layer above the
      current convective mixing ht.          Default: 0.001  ! DPTMIN = 0.001
!
      (DPTMIN)                               Units: deg. K/m
      Depth of layer above current conv.
      mixing height through which lapse      Default: 200.   ! DZZI = 200. !
      rate is computed (DZZI)                Units: meters

      Minimum overland mixing height         Default:  50.   ! ZIMIN = 50. !
      (ZIMIN)                                Units: meters
      Maximum overland mixing height         Default: 3000.  ! ZIMAX = 3000.
!
      (ZIMAX)                                Units: meters
      Minimum overwater mixing height        Default:   50.  ! ZIMINW = 50. !
      (ZIMINW) -- (Not used if observed      Units: meters
      overwater mixing hts. are used)
      Maximum overwater mixing height        Default: 3000.  ! ZIMAXW = 3000.
!
      (ZIMAXW) -- (Not used if observed      Units: meters
      overwater mixing hts. are used)


   OVERWATER SURFACE FLUXES METHOD and PARAMETERS
         (ICOARE)                            Default: 10      ! ICOARE =  0
!
           0: original deltaT method (OCD)
          10: COARE with no wave parameterization (jwave=0, Charnock)
          11: COARE with wave option jwave=1 (Oost et al.)
              and default wave properties
         -11: COARE with wave option jwave=1 (Oost et al.)
              and observed wave properties (must be in SEA.DAT files)
          12: COARE with wave option 2 (Taylor and Yelland)
               and default wave properties
         -12: COARE with wave option 2 (Taylor and Yelland)
              and observed wave properties (must be in SEA.DAT files)
```

```
          Coastal/Shallow water length scale (DSHELF)
          (for modified z0 in shallow water)
          ( COARE fluxes only)
                                          Default : 0.        ! DSHELF = 0. !
                                          units: km

           COARE warm layer computation (IWARM)               ! IWARM =  0
!
           1: on - 0: off (must be off if SST measured with
           IR radiometer)                 Default: 0

           COARE cool skin layer computation (ICOOL)          ! ICOOL =  0
!
           1: on - 0: off (must be off if SST measured with
           IR radiometer)                 Default: 0


    TEMPERATURE PARAMETERS

       3D temperature from observations or
       from prognostic data? (ITPROG)        Default:0        ! ITPROG =  0
!

          0 = Use Surface and upper air stations
              (only if NOOBS = 0)
          1 = Use Surface stations (no upper air observations)
              Use MM5/3D for upper air data
              (only if NOOBS = 0,1)
          2 = No surface or upper air observations
              Use MM5/3D for surface and upper air data
              (only if NOOBS = 0,1,2)

       Interpolation type
       (1 = 1/R ; 2 = 1/R**2)                Default:1         ! IRAD =  1  !

       Radius of influence for temperature
       interpolation (TRADKM)                Default: 500.     ! TRADKM =
500. !
                                             Units: km

       Maximum Number of stations to include
       in temperature interpolation (NUMTS)  Default: 5        ! NUMTS = 5  !

       Conduct spatial averaging of temp-
       eratures (IAVET)  (0=no, 1=yes)       Default: 1        ! IAVET =  1
!
       (will use mixing ht MNMDAV,HAFANG
        so make sure they are correct)

       Default temperature gradient          Default: -.0098   ! TGDEFB = -
0.0098 !
       below the mixing height over          Units: K/m
       water (TGDEFB)

       Default temperature gradient          Default: -.0045   ! TGDEFA = -
0.0045 !
       above the mixing height over          Units: K/m
       water (TGDEFA)

       Beginning (JWAT1) and ending (JWAT2)
```

```
       land use categories for temperature                    ! JWAT1 =  55
!
       interpolation over water -- Make                       ! JWAT2 =  55
!
       bigger than largest land use to disable

   PRECIP INTERPOLATION PARAMETERS

       Method of interpolation (NFLAGP)      Default: 2       ! NFLAGP =  2
!
        (1=1/R,2=1/R**2,3=EXP/R**2)
       Radius of Influence  (SIGMAP)         Default: 100.0   ! SIGMAP = 100.
!
        (0.0 => use half dist. btwn          Units: km
         nearest stns w & w/out
         precip when NFLAGP = 3)
       Minimum Precip. Rate Cutoff (CUTP)    Default: 0.01    ! CUTP = 0.01 !
        (values < CUTP = 0.0 mm/hr)          Units: mm/hr
!END!


-----------------------------------------------------------------------------
--

INPUT GROUP: 7 -- Surface meteorological station parameters
--------------

     SURFACE STATION VARIABLES
     (One record per station --  5  records in all)


             1     2
         Name   ID            X coord.   Y coord.   Time   Anem.
                               (km)       (km)      zone   Ht.(m)
       ---------------------------------------------------------
! SS1  ='C629'    629       256.25     -1332.44    6    10  !
! SS2  ='C630'    630       254.96     -1331.71    6    10  !
! SS3  ='C631'    631       245.99     -1329.69    6    10  !
! SS4  ='C632'    632       245.38     -1331.70    6    10  !
! SS5  ='C633'    633       244.05     -1331.51    6    10  !
! SS6  ='C634'    634       254.91     -1334.58    6    10  !
! SS7  ='C635'    6351      251.72     -1333.24    6    10  !
! SS8  ='6352'    6352      251.72     -1333.27    6    10  !
! SS9  ='KBKS'    720269    188.65     -1403.81    6    10  !
! SS10 ='KRBO'    720316    230.22     -1337.12    6    10  !
! SS11 ='KRAS'    722008    289.68     -1331.35    6    10  !
! SS12 ='KCRP'    722510    247.14     -1337.73    6    10  !
! SS13 ='KNGP'    722515    270.27     -1345.19    6    10  !
! SS14 ='KNQI'    722516    217.78     -1369.29    6    10  !
! SS15 ='KALI'    722517    196.17     -1342.75    6    10  !
! SS16 ='KRKP'    722524    291.85     -1301.40    6    10  !
! SS17 ='PTAT'    994110    292.95     -1331.23    6    10  !
! SS18 ='MQTT'    997366    277.29     -1358.11    6    10  !

-------------------
      1
        Four character string for station name
        (MUST START IN COLUMN 9)

      2
        Six digit integer for station ID
```

```
!END!


-------------------------------------------------------------------------------
--

INPUT GROUP: 8 -- Upper air meteorological station parameters
--------------

     UPPER AIR STATION VARIABLES
     (One record per station --  3  records in all)

             1     2
         Name    ID      X coord.   Y coord.  Time zone
                           (km)       (km)
        ----------------------------------------------
! US1  ='CRP '   12924    248.45    -1338.03   6   !
-------------------
      1
        Four character string for station name
        (MUST START IN COLUMN 9)

      2
        Five digit integer for station ID

!END!


-------------------------------------------------------------------------------
--

INPUT GROUP: 9 -- Precipitation station parameters
--------------

     PRECIPITATION STATION VARIABLES
     (One record per station --  16  records in all)
     (NOT INCLUDED IF NPSTA = 0)

            1          2
         Name   Station    X coord.  Y coord.
                  Code       (km)      (km)
         -------------------------------------

! PS1  ='ALIC'   410145    196.39    -1342.73  !
! PS2  ='BEEV'   410639    225.76    -1261.58  !
! PS3  ='CORP'   412015    247.22    -1337.60  !
! PS4  ='MATH'   415661    210.64    -1309.11  !
! PS5  ='SARI'   418081    230.81    -1400.80  !

-------------------
      1
        Four character string for station name
        (MUST START IN COLUMN 9)

      2
        Six digit station code composed of state
        code (first 2 digits) and station ID (last
        4 digits)

!END!
```

APPENDIX B
CALPUFF Run 4 Script

```
#!/bin/csh

# CALPUFF using CALMET run 13

set RUN = run4

# 12/31/08.
# calmet uses the camx vertical layer structure (run13) and finer coastline
data
# benzene emissions are from 2005 STARS (not 2002 NEI)
# output includes gridded + discrete receptors
# Run 4: add micrometeorological variables to compute dispersion,

set METRUN = run13
set MET = ../../calmet/output/$METRUN

mkdir -p $RUN ../output/$RUN

set DAYBEG = (061001 061003 061101)
set DAYEND = (061002 061031 061130)
foreach i (2 3 )

set DATE = $DAYBEG[$i]
while ($DATE <= $DAYEND[$i])

set DATE = `echo $DATE | awk '{printf("%6.6d",$1)}'`
echo 'processing for ' $DATE

@ YY = ($DATE / 10000) + 2000
@ MM = (($DATE % 10000) / 100)
@ DD = $DATE % 100

if ($DATE == 061001) then
  set RESTART = 2
else
  set RESTART = 3
  if ($DD > 1) then
    @ YESTERDAY = $DATE - 1
  else
    @ im1 = $i - 1
    set YESTERDAY = $DAYEND[$im1]
  endif
  set YESTERDAY = `echo $YESTERDAY | awk '{printf("%6.6d",$1)}'`
endif

echo $RESTART

rm calpuff.inp

cat << IEOF > calpuff.inp
Corpus Christi CALPUFF.  1km resolution for Benzene
$DATE
72 x 72
---------------- Run title (3 lines) ----------------------------------------
--

                     CALPUFF MODEL CONTROL FILE
                     --------------------------

-------------------------------------------------------------------------------
--
```

```
INPUT GROUP: 0 -- Input and Output File Names

--------------
Default Name  Type          File Name
------------  ----          ---------
CALMET.DAT    input    ! METDAT = $MET/calmet.cc.$METRUN.$DATE.dat  !
    or
ISCMET.DAT    input    * ISCDAT =             *
    or
PLMMET.DAT    input    * PLMDAT =             *
    or
PROFILE.DAT   input    * PRFDAT =             *
SURFACE.DAT   input    * SFCDAT =             *
IEOF

if ($RESTART == 3) then
cat << IEOF >> calpuff.inp
RESTARTB.DAT  input    !
RSTARTB=../output/$RUN/restart.calpuff.$RUN.$YESTERDAY.bin !
endif

cat << IEOF >> calpuff.inp
------------------------------------------------------------------------------
---
CALPUFF.LST   output   ! PUFLST = ../output/$RUN/msg.calpuff.$RUN.$DATE.lst !
CONC.DAT      output   ! CONDAT =../output/$RUN/conc.calpuff.$RUN.$DATE.bin !
DFLX.DAT      output   ! DFDAT  =../output/$RUN/ddep.calpuff.$RUN.$DATE.bin
!
WFLX.DAT      output   * WFDAT  =  *

VISB.DAT      output   * VISDAT =             *
TK2D.DAT      output   * T2DDAT =             *
RHO2D.DAT     output   * RHODAT =             *
RESTARTE.DAT  output   ! RSTARTE=
../output/$RUN/restart.calpuff.$RUN.$DATE.bin !
------------------------------------------------------------------------------
---
Emission Files
--------------
PTEMARB.DAT   input    * PTDAT  =             *
VOLEMARB.DAT  input    * VOLDAT =             *
BAEMARB.DAT   input    * ARDAT  =             *
LNEMARB.DAT   input    * LNDAT  =             *
------------------------------------------------------------------------------
---
Other Files
-----------
OZONE.DAT     input    * OZDAT  =OZONE.DAT    *
VD.DAT        input    * VDDAT  =             *
CHEM.DAT      input    * CHEMDAT=             *
H2O2.DAT      input    * H2O2DAT=             *
HILL.DAT      input    * HILDAT=             *
HILLRCT.DAT   input    * RCTDAT=             *
COASTLN.DAT   input    ! CSTDAT=
../../calmet/preproc/geo/terrel/output/coast.cc.bln !
FLUXBDY.DAT   input    * BDYDAT=             *
BCON.DAT      input    * BCNDAT=             *
DEBUG.DAT     output   * DEBUG =             *
MASSFLX.DAT   output   * FLXDAT=             *
MASSBAL.DAT   output   * BALDAT=             *
FOG.DAT       output   * FOGDAT=             *
```

```
-------------------------------------------------------------------------------
---
All file names will be converted to lower case if LCFILES = T
Otherwise, if LCFILES = F, file names will be converted to UPPER CASE
         T = lower case      ! LCFILES = T !
         F = UPPER CASE
NOTE: (1) file/path names can be up to 70 characters in length


Provision for multiple input files
----------------------------------

     Number of CALMET.DAT files for run (NMETDAT)
                                     Default: 1       ! NMETDAT =   1   !

     Number of PTEMARB.DAT files for run (NPTDAT)
                                     Default: 0       ! NPTDAT =  0  !

     Number of BAEMARB.DAT files for run (NARDAT)
                                     Default: 0       ! NARDAT =  0  !

     Number of VOLEMARB.DAT files for run (NVOLDAT)
                                     Default: 0       ! NVOLDAT =  0  !

!END!

-------------
Subgroup (0a)
-------------

  The following CALMET.DAT filenames are processed in sequence if NMETDAT>1

Default Name  Type          File Name
------------  ----          ---------
 none         input    * METDAT=     *   *END*


-------------------------------------------------------------------------------
---

INPUT GROUP: 1 -- General run control parameters
--------------

    Option to run all periods found
    in the met. file     (METRUN)   Default: 0       ! METRUN =   0  !

         METRUN = 0 - Run period explicitly defined below
         METRUN = 1 - Run all periods in met. file

     Starting date:   Year (IBYR) -- No default       ! IBYR =  $YY  !
     (used only if   Month (IBMO) -- No default       ! IBMO =  $MM  !
      METRUN = 0)      Day (IBDY) -- No default       ! IBDY =  $DD  !
                      Hour (IBHR) -- No default       ! IBHR =  1  !

     Note: IBHR is the time at the END of the first hour of the simulation
           (IBHR=1, the first hour of a day, runs from 00:00 to 01:00)

     Base time zone        (XBTZ) -- No default       ! XBTZ = 6  !
     The zone is the number of hours that must be
     ADDED to the time to obtain UTC (or GMT)
     Examples: PST = 8., MST = 7.
               CST = 6., EST = 5.
```

```
     Length of run (hours) (IRLG) -- No default       ! IRLG =  24  !

     Number of chemical species (NSPEC)
                                   Default: 5       ! NSPEC =  1   !

     Number of chemical species
     to be emitted  (NSE)          Default: 3       ! NSE =  1   !

     Flag to stop run after
     SETUP phase (ITEST)           Default: 2       ! ITEST =  2   !
     (Used to allow checking
     of the model inputs, files, etc.)
           ITEST = 1 - STOPS program after SETUP phase
           ITEST = 2 - Continues with execution of program
                       after SETUP

     Restart Configuration:

        Control flag (MRESTART)      Default: 0       ! MRESTART = $RESTART
!

           0 = Do not read or write a restart file
           1 = Read a restart file at the beginning of
               the run
           2 = Write a restart file during run
           3 = Read a restart file at beginning of run
               and write a restart file during run

        Number of periods in Restart
        output cycle (NRESPD)        Default: 0       ! NRESPD =  0   !

           0 = File written only at last period
          >0 = File updated every NRESPD periods

     Meteorological Data Format (METFM)
                                   Default: 1       ! METFM =  1   !

           METFM = 1 - CALMET binary file (CALMET.MET)
           METFM = 2 - ISC ASCII file (ISCMET.MET)
           METFM = 3 - AUSPLUME ASCII file (PLMMET.MET)
           METFM = 4 - CTDM plus tower file (PROFILE.DAT) and
                       surface parameters file (SURFACE.DAT)
           METFM = 5 - AERMET tower file (PROFILE.DAT) and
                       surface parameters file (SURFACE.DAT)

     Meteorological Profile Data Format (MPRFFM)
            (used only for METFM = 1, 2, 3)
                                   Default: 1       ! MPRFFM =  1   !

           MPRFFM = 1 - CTDM plus tower file (PROFILE.DAT)
           MPRFFM = 2 - AERMET tower file (PROFILE.DAT)

     PG sigma-y is adjusted by the factor (AVET/PGTIME)**0.2
     Averaging Time (minutes) (AVET)
                                   Default: 60.0    ! AVET = 60. !
     PG Averaging Time (minutes) (PGTIME)
                                   Default: 60.0    ! PGTIME = 60. !


!END!
```

```
-------------------------------------------------------------------------------
--

INPUT GROUP: 2 -- Technical options
--------------


     Vertical distribution used in the
     near field (MGAUSS)                   Default: 1     ! MGAUSS =  1   !
        0 = uniform
        1 = Gaussian

     Terrain adjustment method
     (MCTADJ)                              Default: 3     ! MCTADJ =  3   !
        0 = no adjustment
        1 = ISC-type of terrain adjustment
        2 = simple, CALPUFF-type of terrain
            adjustment
        3 = partial plume path adjustment

     Subgrid-scale complex terrain
     flag (MCTSG)                          Default: 0     ! MCTSG =  0   !
        0 = not modeled
        1 = modeled

     Near-field puffs modeled as
     elongated slugs? (MSLUG)              Default: 0     ! MSLUG =  0   !
        0 = no
        1 = yes (slug model used)

     Transitional plume rise modeled?
     (MTRANS)                              Default: 1     ! MTRANS =  1   !
        0 = no  (i.e., final rise only)
        1 = yes (i.e., transitional rise computed)

     Stack tip downwash? (MTIP)            Default: 1     ! MTIP =  1  !
        0 = no  (i.e., no stack tip downwash)
        1 = yes (i.e., use stack tip downwash)

     Method used to simulate building
     downwash? (MBDW)                      Default: 1     ! MBDW =   1  !
        1 = ISC method
        2 = PRIME method

     Vertical wind shear modeled above
     stack top? (MSHEAR)                   Default: 0     ! MSHEAR =  0  !
        0 = no  (i.e., vertical wind shear not modeled)
        1 = yes (i.e., vertical wind shear modeled)

     Puff splitting allowed? (MSPLIT)      Default: 0     ! MSPLIT =  0  !
        0 = no (i.e., puffs not split)
        1 = yes (i.e., puffs are split)

     Chemical mechanism flag (MCHEM)       Default: 1     ! MCHEM =  0   !
        0 = chemical transformation not
            modeled
        1 = transformation rates computed
            internally (MESOPUFF II scheme)
        2 = user-specified transformation
            rates used
        3 = transformation rates computed
```

```
        internally (RIVAD/ARM3 scheme)
   4 = secondary organic aerosol formation
        computed (MESOPUFF II scheme for OH)

Aqueous phase transformation flag (MAQCHEM)
(Used only if MCHEM = 1, or 3)        Default: 0     ! MAQCHEM =  0   !
   0 = aqueous phase transformation
        not modeled
   1 = transformation rates adjusted
        for aqueous phase reactions

Wet removal modeled ? (MWET)          Default: 1     ! MWET =  1   !
   0 = no
   1 = yes

Dry deposition modeled ? (MDRY)       Default: 1     ! MDRY =  1   !
   0 = no
   1 = yes
   (dry deposition method specified
    for each species in Input Group 3)


Gravitational settling (plume tilt)
modeled ? (MTILT)                     Default: 0     ! MTILT =  0   !
   0 = no
   1 = yes
   (puff center falls at the gravitational
    settling velocity for 1 particle species)

Restrictions:
    - MDRY  = 1
    - NSPEC = 1  (must be particle species as well)
    - sg    = 0  GEOMETRIC STANDARD DEVIATION in Group 8 is
                 set to zero for a single particle diameter

Method used to compute dispersion
coefficients (MDISP)                  Default: 3     ! MDISP =  2   !

   1 = dispersion coefficients computed from measured values
        of turbulence, sigma v, sigma w
   2 = dispersion coefficients from internally calculated
        sigma v, sigma w using micrometeorological variables
        (u*, w*, L, etc.)
   3 = PG dispersion coefficients for RURAL areas (computed using
        the ISCST multi-segment approximation) and MP coefficients in
        urban areas
   4 = same as 3 except PG coefficients computed using
        the MESOPUFF II eqns.
   5 = CTDM sigmas used for stable and neutral conditions.
        For unstable conditions, sigmas are computed as in
        MDISP = 3, described above.  MDISP = 5 assumes that
        measured values are read

Sigma-v/sigma-theta, sigma-w measurements used? (MTURBVW)
(Used only if MDISP = 1 or 5)         Default: 3     ! MTURBVW =  3  !
   1 = use sigma-v or sigma-theta measurements
        from PROFILE.DAT to compute sigma-y
        (valid for METFM = 1, 2, 3, 4, 5)
   2 = use sigma-w measurements
        from PROFILE.DAT to compute sigma-z
        (valid for METFM = 1, 2, 3, 4, 5)
   3 = use both sigma-(v/theta) and sigma-w
```

```
       from PROFILE.DAT to compute sigma-y and sigma-z
       (valid for METFM = 1, 2, 3, 4, 5)
   4 = use sigma-theta measurements
       from PLMMET.DAT to compute sigma-y
       (valid only if METFM = 3)

Back-up method used to compute dispersion
when measured turbulence data are
missing (MDISP2)                      Default: 3     ! MDISP2 =  3  !
(used only if MDISP = 1 or 5)
   2 = dispersion coefficients from internally calculated
       sigma v, sigma w using micrometeorological variables
       (u*, w*, L, etc.)
   3 = PG dispersion coefficients for RURAL areas (computed using
       the ISCST multi-segment approximation) and MP coefficients in
       urban areas
   4 = same as 3 except PG coefficients computed using
       the MESOPUFF II eqns.

[DIAGNOSTIC FEATURE]
Method used for Lagrangian timescale for Sigma-y
(used only if MDISP=1,2 or MDISP2=1,2)
(MTAULY)                              Default: 0     ! MTAULY =  0  !
   0 = Draxler default 617.284 (s)
   1 = Computed as Lag. Length / (.75 q) -- after SCIPUFF
  10 < Direct user input (s)             -- e.g., 306.9


[DIAGNOSTIC FEATURE]
Method used for Advective-Decay timescale for Turbulence
(used only if MDISP=2 or MDISP2=2)
(MTAUADV)                             Default: 0     ! MTAUADV =  0  !
   0 = No turbulence advection
   1 = Computed (OPTION NOT IMPLEMENTED)
  10 < Direct user input (s)   -- e.g., 300


Method used to compute turbulence sigma-v &
sigma-w using micrometeorological variables
(Used only if MDISP = 2 or MDISP2 = 2)
(MCTURB)                              Default: 1     ! MCTURB =  1  !
   1 = Standard CALPUFF subroutines
   2 = AERMOD subroutines

PG sigma-y,z adj. for roughness?      Default: 0     ! MROUGH =  0  !
(MROUGH)
   0 = no
   1 = yes

Partial plume penetration of          Default: 1     ! MPARTL =  1  !
elevated inversion?
(MPARTL)
   0 = no
   1 = yes

Strength of temperature inversion     Default: 0     ! MTINV =  0  !
provided in PROFILE.DAT extended records?
(MTINV)
   0 = no (computed from measured/default gradients)
   1 = yes

PDF used for dispersion under convective conditions?
```

```
                                        Default: 0     ! MPDF =  0  !
(MPDF)
   0 = no
   1 = yes

Sub-Grid TIBL module used for shore line?
                                        Default: 0     ! MSGTIBL = 0  !
(MSGTIBL)
   0 = no
   1 = yes

Boundary conditions (concentration) modeled?
                                        Default: 0     ! MBCON = 0  !
(MBCON)
   0 = no
   1 = yes, using formatted BCON.DAT file
   2 = yes, using unformatted CONC.DAT file

Note:  MBCON > 0 requires that the last species modeled
       be 'BCON'.  Mass is placed in species BCON when
       generating boundary condition puffs so that clean
       air entering the modeling domain can be simulated
       in the same way as polluted air.  Specify zero
       emission of species BCON for all regular sources.

Individual source contributions saved?
                                        Default: 0     ! MSOURCE = 0  !
(MSOURCE)
   0 = no
   1 = yes


Analyses of fogging and icing impacts due to emissions from
arrays of mechanically-forced cooling towers can be performed
using CALPUFF in conjunction with a cooling tower emissions
processor (CTEMISS) and its associated postprocessors.  Hourly
emissions of water vapor and temperature from each cooling tower
cell are computed for the current cell configuration and ambient
conditions by CTEMISS. CALPUFF models the dispersion of these
emissions and provides cloud information in a specialized format
for further analysis. Output to FOG.DAT is provided in either
'plume mode' or 'receptor mode' format.

Configure for FOG Model output?
                                        Default: 0     ! MFOG =  0   !
(MFOG)
   0 = no
   1 = yes  - report results in PLUME Mode format
   2 = yes  - report results in RECEPTOR Mode format


Test options specified to see if
they conform to regulatory
values? (MREG)                          Default: 1     ! MREG =  0   !

   0 = NO checks are made
   1 = Technical options must conform to USEPA
       Long Range Transport (LRT) guidance
                  METFM    1 or 2
                  AVET     60. (min)
                  PGTIME   60. (min)
                  MGAUSS   1
```

```
                        MCTADJ   3
                        MTRANS   1
                        MTIP     1
                        MCHEM    1 or 3 (if modeling SOx, NOx)
                        MWET     1
                        MDRY     1
                        MDISP    2 or 3
                        MPDF     0 if MDISP=3
                                 1 if MDISP=2
                        MROUGH   0
                        MPARTL   1
                        SYTDEP   550. (m)
                        MHFTSZ   0
                        SVMIN    0.5 (m/s)


!END!


-------------------------------------------------------------------------------
--

INPUT GROUP: 3a, 3b -- Species list
-------------------

------------
Subgroup (3a)
------------

  The following species are modeled:

! CSPEC =          BENZ !         !END!

                                                                Dry
OUTPUT GROUP
    SPECIES          MODELED          EMITTED       DEPOSITED
NUMBER
     NAME         (0=NO, 1=YES)    (0=NO, 1=YES)    (0=NO,
(0=NONE,
   (Limit: 12                                        1=COMPUTED-GAS
1=1st CGRUP,
    Characters                                       2=COMPUTED-PARTICLE
2=2nd CGRUP,
    in length)                                       3=USER-SPECIFIED)     3=
etc.)

!         BENZ  =         1,               1,           1,                 0
!
          SO2  =         1,               1,           1,                 0
          SO4  =         1,               0,           2,                 0
           NO  =         1,               1,           1,                 0
          NO2  =         1,               1,           1,                 0
         HNO3  =         1,               0,           1,                 0
          NO3  =         1,               0,           2,                 0
         PM10  =         1,               1,           2,                 0

!END!

  Note:  The last species in (3a) must be 'BCON' when using the
         boundary condition option (MBCON > 0).  Species BCON should
         typically be modeled as inert (no chem transformation or
         removal).
```

```
-------------
Subgroup (3b)
-------------
  The following names are used for Species-Groups in which results
  for certain species are combined (added) prior to output.  The
  CGRUP name will be used as the species name in output files.
  Use this feature to model specific particle-size distributions
  by treating each size-range as a separate species.
  Order must be consistent with 3(a) above.



-------------------------------------------------------------------------------
--


INPUT GROUP: 4 -- Map Projection and Grid control parameters
--------------

     Projection for all (X,Y):
     -------------------------

     Map projection
     (PMAP)                     Default: UTM    ! PMAP = LCC  !

         UTM :  Universal Transverse Mercator
         TTM :  Tangential Transverse Mercator
         LCC :  Lambert Conformal Conic
          PS :  Polar Stereographic
          EM :  Equatorial Mercator
        LAZA :  Lambert Azimuthal Equal Area

     False Easting and Northing (km) at the projection origin
     (Used only if PMAP= TTM, LCC, or LAZA)
     (FEAST)                    Default=0.0     ! FEAST  = 0.000  !
     (FNORTH)                   Default=0.0     ! FNORTH = 0.000  !

     UTM zone (1 to 60)
     (Used only if PMAP=UTM)
     (IUTMZN)                   No Default      ! IUTMZN =  0   !

     Hemisphere for UTM projection?
     (Used only if PMAP=UTM)
     (UTMHEM)                   Default: N      ! UTMHEM = N  !
         N   :  Northern hemisphere projection
         S   :  Southern hemisphere projection

     Latitude and Longitude (decimal degrees) of projection origin
     (Used only if PMAP= TTM, LCC, PS, EM, or LAZA)
     (RLAT0)                    No Default      ! RLAT0 = 40.0N  !
     (RLON0)                    No Default      ! RLON0 = 100.0W  !

         TTM :  RLON0 identifies central (true N/S) meridian of projection
                RLAT0 selected for convenience
         LCC :  RLON0 identifies central (true N/S) meridian of projection
                RLAT0 selected for convenience
         PS  :  RLON0 identifies central (grid N/S) meridian of projection
                RLAT0 selected for convenience
         EM  :  RLON0 identifies central meridian of projection
                RLAT0 is REPLACED by 0.0N (Equator)
```

```
         LAZA:  RLON0 identifies longitude of tangent-point of mapping plane
                RLAT0 identifies latitude of tangent-point of mapping plane

     Matching parallel(s) of latitude (decimal degrees) for projection
     (Used only if PMAP= LCC or PS)
     (XLAT1)                    No Default      ! XLAT1 = 30.0N  !
     (XLAT2)                    No Default      ! XLAT2 = 60.0N  !

         LCC :  Projection cone slices through Earth's surface at XLAT1 and
XLAT2
         PS  :  Projection plane slices through Earth at XLAT1
                (XLAT2 is not used)

     ----------
     Note:  Latitudes and longitudes should be positive, and include a
            letter N,S,E, or W indicating north or south latitude, and
            east or west longitude.  For example,
            35.9  N Latitude  =  35.9N
            118.7 E Longitude = 118.7E


     Datum-region
     ------------

     The Datum-Region for the coordinates is identified by a character
     string.  Many mapping products currently available use the model of the
     Earth known as the World Geodetic System 1984 (WGS-84).  Other local
     models may be in use, and their selection in CALMET will make its output
     consistent with local mapping products.  The list of Datum-Regions with
     official transformation parameters is provided by the National Imagery
and
     Mapping Agency (NIMA).

     NIMA Datum - Regions(Examples)
     ---------------------------------------------------------------------
------
     WGS-84    WGS-84 Reference Ellipsoid and Geoid, Global coverage (WGS84)
     NAS-C     NORTH AMERICAN 1927 Clarke 1866 Spheroid, MEAN FOR CONUS
(NAD27)
     NAR-C     NORTH AMERICAN 1983 GRS 80 Spheroid, MEAN FOR CONUS (NAD83)
     NWS-84    NWS 6370KM Radius, Sphere
     ESR-S     ESRI REFERENCE 6371KM Radius, Sphere

     Datum-region for output coordinates
     (DATUM)                    Default: WGS-84    ! DATUM = NWS-84  !


METEOROLOGICAL Grid:

     Rectangular grid defined for projection PMAP,
     with X the Easting and Y the Northing coordinate

            No. X grid cells (NX)      No default     ! NX =  72   !
            No. Y grid cells (NY)      No default     ! NY =  72   !
         No. vertical layers (NZ)      No default     ! NZ =  14   !

           Grid spacing (DGRIDKM)      No default     ! DGRIDKM = 1.0 !
                                       Units: km

                Cell face heights
                    (ZFACE(nz+1))      No defaults
                                       Units: m
```

```
! ZFACE = 0.,18.0, 33.9, 85.0, 170.6, 256.9, 344.0, 431.8, 520.3,
          609.7, 790.6, 1068.2, 1353.4, 2103.3, 3026.3  !

    Reference Coordinates
   of SOUTHWEST corner of
         grid cell(1, 1):

    X coordinate (XORIGKM)     No default     ! XORIGKM = 216.0 !
    Y coordinate (YORIGKM)     No default     ! YORIGKM = -1368.0 !
                              Units: km
```

COMPUTATIONAL Grid:

The computational grid is identical to or a subset of the MET. grid. The lower left (LL) corner of the computational grid is at grid point (IBCOMP, JBCOMP) of the MET. grid. The upper right (UR) corner of the computational grid is at grid point (IECOMP, JECOMP) of the MET. grid. The grid spacing of the computational grid is the same as the MET. grid.

```
X index of LL corner (IBCOMP)      No default     ! IBCOMP =  1   !
          (1 <= IBCOMP <= NX)

Y index of LL corner (JBCOMP)      No default     ! JBCOMP =  1   !
          (1 <= JBCOMP <= NY)


X index of UR corner (IECOMP)      No default     ! IECOMP =  72   !
          (1 <= IECOMP <= NX)

Y index of UR corner (JECOMP)      No default     ! JECOMP =  72   !
          (1 <= JECOMP <= NY)
```

SAMPLING Grid (GRIDDED RECEPTORS):

The lower left (LL) corner of the sampling grid is at grid point (IBSAMP, JBSAMP) of the MET. grid. The upper right (UR) corner of the sampling grid is at grid point (IESAMP, JESAMP) of the MET. grid. The sampling grid must be identical to or a subset of the computational grid. It may be a nested grid inside the computational grid. The grid spacing of the sampling grid is DGRIDKM/MESHDN.

```
Logical flag indicating if gridded
receptors are used (LSAMP)         Default: T     ! LSAMP = T !
(T=yes, F=no)

X index of LL corner (IBSAMP)      No default     ! IBSAMP =  1   !
 (IBCOMP <= IBSAMP <= IECOMP)

Y index of LL corner (JBSAMP)      No default     ! JBSAMP =  1   !
 (JBCOMP <= JBSAMP <= JECOMP)


X index of UR corner (IESAMP)      No default     ! IESAMP =  72  !
 (IBCOMP <= IESAMP <= IECOMP)

Y index of UR corner (JESAMP)      No default     ! JESAMP =  72   !
 (JBCOMP <= JESAMP <= JECOMP)
```

```
       Nesting factor of the sampling
        grid (MESHDN)                      Default: 1     ! MESHDN =  1  !
        (MESHDN is an integer >= 1)

!END!


-----------------------------------------------------------------------------
--


INPUT GROUP: 5 -- Output Options
--------------
                                                *                          *
     FILE                        DEFAULT VALUE              VALUE THIS RUN
     ----                        -------------              --------------

   Concentrations (ICON)               1                    !  ICON =  1   !
   Dry Fluxes (IDRY)                   1                    !  IDRY =  1   !
   Wet Fluxes (IWET)                   1                    !  IWET =  0   !
   2D Temperature (IT2D)               0                    !  IT2D =  0   !
   2D Density (IRHO)                   0                    !  IRHO =  0   !
   Relative Humidity (IVIS)            1                    !  IVIS =  0   !
    (relative humidity file is
     required for visibility
     analysis)
   Use data compression option in output file?
   (LCOMPRS)                            Default: T         ! LCOMPRS = F !

   *
    0 = Do not create file, 1 = create file


    QA PLOT FILE OUTPUT OPTION:

       Create a standard series of output files (e.g.
       locations of sources, receptors, grids ...)
       suitable for plotting?
       (IQAPLOT)                        Default: 1         !  IQAPLOT =  1   !
         0 = no
         1 = yes

    DIAGNOSTIC MASS FLUX OUTPUT OPTIONS:

       Mass flux across specified boundaries
       for selected species reported?
       (IMFLX)                          Default: 0         ! IMFLX =  0  !
         0 = no
         1 = yes (FLUXBDY.DAT and MASSFLX.DAT filenames
                  are specified in Input Group 0)

       Mass balance for each species
       reported?
       (IMBAL)                          Default: 0         ! IMBAL =  0  !
         0 = no
         1 = yes (MASSBAL.DAT filename is
              specified in Input Group 0)


    LINE PRINTER OUTPUT OPTIONS:

       Print concentrations (ICPRT)     Default: 0         ! ICPRT =  0   !
```

```
       Print dry fluxes (IDPRT)        Default: 0         ! IDPRT =  0   !
       Print wet fluxes (IWPRT)        Default: 0         ! IWPRT =  0   !
       (0 = Do not print, 1 = Print)

       Concentration print interval
       (ICFRQ) in timesteps            Default: 1         ! ICFRQ =  1   !
       Dry flux print interval
       (IDFRQ) in timesteps            Default: 1         ! IDFRQ =  1   !
       Wet flux print interval
       (IWFRQ) in timesteps            Default: 1         ! IWFRQ =  1   !

       Units for Line Printer Output
       (IPRTU)                         Default: 1         ! IPRTU =  1   !
                      for            for
                 Concentration    Deposition
           1 =       g/m**3         g/m**2/s
           2 =      mg/m**3        mg/m**2/s
           3 =      ug/m**3        ug/m**2/s
           4 =      ng/m**3        ng/m**2/s
           5 =     Odour Units

       Messages tracking progress of run
       written to the screen ?
       (IMESG)                         Default: 2         ! IMESG =  2   !
         0 = no
         1 = yes (advection step, puff ID)
         2 = yes (YYYYJJJHH, # old puffs, # emitted puffs)


     SPECIES (or GROUP for combined species) LIST FOR OUTPUT OPTIONS

                  ---- CONCENTRATIONS ----   ------ DRY FLUXES ------   ------
WET FLUXES ------   -- MASS FLUX --
   SPECIES
   /GROUP        PRINTED?  SAVED ON DISK?   PRINTED?  SAVED ON DISK?
PRINTED?  SAVED ON DISK?   SAVED ON DISK?
   -------       ------------------------   ------------------------   ------
------------------   ---------------
!         BENZ =     0,           1,           0,           1,           0,
0,           0   !
          SO2 =     0,           1,           0,           1,           0,
1,           0
          SO4 =     0,           1,           0,           1,           0,
1,           0
           NO =     0,           1,           0,           1,           0,
1,           0
          NO2 =     0,           1,           0,           1,           0,
1,           0
         HNO3 =     0,           1,           0,           1,           0,
1,           0
          NO3 =     0,           1,           0,           1,           0,
1,           0
         PM10 =     0,           1,           0,           1,           0,
1,           0

  Note:  Species BCON (for MBCON > 0) does not need to be saved on disk.


     OPTIONS FOR PRINTING "DEBUG" QUANTITIES (much output)

       Logical for debug output
       (LDEBUG)                                Default: F     ! LDEBUG = F !
```

```
       First puff to track
       (IPFDEB)                                Default: 1     ! IPFDEB =  1
!

       Number of puffs to track
       (NPFDEB)                                Default: 1     ! NPFDEB =  1
!

       Met. period to start output
       (NN1)                                   Default: 1     ! NN1 =  1   !

       Met. period to end output
       (NN2)                                   Default: 10    ! NN2 =  10  !

!END!


-------------------------------------------------------------------------------
--


INPUT GROUP: 6a, 6b, & 6c -- Subgrid scale complex terrain inputs
-------------------------

---------------
Subgroup (6a)
---------------
       Number of terrain features (NHILL)      Default: 0     ! NHILL =  0
!

       Number of special complex terrain
       receptors  (NCTREC)                     Default: 0     ! NCTREC =  0
!

       Terrain and CTSG Receptor data for
       CTSG hills input in CTDM format ?
       (MHILL)                                 No Default     ! MHILL =  2
!
       1 = Hill and Receptor data created
           by CTDM processors & read from
           HILL.DAT and HILLRCT.DAT files
       2 = Hill data created by OPTHILL &
           input below in Subgroup (6b);
           Receptor data in Subgroup (6c)

       Factor to convert horizontal dimensions  Default: 1.0   ! XHILL2M =
1.0 !
       to meters (MHILL=1)

       Factor to convert vertical dimensions    Default: 1.0   ! ZHILL2M =
1.0 !
       to meters (MHILL=1)

       X-origin of CTDM system relative to      No Default     ! XCTDMKM = 0
!
       CALPUFF coordinate system, in Kilometers (MHILL=1)

       Y-origin of CTDM system relative to      No Default     ! YCTDMKM = 0
!
       CALPUFF coordinate system, in Kilometers (MHILL=1)
```

```
! END !

---------------
Subgroup (6b)
---------------

                      1 **
     HILL information


HILL           XC        YC       THETAH  ZGRID  RELIEF    EXPO 1    EXPO 2
SCALE 1    SCALE 2    AMAX1     AMAX2
 NO.          (km)      (km)      (deg.)   (m)     (m)      (m)       (m)
(m)        (m)       (m)       (m)
----          ----      ----      ------  -----  ------    ------    ------
-------    -------    -----     -----

---------------
Subgroup (6c)
---------------

    COMPLEX TERRAIN RECEPTOR INFORMATION

                      XRCT         YRCT        ZRCT          XHH
                      (km)         (km)         (m)
                     ------        -----      ------         ----


-------------------
1
     Description of Complex Terrain Variables:
          XC, YC  = Coordinates of center of hill
          THETAH  = Orientation of major axis of hill (clockwise from
                    North)
          ZGRID   = Height of the  0  of the grid above mean sea
                    level
          RELIEF  = Height of the crest of the hill above the grid elevation
          EXPO 1  = Hill-shape exponent for the major axis
          EXPO 2  = Hill-shape exponent for the major axis
          SCALE 1 = Horizontal length scale along the major axis
          SCALE 2 = Horizontal length scale along the minor axis
          AMAX    = Maximum allowed axis length for the major axis
          BMAX    = Maximum allowed axis length for the major axis

          XRCT, YRCT = Coordinates of the complex terrain receptors
          ZRCT    = Height of the ground (MSL) at the complex terrain
                    Receptor
          XHH     = Hill number associated with each complex terrain receptor
                    (NOTE: MUST BE ENTERED AS A REAL NUMBER)

   **
     NOTE: DATA for each hill and CTSG receptor are treated as a separate
           input subgroup and therefore must end with an input group
terminator.

-------------------------------------------------------------------------------
--


INPUT GROUP: 7 -- Chemical parameters for dry deposition of gases
--------------
```

```
      SPECIES     DIFFUSIVITY      ALPHA STAR      REACTIVITY    MESOPHYLL
RESISTANCE     HENRY'S LAW COEFFICIENT
       NAME        (cm**2/s)
(s/cm)                (dimensionless)
      -------     -----------      ----------      ----------    ------------
--------     -----------------------

!         BENZ =     .0896,           1.0,           0.0,            16382.,
.2287 !
          SO2 =      .1509,        1000.0,           8.0,                .0,
.04
           NO =      .1345,           1.0,           2.0,              25.0,
18.0
          NO2 =      .1656,           1.0,           8.0,               5.0,
3.5
         HNO3 =      .1628,           1.0,          18.0,                .0,
.0000001

!END!


-----------------------------------------------------------------------------
--


INPUT GROUP: 8 -- Size parameters for dry deposition of particles
--------------

     For SINGLE SPECIES, the mean and standard deviation are used to
     compute a deposition velocity for NINT (see group 9) size-ranges,
     and these are then averaged to obtain a mean deposition velocity.

     For GROUPED SPECIES, the size distribution should be explicitly
     specified (by the 'species' in the group), and the standard deviation
     for each should be entered as 0.  The model will then use the
     deposition velocity for the stated mean diameter.

      SPECIES      GEOMETRIC MASS MEAN        GEOMETRIC STANDARD
       NAME             DIAMETER                  DEVIATION
                        (microns)                 (microns)
      -------      -------------------        ------------------
          SO4 =           .48,                     2.0
          NO3 =           .48,                     2.0
         PM10 =           .48,                     2.0

!END!


-----------------------------------------------------------------------------
--


INPUT GROUP: 9 -- Miscellaneous dry deposition parameters
--------------

     Reference cuticle resistance (s/cm)
     (RCUTR)                          Default: 30    !  RCUTR = 30.0 !
     Reference ground resistance  (s/cm)
     (RGR)                            Default: 10    !    RGR = 10.0 !
     Reference pollutant reactivity
     (REACTR)                         Default: 8     ! REACTR = 8.0 !
```

```
     Number of particle-size intervals used to
     evaluate effective particle deposition velocity
     (NINT)                           Default: 9     !   NINT =  9  !

     Vegetation state in unirrigated areas
     (IVEG)                           Default: 1     !   IVEG =  1   !
        IVEG=1 for active and unstressed vegetation
        IVEG=2 for active and stressed vegetation
        IVEG=3 for inactive vegetation

!END!


-------------------------------------------------------------------------------
--


INPUT GROUP: 10 -- Wet Deposition Parameters
---------------


                      Scavenging Coefficient -- Units: (sec)**(-1)

       Pollutant      Liquid Precip.       Frozen Precip.
       ---------      --------------       --------------
         BENZ =
          SO2 =         3.0E-05,              0.0E00
          SO4 =         1.0E-04,             3.0E-05
         HNO3 =         6.0E-05,              0.0E00
          NO3 =         1.0E-04,             3.0E-05
         PM10 =         1.0E-04,             3.0E-05

!END!


-------------------------------------------------------------------------------
--


INPUT GROUP: 11 -- Chemistry Parameters
---------------

     Ozone data input option (MOZ)     Default: 1            ! MOZ =  0   !
     (Used only if MCHEM = 1, 3, or 4)
        0 = use a monthly background ozone value
        1 = read hourly ozone concentrations from
            the OZONE.DAT data file

     Monthly ozone concentrations
     (Used only if MCHEM = 1, 3, or 4 and
      MOZ = 0 or MOZ = 1 and all hourly O3 data missing)
     (BCKO3) in ppb                    Default: 12*80.
     !  BCKO3 = 40.00, 40.00, 40.00, 40.00, 40.00, 40.00, 40.00, 40.00,
40.00, 40.00, 40.00, 40.00 !

     Monthly ammonia concentrations
     (Used only if MCHEM = 1, or 3)
     (BCKNH3) in ppb                   Default: 12*10.
     !  BCKNH3 = 12*1.0  !

     Nighttime SO2 loss rate (RNITE1)
     in percent/hour                   Default: 0.2          ! RNITE1 = .2 !
```

```
     Nighttime NOx loss rate (RNITE2)
     in percent/hour                   Default: 2.0          ! RNITE2 = 2.0 !

     Nighttime HNO3 formation rate (RNITE3)
     in percent/hour                   Default: 2.0          ! RNITE3 = 2.0 !

     H2O2 data input option (MH2O2)    Default: 1            ! MH2O2 =  1   !
     (Used only if MAQCHEM = 1)
        0 = use a monthly background H2O2 value
        1 = read hourly H2O2 concentrations from
            the H2O2.DAT data file

     Monthly H2O2 concentrations
     (Used only if MQACHEM = 1 and
      MH2O2 = 0 or MH2O2 = 1 and all hourly H2O2 data missing)
     (BCKH2O2) in ppb                  Default: 12*1.
     !  BCKH2O2 = 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00,
1.00, 1.00 !


 --- Data for SECONDARY ORGANIC AEROSOL (SOA) Option
     (used only if MCHEM = 4)

     The SOA module uses monthly values of:
          Fine particulate concentration in ug/m^3 (BCKPMF)
          Organic fraction of fine particulate     (OFRAC)
          VOC / NOX ratio (after reaction)         (VCNX)
     to characterize the air mass when computing
     the formation of SOA from VOC emissions.
     Typical values for several distinct air mass types are:

        Month    1    2    3    4    5    6    7    8    9   10   11   12
                Jan  Feb  Mar  Apr  May  Jun  Jul  Aug  Sep  Oct  Nov  Dec

     Clean Continental
        BCKPMF   1.   1.   1.   1.   1.   1.   1.   1.   1.   1.   1.   1.
        OFRAC  .15  .15  .20  .20  .20  .20  .20  .20  .20  .20  .20  .15
        VCNX    50.  50.  50.  50.  50.  50.  50.  50.  50.  50.  50.  50.

     Clean Marine (surface)
        BCKPMF  .5   .5   .5   .5   .5   .5   .5   .5   .5   .5   .5   .5
        OFRAC  .25  .25  .30  .30  .30  .30  .30  .30  .30  .30  .30  .25
        VCNX    50.  50.  50.  50.  50.  50.  50.  50.  50.  50.  50.  50.

     Urban - low biogenic (controls present)
        BCKPMF  30.  30.  30.  30.  30.  30.  30.  30.  30.  30.  30.  30.
        OFRAC  .20  .20  .25  .25  .25  .25  .25  .25  .20  .20  .20  .20
        VCNX     4.   4.   4.   4.   4.   4.   4.   4.   4.   4.   4.   4.

     Urban - high biogenic (controls present)
        BCKPMF  60.  60.  60.  60.  60.  60.  60.  60.  60.  60.  60.  60.
        OFRAC  .25  .25  .30  .30  .30  .55  .55  .55  .35  .35  .35  .25
        VCNX    15.  15.  15.  15.  15.  15.  15.  15.  15.  15.  15.  15.

     Regional Plume
        BCKPMF  20.  20.  20.  20.  20.  20.  20.  20.  20.  20.  20.  20.
        OFRAC  .20  .20  .25  .35  .25  .40  .40  .40  .30  .30  .30  .20
        VCNX    15.  15.  15.  15.  15.  15.  15.  15.  15.  15.  15.  15.

     Urban - no controls present
        BCKPMF 100. 100. 100. 100. 100. 100. 100. 100. 100. 100. 100. 100.
```

```
        OFRAC  .30  .30  .35  .35  .35  .55  .55  .55  .35  .35  .35  .30
        VCNX     2.   2.   2.   2.   2.   2.   2.   2.   2.   2.   2.   2.

     Default: Clean Continental
     !  BCKPMF = 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00,
1.00, 1.00 !
     !  OFRAC  = 0.15, 0.15, 0.20, 0.20, 0.20, 0.20, 0.20, 0.20, 0.20, 0.20,
0.20, 0.15 !
     !  VCNX   = 50.00, 50.00, 50.00, 50.00, 50.00, 50.00, 50.00, 50.00,
50.00, 50.00, 50.00, 50.00 !


!END!


-----------------------------------------------------------------------------
--


INPUT GROUP: 12 -- Misc. Dispersion and Computational Parameters
---------------

     Horizontal size of puff (m) beyond which
     time-dependent dispersion equations (Heffter)
     are used to determine sigma-y and
     sigma-z (SYTDEP)                          Default: 550.   ! SYTDEP =
5.5E02 !

     Switch for using Heffter equation for sigma z
     as above (0 = Not use Heffter; 1 = use Heffter
     (MHFTSZ)                                  Default: 0      ! MHFTSZ =  0
!

     Stability class used to determine plume
     growth rates for puffs above the boundary
     layer (JSUP)                              Default: 5      ! JSUP =  5
!

     Vertical dispersion constant for stable
     conditions (k1 in Eqn. 2.7-3)  (CONK1)    Default: 0.01   ! CONK1 = .01
!

     Vertical dispersion constant for neutral/
     unstable conditions (k2 in Eqn. 2.7-4)
     (CONK2)                                   Default: 0.1    ! CONK2 = .1
!

     Factor for determining Transition-point from
     Schulman-Scire to Huber-Snyder Building Downwash
     scheme (SS used for Hs < Hb + TBD * HL)
     (TBD)                                     Default: 0.5    ! TBD = .5 !
        TBD < 0   ==> always use Huber-Snyder
        TBD = 1.5 ==> always use Schulman-Scire
        TBD = 0.5 ==> ISC Transition-point

     Range of land use categories for which
     urban dispersion is assumed
     (IURB1, IURB2)                            Default: 10     ! IURB1 =  10
!
                                                        19     ! IURB2 =  19
!
```

```
     Site characterization parameters for single-point Met data files -------
--
     (needed for METFM = 2,3,4,5)

        Land use category for modeling domain
        (ILANDUIN)                              Default: 20     ! ILANDUIN =
20  !

        Roughness length (m) for modeling domain
        (Z0IN)                                  Default: 0.25   ! Z0IN = .25
!

        Leaf area index for modeling domain
        (XLAIIN)                                Default: 3.0    ! XLAIIN =
3.0 !

        Elevation above sea level (m)
        (ELEVIN)                                Default: 0.0    ! ELEVIN = .0
!

        Latitude (degrees) for met location
        (XLATIN)                                Default: -999.  ! XLATIN = .0
!

        Longitude (degrees) for met location
        (XLONIN)                                Default: -999.  ! XLONIN = .0
!

     Specialized information for interpreting single-point Met data files ---
--

        Anemometer height (m) (Used only if METFM = 2,3)
        (ANEMHT)                                Default: 10.    ! ANEMHT =
10.0 !

        Form of lateral turbulance data in PROFILE.DAT file
        (Used only if METFM = 4,5 or MTURBVW = 1 or 3)
        (ISIGMAV)                               Default: 1      ! ISIGMAV =
1  !
            0 = read sigma-theta
            1 = read sigma-v

        Choice of mixing heights (Used only if METFM = 4)
        (IMIXCTDM)                              Default: 0      ! IMIXCTDM =
0  !
            0 = read PREDICTED mixing heights
            1 = read OBSERVED mixing heights

     Maximum length of a slug (met. grid units)
     (XMXLEN)                                   Default: 1.0    ! XMXLEN =
1.0 !

     Maximum travel distance of a puff/slug (in
     grid units) during one sampling step
     (XSAMLEN)                                  Default: 1.0    ! XSAMLEN =
1.0 !

     Maximum Number of slugs/puffs release from
     one source during one time step
     (MXNEW)                                    Default: 99     ! MXNEW =  99
!
```

```
     Maximum Number of sampling steps for
     one puff/slug during one time step
     (MXSAM)                                    Default: 99     ! MXSAM =  99
!

     Number of iterations used when computing
     the transport wind for a sampling step
     that includes gradual rise (for CALMET
     and PROFILE winds)
     (NCOUNT)                                   Default: 2      ! NCOUNT =  2
!

     Minimum sigma y for a new puff/slug (m)
     (SYMIN)                                    Default: 1.0    ! SYMIN = 1.0
!

     Minimum sigma z for a new puff/slug (m)
     (SZMIN)                                    Default: 1.0    ! SZMIN = 1.0
!

     Default minimum turbulence velocities sigma-v and sigma-w
     for each stability class over land and over water (m/s)
     (SVMIN(12) and SWMIN(12))

                        ----------  LAND  ----------       ---------  WATER  ---
-------
        Stab Class :  A    B    C    D    E    F         A    B    C    D
E    F
                        ---  ---  ---  ---  ---  ---       ---  ---  ---  ---  -
--  ---
     Default SVMIN : .50, .50, .50, .50, .50, .50,      .37, .37, .37, .37,
.37, .37
     Default SWMIN : .20, .12, .08, .06, .03, .016,     .20, .12, .08, .06,
.03, .016

           ! SVMIN = 0.500, 0.500, 0.500, 0.500, 0.500, 0.500, 0.370, 0.370,
0.370, 0.370, 0.370, 0.370!
           ! SWMIN = 0.200, 0.120, 0.080, 0.060, 0.030, 0.016, 0.200, 0.120,
0.080, 0.060, 0.030, 0.016!

     Divergence criterion for dw/dz across puff
     used to initiate adjustment for horizontal
     convergence (1/s)
     Partial adjustment starts at CDIV(1), and
     full adjustment is reached at CDIV(2)
     (CDIV(2))                                  Default: 0.0,0.0  ! CDIV =
.0, .0 !

     Minimum wind speed (m/s) allowed for
     non-calm conditions. Also used as minimum
     speed returned when using power-law
     extrapolation toward surface
     (WSCALM)                                   Default: 0.5    ! WSCALM = .5
!

     Maximum mixing height (m)
     (XMAXZI)                                   Default: 3000.  ! XMAXZI =
3000.0 !

     Minimum mixing height (m)
     (XMINZI)                                   Default: 50.    ! XMINZI =
50.0 !
```

```
     Default wind speed classes --
     5 upper bounds (m/s) are entered;
     the 6th class has no upper limit
     (WSCAT(5))                      Default   :
                                     ISC RURAL : 1.54, 3.09, 5.14, 8.23, 10.8
(10.8+)

                               Wind Speed Class :  1     2     3     4     5
                                                  ---   ---   ---   ---   ---
                                         ! WSCAT = 1.54, 3.09, 5.14, 8.23,
10.80 !

     Default wind speed profile power-law
     exponents for stabilities 1-6
     (PLX0(6))                       Default   : ISC RURAL values
                                     ISC RURAL : .07, .07, .10, .15, .35, .55
                                     ISC URBAN : .15, .15, .20, .25, .30, .30

                                Stability Class :  A     B     C     D     E
F
                                                  ---   ---   ---   ---   ---
---
                                          ! PLX0 = 0.07, 0.07, 0.10, 0.15,
0.35, 0.55 !

     Default potential temperature gradient
     for stable classes E, F (degK/m)
     (PTG0(2))                       Default: 0.020, 0.035
                                        ! PTG0 = 0.020,   0.035 !

     Default plume path coefficients for
     each stability class (used when option
     for partial plume height terrain adjustment
     is selected -- MCTADJ=3)
     (PPC(6))                   Stability Class :  A     B     C     D     E
F
                                   Default  PPC : .50,  .50,  .50,  .50,  .35,
.35
                                                  ---   ---   ---   ---   ---
---
                                          !  PPC = 0.50, 0.50, 0.50, 0.50,
0.35, 0.35 !

     Slug-to-puff transition criterion factor
     equal to sigma-y/length of slug
     (SL2PF)                              Default: 10.        ! SL2PF = 10.0
!

     Puff-splitting control variables ------------------------

       VERTICAL SPLIT
       --------------

       Number of puffs that result every time a puff
       is split - nsplit=2 means that 1 puff splits
       into 2
       (NSPLIT)                           Default:   3        ! NSPLIT =  3
!

       Time(s) of a day when split puffs are eligible to
       be split once again; this is typically set once
```

```
       per day, around sunset before nocturnal shear develops.
       24 values: 0 is midnight (00:00) and 23 is 11 PM (23:00)
       0=do not re-split    1=eligible for re-split
       (IRESPLIT(24))                      Default:  Hour 17 = 1
       !  IRESPLIT = 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,1,0,0,0,0,0,0 !

       Split is allowed only if last hour's mixing
       height (m) exceeds a minimum value
       (ZISPLIT)                           Default: 100.       ! ZISPLIT =
100.0 !

       Split is allowed only if ratio of last hour's
       mixing ht to the maximum mixing ht experienced
       by the puff is less than a maximum value (this
       postpones a split until a nocturnal layer develops)
       (ROLDMAX)                           Default: 0.25       ! ROLDMAX =
0.25 !


       HORIZONTAL SPLIT
       ----------------

       Number of puffs that result every time a puff
       is split - nsplith=5 means that 1 puff splits
       into 5
       (NSPLITH)                           Default:   5        ! NSPLITH =  5
!

       Minimum sigma-y (Grid Cells Units) of puff
       before it may be split
       (SYSPLITH)                          Default:  1.0       ! SYSPLITH =
1.0 !

       Minimum puff elongation rate (SYSPLITH/hr) due to
       wind shear, before it may be split
       (SHSPLITH)                          Default:  2.        ! SHSPLITH =
2.0 !

       Minimum concentration (g/m^3) of each
       species in puff before it may be split
       Enter array of NSPEC values; if a single value is
       entered, it will be used for ALL species
       (CNSPLITH)                          Default:  1.0E-07   ! CNSPLITH =
1.0E-07 !

     Integration control variables ------------------------

       Fractional convergence criterion for numerical SLUG
       sampling integration
       (EPSSLUG)                           Default:   1.0e-04  ! EPSSLUG =
1.0E-04 !

       Fractional convergence criterion for numerical AREA
       source integration
       (EPSAREA)                           Default:   1.0e-06  ! EPSAREA =
1.0E-06 !

       Trajectory step-length (m) used for numerical rise
       integration
       (DSRISE)                            Default:   1.0      ! DSRISE = 1.0
!
```

```
       Boundary Condition (BC) Puff control variables -----------------------
-

       Minimum height (m) to which BC puffs are mixed as they are emitted
       (MBCON=2 ONLY).  Actual height is reset to the current mixing height
       at the release point if greater than this minimum.
       (HTMINBC)                          Default:   500.     ! HTMINBC =
500.0 !

       Search radius (km) about a receptor for sampling nearest BC puff.
       BC puffs are typically emitted with a spacing of one grid cell
       length, so the search radius should be greater than DGRIDKM.
       (RSAMPBC)                          Default:   10.      ! RSAMPBC =
10.0 !

       Near-Surface depletion adjustment to concentration profile used when
       sampling BC puffs?
       (MDEPBC)                           Default:   1        ! MDEPBC =  1
!
          0 = Concentration is NOT adjusted for depletion
          1 = Adjust Concentration for depletion

!END!


-------------------------------------------------------------------------------
--


INPUT GROUPS: 13a, 13b, 13c, 13d -- Point source parameters
--------------------------------

---------------
Subgroup (13a)
---------------

     Number of point sources with
     parameters provided below      (NPT1)  No default  !  NPT1 =  1014  !

     Units used for point source
     emissions below                (IPTU)  Default: 1  !  IPTU =   1  !
           1 =        g/s
           2 =       kg/hr
           3 =       lb/hr
           4 =     tons/yr
           5 =     Odour Unit * m**3/s  (vol. flux of odour compound)
           6 =     Odour Unit * m**3/min
           7 =     metric tons/yr

     Number of source-species
     combinations with variable
     emissions scaling factors
     provided below in (13d)        (NSPT1) Default: 0  !  NSPT1 =  0  !

     Number of point sources with
     variable emission parameters
     provided in external file      (NPT2)  No default  !  NPT2 =  0  !

     (If NPT2 > 0, these point
     source emissions are read from
     the file: PTEMARB.DAT)
```

```
!END!

---------------
Subgroup (13b)
---------------
                                        a
          POINT SOURCE: CONSTANT DATA
          ----------------------------

b          c
  Source       X         Y       Stack    Base     Stack    Exit  Exit
Bldg.  Emission
   No.     Coordinate Coordinate Height Elevation Diameter  Vel.  Temp.
Dwash   Rates
              (km)      (km)       (m)      (m)       (m)  (m/s) (deg. K)
  ------   ---------- ---------- ------  ------   -------- ----- -------- ---
-- --------

FWF04    !SRCNAM  = FWF04   !
FWF04    !X =   245.717,  -1331.092,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.2807485579!
FWF04    !SIGYZI = 0.,0.!
FWF04    !FMFAC = 1.! !END!
VETK202  !SRCNAM  = VETK202 !
VETK202  !X =   254.543,  -1332.592,  12.19512, 7.73,  0.91463,  0.00305,
295.22222,  0.0,  0.1989553618!
VETK202  !SIGYZI = 0.,0.!
VETK202  !FMFAC = 1.! !END!
SCTK01   !SRCNAM  = SCTK01  !
SCTK01   !X =   248.228,  -1334.572,  4.57317, 13.00,  0.91463,  0.00305,
294.72222,  0.0,  0.1286731884!
SCTK01   !SIGYZI = 0.,0.!
SCTK01   !FMFAC = 1.! !END!
FWFB144  !SRCNAM  = FWFB144 !
FWFB144  !X =   245.610,  -1330.253,  12.19512, 9.61,  0.91463,  0.00305,
301.02222,  0.0,  0.1186035714!
FWFB144  !SIGYZI = 0.,0.!
FWFB144  !FMFAC = 1.! !END!
FWF14UDE !SRCNAM  = FWF14UDE!
FWF14UDE !X =   245.584,  -1331.252,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.1174169336!
FWF14UDE !SIGYZI = 0.,0.!
FWF14UDE !FMFAC = 1.! !END!
VESULF01 !SRCNAM  = VESULF01!
VESULF01 !X =   254.333,  -1332.943,  6.09756, 9.91,  0.01000,  0.01000,
294.00000,  0.0,  0.1163328265!
VESULF01 !SIGYZI = 0.,0.!
VESULF01 !FMFAC = 1.! !END!
FWF33    !SRCNAM  = FWF33   !
FWF33    !X =   245.731,  -1331.529,  0.91463, 14.52,  0.01000,  0.01000,
294.00000,  0.0,  0.1087136275!
FWF33    !SIGYZI = 0.,0.!
FWF33    !FMFAC = 1.! !END!
FEF53    !SRCNAM  = FEF53   !
FEF53    !X =   255.904,  -1333.704,  3.04878, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0963700316!
FEF53    !SIGYZI = 0.,0.!
FEF53    !FMFAC = 1.! !END!
FWFB143  !SRCNAM  = FWFB143 !
FWFB143  !X =   245.611,  -1330.315,  12.19512, 10.95,  0.91463,  0.00305,
301.02222,  0.0,  0.0899206182!
FWFB143  !SIGYZI = 0.,0.!
```

```
FWFB143  !FMFAC = 1.! !END!
CEF311   !SRCNAM  = CEF311  !
CEF311   !X =   255.414,  -1333.064,  6.09756, 8.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0879113084!
CEF311   !SIGYZI = 0.,0.!
CEF311   !FMFAC = 1.! !END!
VETO2    !SRCNAM  = VETO2   !
VETO2    !X =   254.521,  -1332.781,  15.24390, 9.00,  2.43902,  21.34146,
439.66667,  0.0,  0.0861726002!
VETO2    !SIGYZI = 0.,0.!
VETO2    !FMFAC = 1.! !END!
FWFB610  !SRCNAM  = FWFB610 !
FWFB610  !X =   245.408,  -1330.883,  12.19512, 15.00,  0.91463,  0.00305,
306.20000,  0.0,  0.0795287090!
FWFB610  !SIGYZI = 0.,0.!
FWFB610  !FMFAC = 1.! !END!
CE746    !SRCNAM  = CE746   !
CE746    !X =   255.410,  -1333.813,  12.19512, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0784074536!
CE746    !SIGYZI = 0.,0.!
CE746    !FMFAC = 1.! !END!
FW45FB70 !SRCNAM  = FW45FB70!
FW45FB70 !X =   244.735,  -1330.560,  11.35671, 12.56,  0.91463,  0.00305,
384.03889,  0.0,  0.0739313776!
FW45FB70 !SIGYZI = 0.,0.!
FW45FB70 !FMFAC = 1.! !END!
FWFB131  !SRCNAM  = FWFB131 !
FWFB131  !X =   245.938,  -1330.179,  12.19512, 5.75,  0.91463,  0.00305,
290.63333,  0.0,  0.0709170664!
FWFB131  !SIGYZI = 0.,0.!
FWFB131  !FMFAC = 1.! !END!
FWFTKHON !SRCNAM  = FWFTKHON!
FWFTKHON !X =   245.156,  -1330.765,  0.91463, 14.50,  0.01000,  0.01000,
294.00000,  0.0,  0.0704191016!
FWFTKHON !SIGYZI = 0.,0.!
FWFTKHON !FMFAC = 1.! !END!
FWFB132  !SRCNAM  = FWFB132 !
FWFB132  !X =   245.910,  -1330.180,  12.19512, 6.09,  0.91463,  0.00305,
289.47222,  0.0,  0.0645781112!
FWFB132  !SIGYZI = 0.,0.!
FWFB132  !FMFAC = 1.! !END!
FWF25    !SRCNAM  = FWF25   !
FWF25    !X =   245.418,  -1331.194,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0624414176!
FWF25    !SIGYZI = 0.,0.!
FWF25    !FMFAC = 1.! !END!
CEF081   !SRCNAM  = CEF081  !
CEF081   !X =   255.702,  -1333.461,  6.09756, 8.11,  0.01000,  0.01000,
294.00000,  0.0,  0.0578330438!
CEF081   !SIGYZI = 0.,0.!
CEF081   !FMFAC = 1.! !END!
FWVCS1   !SRCNAM  = FWVCS1  !
FWVCS1   !X =   245.714,  -1330.092,  13.71951, 5.42,  2.74390,  10.21341,
634.11111,  0.0,  0.0497016842!
FWVCS1   !SIGYZI = 0.,0.!
FWVCS1   !FMFAC = 1.! !END!
CE743    !SRCNAM  = CE743   !
CE743    !X =   255.432,  -1333.626,  12.80488, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0472964680!
CE743    !SIGYZI = 0.,0.!
CE743    !FMFAC = 1.! !END!
CEF821   !SRCNAM  = CEF821  !
```

```
CEF821   !X =   255.696,  -1333.273,  1.82927, 8.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0464174330!
CEF821   !SIGYZI = 0.,0.!
CEF821   !FMFAC = 1.! !END!
TP122HE2 !SRCNAM  = TP122HE2!
TP122HE2 !X =   216.670,  -1361.944,  22.86585, 17.00,  2.13415,  5.80793,
440.77778,  0.0,  0.0456161808!
TP122HE2 !SIGYZI = 0.,0.!
TP122HE2 !FMFAC = 1.! !END!
FWFB605  !SRCNAM  = FWFB605 !
FWFB605  !X =   245.546,  -1330.879,  12.19512, 14.51,  0.91463,  0.00305,
300.00000,  0.0,  0.0442498383!
FWFB605  !SIGYZI = 0.,0.!
FWFB605  !FMFAC = 1.! !END!
VEWPFLAR !SRCNAM  = VEWPFLAR!
VEWPFLAR !X =   253.374,  -1333.191,  56.70732, 10.35,  0.10000,  0.01000,
810.77778,  0.0,  0.0431521865!
VEWPFLAR !SIGYZI = 0.,0.!
VEWPFLAR !FMFAC = 1.! !END!
CE753    !SRCNAM  = CE753   !
CE753    !X =   255.436,  -1333.750,  12.19512, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0423825492!
CE753    !SIGYZI = 0.,0.!
CE753    !FMFAC = 1.! !END!
VEDOCK4F !SRCNAM  = VEDOCK4F!
VEDOCK4F !X =   254.911,  -1332.051,  4.57317, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0394877471!
VEDOCK4F !SIGYZI = 0.,0.!
VEDOCK4F !FMFAC = 1.! !END!
CE752    !SRCNAM  = CE752   !
CE752    !X =   255.407,  -1333.719,  12.19512, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0390042301!
CE752    !SIGYZI = 0.,0.!
CE752    !FMFAC = 1.! !END!
VW174    !SRCNAM  = VW174   !
VW174    !X =   249.620,  -1332.312,  15.85366, 4.00,  0.91463,  0.00305,
296.88889,  0.0,  0.0389479300!
VW174    !SIGYZI = 0.,0.!
VW174    !FMFAC = 1.! !END!
CEF355   !SRCNAM  = CEF355  !
CEF355   !X =   256.474,  -1333.405,  4.57317, 8.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0380986201!
CEF355   !SIGYZI = 0.,0.!
CEF355   !FMFAC = 1.! !END!
FEE11TKA !SRCNAM  = FEE11TKA!
FEE11TKA !X =   255.856,  -1333.955,  11.58537, 9.00,  0.91463,  0.00305,
298.71111,  0.0,  0.0375034374!
FEE11TKA !SIGYZI = 0.,0.!
FEE11TKA !FMFAC = 1.! !END!
VW173    !SRCNAM  = VW173   !
VW173    !X =   249.675,  -1332.310,  15.85366, 4.00,  0.91463,  0.00305,
296.88889,  0.0,  0.0367703920!
VW173    !SIGYZI = 0.,0.!
VW173    !FMFAC = 1.! !END!
CE757    !SRCNAM  = CE757   !
CE757    !X =   255.484,  -1333.562,  12.19512, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0355235376!
CE757    !SIGYZI = 0.,0.!
CE757    !FMFAC = 1.! !END!
CE745    !SRCNAM  = CE745   !
CE745    !X =   255.487,  -1333.655,  12.19512, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0355235376!
```

```
CE745    !SIGYZI = 0.,0.!
CE745    !FMFAC = 1.! !END!
CE758    !SRCNAM  = CE758   !
CE758    !X =   255.511,  -1333.529,  12.19512, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0352164177!
CE758    !SIGYZI = 0.,0.!
CE758    !FMFAC = 1.! !END!
EQFU3    !SRCNAM  = EQFU3   !
EQFU3    !X =   239.093,  -1333.821,  9.14634, 18.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0349644219!
EQFU3    !SIGYZI = 0.,0.!
EQFU3    !FMFAC = 1.! !END!
CW572WWT !SRCNAM  = CW572WWT!
CW572WWT !X =   248.345,  -1333.008,  3.04878, 4.80,  0.01000,  0.01000,
294.00000,  0.0,  0.0346430222!
CW572WWT !SIGYZI = 0.,0.!
CW572WWT !FMFAC = 1.! !END!
VW121    !SRCNAM  = VW121   !
VW121    !X =   249.905,  -1332.584,  60.97561, 5.58,  3.75000,  12.19512,
352.44444,  0.0,  0.0349256355!
VW121    !SIGYZI = 0.,0.!
VW121    !FMFAC = 1.! !END!
FWFWWMID !SRCNAM  = FWFWWMID!
FWFWWMID !X =   245.004,  -1331.207,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0335600701!
FWFWWMID !SIGYZI = 0.,0.!
FWFWWMID !FMFAC = 1.! !END!
FEE12TK3 !SRCNAM  = FEE12TK3!
FEE12TK3 !X =   256.463,  -1333.092,  14.63415, 7.00,  0.91463,  0.00305,
295.00000,  0.0,  0.0332477843!
FEE12TK3 !SIGYZI = 0.,0.!
FEE12TK3 !FMFAC = 1.! !END!
CE766    !SRCNAM  = CE766   !
CE766    !X =   255.380,  -1333.720,  6.09756, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0331899512!
CE766    !SIGYZI = 0.,0.!
CE766    !FMFAC = 1.! !END!
VETK112  !SRCNAM  = VETK112 !
VETK112  !X =   254.415,  -1332.909,  10.67073, 9.55,  0.91463,  0.00305,
295.22222,  0.0,  0.0326714173!
VETK112  !SIGYZI = 0.,0.!
VETK112  !FMFAC = 1.! !END!
EQFU1    !SRCNAM  = EQFU1   !
EQFU1    !X =   239.004,  -1333.607,  0.91463, 18.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0311319852!
EQFU1    !SIGYZI = 0.,0.!
EQFU1    !FMFAC = 1.! !END!
VEDOCK3F !SRCNAM  = VEDOCK3F!
VEDOCK3F !X =   254.943,  -1332.174,  4.57317, 3.10,  0.01000,  0.01000,
294.00000,  0.0,  0.0299371050!
VEDOCK3F !SIGYZI = 0.,0.!
VEDOCK3F !FMFAC = 1.! !END!
FEE11TK0 !SRCNAM  = FEE11TK0!
FEE11TK0 !X =   255.856,  -1333.955,  8.53659, 9.00,  0.91463,  0.00305,
297.35000,  0.0,  0.0291528520!
FEE11TK0 !SIGYZI = 0.,0.!
FEE11TK0 !FMFAC = 1.! !END!
CTVENT1  !SRCNAM  = CTVENT1 !
CTVENT1  !X =   280.785,  -1327.527,  4.57317, 1.50,  0.10061,  10.97561,
294.11111,  0.0,  0.0285694291!
CTVENT1  !SIGYZI = 0.,0.!
CTVENT1  !FMFAC = 1.! !END!
```

```
VETK324  !SRCNAM  = VETK324 !
VETK324  !X =   252.523,  -1333.313,  12.19512, 9.23,  0.91463,  0.00305,
295.22222,  0.0,  0.0284178116!
VETK324  !SIGYZI = 0.,0.!
VETK324  !FMFAC = 1.! !END!
VW61     !SRCNAM  = VW61    !
VW61     !X =   249.374,  -1332.382,  14.63415, 4.00,  0.91463,  0.00305,
302.44444,  0.0,  0.0277750752!
VW61     !SIGYZI = 0.,0.!
VW61     !FMFAC = 1.! !END!
VW60     !SRCNAM  = VW60    !
VW60     !X =   249.432,  -1332.443,  14.63415, 4.00,  0.91463,  0.00305,
302.44444,  0.0,  0.0272407496!
VW60     !SIGYZI = 0.,0.!
VW60     !FMFAC = 1.! !END!
CD9835   !SRCNAM  = CD9835  !
CD9835   !X =   254.167,  -1333.792,  7.92683, 12.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0269478044!
CD9835   !SIGYZI = 0.,0.!
CD9835   !FMFAC = 1.! !END!
CE724    !SRCNAM  = CE724   !
CE724    !X =   255.676,  -1333.494,  14.32927, 8.21,  0.91463,  0.00305,
298.55556,  0.0,  0.0260086790!
CE724    !SIGYZI = 0.,0.!
CE724    !FMFAC = 1.! !END!
CW517S14 !SRCNAM  = CW517S14!
CW517S14 !X =   248.745,  -1333.462,  3.04878, 9.56,  0.01000,  0.01000,
294.00000,  0.0,  0.0258156081!
CW517S14 !SIGYZI = 0.,0.!
CW517S14 !FMFAC = 1.! !END!
EQ24     !SRCNAM  = EQ24    !
EQ24     !X =   238.807,  -1333.486,  14.63415, 18.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0252862069!
EQ24     !SIGYZI = 0.,0.!
EQ24     !FMFAC = 1.! !END!
VETK355  !SRCNAM  = VETK355 !
VETK355  !X =   252.462,  -1333.159,  14.63415, 7.57,  0.91463,  0.00305,
295.22222,  0.0,  0.0246822044!
VETK355  !SIGYZI = 0.,0.!
VETK355  !FMFAC = 1.! !END!
VE90TK67 !SRCNAM  = VE90TK67!
VE90TK67 !X =   253.319,  -1333.164,  1.00000, 9.95,  0.01000,  0.01000,
294.00000,  0.0,  0.0245134197!
VE90TK67 !SIGYZI = 0.,0.!
VE90TK67 !FMFAC = 1.! !END!
VE90TK66 !SRCNAM  = VE90TK66!
VE90TK66 !X =   253.372,  -1333.130,  4.87805, 10.08,  1.00000,  0.00305,
295.22222,  0.0,  0.0245134197!
VE90TK66 !SIGYZI = 0.,0.!
VE90TK66 !FMFAC = 1.! !END!
EQFU2    !SRCNAM  = EQFU2   !
EQFU2    !X =   239.066,  -1333.854,  9.14634, 18.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0244645955!
EQFU2    !SIGYZI = 0.,0.!
EQFU2    !FMFAC = 1.! !END!
VETK323  !SRCNAM  = VETK323 !
VETK323  !X =   252.523,  -1333.313,  12.19512, 9.23,  0.91463,  0.00305,
295.22222,  0.0,  0.0243402775!
VETK323  !SIGYZI = 0.,0.!
VETK323  !FMFAC = 1.! !END!
FWFB509  !SRCNAM  = FWFB509 !
```

```
FWFB509  !X =   245.142,  -1331.202,  12.19512, 15.00,  0.91463,  0.00305,
299.66667,  0.0,  0.0240891637!
FWFB509  !SIGYZI = 0.,0.!
FWFB509  !FMFAC = 1.! !END!
VE16COM3 !SRCNAM  = VE16COM3!
VE16COM3 !X =   252.636,  -1333.402,  9.45122, 10.00,  0.35976,  21.34146,
629.66667,  0.0,  0.0228992499!
VE16COM3 !SIGYZI = 0.,0.!
VE16COM3 !FMFAC = 1.! !END!
VE16COM2 !SRCNAM  = VE16COM2!
VE16COM2 !X =   252.635,  -1333.371,  9.45122, 9.88,  0.35976,  21.34146,
629.66667,  0.0,  0.0225743012!
VE16COM2 !SIGYZI = 0.,0.!
VE16COM2 !FMFAC = 1.! !END!
EQ19     !SRCNAM  = EQ19    !
EQ19     !X =   238.810,  -1333.581,  14.63415, 18.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0224197543!
EQ19     !SIGYZI = 0.,0.!
EQ19     !FMFAC = 1.! !END!
VETK111  !SRCNAM  = VETK111 !
VETK111  !X =   254.416,  -1332.940,  10.97561, 9.88,  0.91463,  0.00305,
295.22222,  0.0,  0.0220450680!
VETK111  !SIGYZI = 0.,0.!
VETK111  !FMFAC = 1.! !END!
VE90TK85 !SRCNAM  = VE90TK85!
VE90TK85 !X =   253.428,  -1333.128,  1.00000, 10.45,  0.01000,  0.01000,
294.00000,  0.0,  0.0219929364!
VE90TK85 !SIGYZI = 0.,0.!
VE90TK85 !FMFAC = 1.! !END!
VW90     !SRCNAM  = VW90    !
VW90     !X =   249.351,  -1332.540,  17.37805, 4.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0219436082!
VW90     !SIGYZI = 0.,0.!
VW90     !FMFAC = 1.! !END!
KIFLARE  !SRCNAM  = KIFLARE !
KIFLARE  !X =   252.850,  -1332.304,  3.96341, 4.00,  0.10000,  0.01000,
1255.22222,  0.0,  0.0202713113!
KIFLARE  !SIGYZI = 0.,0.!
KIFLARE  !FMFAC = 1.! !END!
VE90TK65 !SRCNAM  = VE90TK65!
VE90TK65 !X =   253.401,  -1333.129,  3.04878, 10.27,  1.00000,  0.00305,
295.22222,  0.0,  0.0190235855!
VE90TK65 !SIGYZI = 0.,0.!
VE90TK65 !FMFAC = 1.! !END!
FWF01    !SRCNAM  = FWF01   !
FWF01    !X =   245.803,  -1331.151,  0.91463, 14.51,  0.01000,  0.01000,
294.00000,  0.0,  0.0184771745!
FWF01    !SIGYZI = 0.,0.!
FWF01    !FMFAC = 1.! !END!
VE16COM1 !SRCNAM  = VE16COM1!
VE16COM1 !X =   252.635,  -1333.371,  9.45122, 9.88,  0.25305,  21.34146,
629.66667,  0.0,  0.0183045048!
VE16COM1 !SIGYZI = 0.,0.!
VE16COM1 !FMFAC = 1.! !END!
VW92     !SRCNAM  = VW92    !
VW92     !X =   249.326,  -1332.602,  17.37805, 4.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0175780114!
VW92     !SIGYZI = 0.,0.!
VW92     !FMFAC = 1.! !END!
CEF211   !SRCNAM  = CEF211  !
CEF211   !X =   255.482,  -1333.500,  4.57317, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0165897257!
```

```
CEF211   !SIGYZI = 0.,0.!
CEF211   !FMFAC = 1.! !END!
FWF14    !SRCNAM  = FWF14   !
FWF14    !X =   245.583,  -1331.221,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0163839291!
FWF14    !SIGYZI = 0.,0.!
FWF14    !FMFAC = 1.! !END!
VELS1    !SRCNAM  = VELS1   !
VELS1    !X =   253.236,  -1333.167,  0.91463, 9.44,  0.01000,  0.01000,
294.00000,  0.0,  0.0159429364!
VELS1    !SIGYZI = 0.,0.!
VELS1    !FMFAC = 1.! !END!
FWFS1    !SRCNAM  = FWFS1   !
FWFS1    !X =   245.715,  -1331.028,  13.41463, 15.00,  3.35366,  8.23171,
308.00000,  0.0,  0.0156641660!
FWFS1    !SIGYZI = 0.,0.!
FWFS1    !FMFAC = 1.! !END!
VEREF2FL !SRCNAM  = VEREF2FL!
VEREF2FL !X =   252.661,  -1333.309,  64.93902, 9.23,  0.10000,  0.01000,
810.77778,  0.0,  0.0155974921!
VEREF2FL !SIGYZI = 0.,0.!
VEREF2FL !FMFAC = 1.! !END!
NSS400M2 !SRCNAM  = NSS400M2!
NSS400M2 !X =   257.324,  -1332.378,  15.24390, 4.00,  0.91463,  0.00305,
296.33333,  0.0,  0.0140630055!
NSS400M2 !SIGYZI = 0.,0.!
NSS400M2 !FMFAC = 1.! !END!
KIDEGAS  !SRCNAM  = KIDEGAS !
KIDEGAS  !X =   253.026,  -1331.768,  3.04878, 4.00,  0.91463,  0.00305,
294.11111,  0.0,  0.0140550781!
KIDEGAS  !SIGYZI = 0.,0.!
KIDEGAS  !FMFAC = 1.! !END!
TRWWTP   !SRCNAM  = TRWWTP  !
TRWWTP   !X =   249.164,  -1332.732,  4.57317, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0136865237!
TRWWTP   !SIGYZI = 0.,0.!
TRWWTP   !FMFAC = 1.! !END!
CEF221   !SRCNAM  = CEF221  !
CEF221   !X =   255.478,  -1333.375,  6.09756, 8.46,  0.01000,  0.01000,
294.00000,  0.0,  0.0134397778!
CEF221   !SIGYZI = 0.,0.!
CEF221   !FMFAC = 1.! !END!
VW48     !SRCNAM  = VW48    !
VW48     !X =   249.572,  -1332.533,  12.19512, 4.93,  0.91463,  0.00305,
298.55556,  0.0,  0.0134239860!
VW48     !SIGYZI = 0.,0.!
VW48     !FMFAC = 1.! !END!
FWF39    !SRCNAM  = FWF39   !
FWF39    !X =   245.783,  -1331.402,  0.91463, 13.85,  0.01000,  0.01000,
294.00000,  0.0,  0.0133715289!
FWF39    !SIGYZI = 0.,0.!
FWF39    !FMFAC = 1.! !END!
VETK82   !SRCNAM  = VETK82  !
VETK82   !X =   253.960,  -1333.393,  13.41463, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0132032377!
VETK82   !SIGYZI = 0.,0.!
VETK82   !FMFAC = 1.! !END!
VW142    !SRCNAM  = VW142   !
VW142    !X =   249.274,  -1332.698,  15.24390, 4.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0129011367!
VW142    !SIGYZI = 0.,0.!
VW142    !FMFAC = 1.! !END!
```

```
FWFB4016 !SRCNAM  = FWFB4016!
FWFB4016 !X =   244.280,  -1330.979,  14.63415, 15.60,  0.91463,  0.00305,
299.95000,  0.0,  0.0124186592!
FWFB4016 !SIGYZI = 0.,0.!
FWFB4016 !FMFAC = 1.! !END!
VWT1F    !SRCNAM  = VWT1F   !
VWT1F    !X =   249.571,  -1332.500,  6.09756, 4.58,  0.01000,  0.01000,
294.00000,  0.0,  0.0121584000!
VWT1F    !SIGYZI = 0.,0.!
VWT1F    !FMFAC = 1.! !END!
VW83F    !SRCNAM  = VW83F   !
VW83F    !X =   249.072,  -1333.298,  0.91463, 7.92,  0.01000,  0.01000,
294.00000,  0.0,  0.0121139752!
VW83F    !SIGYZI = 0.,0.!
VW83F    !FMFAC = 1.! !END!
FWFB4014 !SRCNAM  = FWFB4014!
FWFB4014 !X =   244.196,  -1330.982,  14.63415, 16.46,  0.91463,  0.00305,
298.44444,  0.0,  0.0121051658!
FWFB4014 !SIGYZI = 0.,0.!
FWFB4014 !FMFAC = 1.! !END!
VEQBTXFE !SRCNAM  = VEQBTXFE!
VEQBTXFE !X =   252.524,  -1333.343,  0.91463, 9.55,  0.01000,  0.01000,
294.00000,  0.0,  0.0119871268!
VEQBTXFE !SIGYZI = 0.,0.!
VEQBTXFE !FMFAC = 1.! !END!
FWFWW    !SRCNAM  = FWFWW   !
FWFWW    !X =   244.716,  -1330.811,  0.91463, 14.02,  0.01000,  0.01000,
294.00000,  0.0,  0.0118842285!
FWFWW    !SIGYZI = 0.,0.!
FWFWW    !FMFAC = 1.! !END!
NSS400M1 !SRCNAM  = NSS400M1!
NSS400M1 !X =   257.518,  -1332.372,  15.24390, 4.00,  0.91463,  0.00305,
296.33333,  0.0,  0.0117273716!
NSS400M1 !SIGYZI = 0.,0.!
NSS400M1 !FMFAC = 1.! !END!
NSS400M3 !SRCNAM  = NSS400M3!
NSS400M3 !X =   257.131,  -1332.385,  15.24390, 4.00,  0.91463,  0.00305,
296.33333,  0.0,  0.0116719010!
NSS400M3 !SIGYZI = 0.,0.!
NSS400M3 !FMFAC = 1.! !END!
NSS400M4 !SRCNAM  = NSS400M4!
NSS400M4 !X =   256.937,  -1332.391,  15.24390, 4.00,  0.91463,  0.00305,
296.33333,  0.0,  0.0115413147!
NSS400M4 !SIGYZI = 0.,0.!
NSS400M4 !FMFAC = 1.! !END!
VWSHIPFU !SRCNAM  = VWSHIPFU!
VWSHIPFU !X =   249.955,  -1332.458,  24.39024, 4.36,  0.01000,  0.01000,
294.00000,  0.0,  0.0113625446!
VWSHIPFU !SIGYZI = 0.,0.!
VWSHIPFU !FMFAC = 1.! !END!
FEF26    !SRCNAM  = FEF26   !
FEF26    !X =   255.887,  -1334.049,  0.91463, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0113146129!
FEF26    !SIGYZI = 0.,0.!
FEF26    !FMFAC = 1.! !END!
FWFS6    !SRCNAM  = FWFS6   !
FWFS6    !X =   245.579,  -1331.096,  14.02439, 15.00,  6.09756,  7.92683,
305.22222,  0.0,  0.0112988632!
FWFS6    !SIGYZI = 0.,0.!
FWFS6    !FMFAC = 1.! !END!
CEF290   !SRCNAM  = CEF290  !
```

```
CEF290   !X =   255.469,  -1333.095,  6.09756, 8.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0109915858!
CEF290   !SIGYZI = 0.,0.!
CEF290   !FMFAC = 1.! !END!
VW0112   !SRCNAM  = VW0112  !
VW0112   !X =   249.219,  -1332.761,  3.04878, 4.00,  0.91463,  0.00305,
299.66667,  0.0,  0.0106470550!
VW0112   !SIGYZI = 0.,0.!
VW0112   !FMFAC = 1.! !END!
EQ51     !SRCNAM  = EQ51    !
EQ51     !X =   238.867,  -1333.641,  5.48780, 18.00,  0.91463,  0.00305,
296.88889,  0.0,  0.0105050763!
EQ51     !SIGYZI = 0.,0.!
EQ51     !FMFAC = 1.! !END!
EQ50     !SRCNAM  = EQ50    !
EQ50     !X =   238.871,  -1333.766,  5.48780, 18.00,  0.91463,  0.00305,
296.88889,  0.0,  0.0105050763!
EQ50     !SIGYZI = 0.,0.!
EQ50     !FMFAC = 1.! !END!
FEE11TKF !SRCNAM  = FEE11TKF!
FEE11TKF !X =   255.581,  -1333.964,  14.63415, 9.00,  0.91463,  0.00305,
297.33889,  0.0,  0.0103955211!
FEE11TKF !SIGYZI = 0.,0.!
FEE11TKF !FMFAC = 1.! !END!
WT131    !SRCNAM  = WT131   !
WT131    !X =   254.610,  -1333.839,  12.80488, 12.00,  0.91463,  0.00305,
294.11111,  0.0,  0.0103248888!
WT131    !SIGYZI = 0.,0.!
WT131    !FMFAC = 1.! !END!
FWFB115  !SRCNAM  = FWFB115 !
FWFB115  !X =   245.719,  -1330.250,  12.80488, 7.79,  0.91463,  0.00305,
299.46111,  0.0,  0.0101990484!
FWFB115  !SIGYZI = 0.,0.!
FWFB115  !FMFAC = 1.! !END!
FWFTKVOC !SRCNAM  = FWFTKVOC!
FWFTKVOC !X =   245.488,  -1330.787,  3.04878, 14.18,  0.01000,  0.01000,
294.00000,  0.0,  0.0101054739!
FWFTKVOC !SIGYZI = 0.,0.!
FWFTKVOC !FMFAC = 1.! !END!
FWFB510  !SRCNAM  = FWFB510 !
FWFB510  !X =   245.252,  -1331.199,  12.19512, 15.00,  0.91463,  0.00305,
296.84444,  0.0,  0.0100407110!
FWFB510  !SIGYZI = 0.,0.!
FWFB510  !FMFAC = 1.! !END!
VETK79   !SRCNAM  = VETK79  !
VETK79   !X =   253.936,  -1333.455,  12.80488, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0097359535!
VETK79   !SIGYZI = 0.,0.!
VETK79   !FMFAC = 1.! !END!
VW175    !SRCNAM  = VW175   !
VW175    !X =   249.804,  -1332.868,  4.57317, 7.58,  0.01000,  0.01000,
294.00000,  0.0,  0.0125630633!
VW175    !SIGYZI = 0.,0.!
VW175    !FMFAC = 1.! !END!
VE90CT8  !SRCNAM  = VE90CT8 !
VE90CT8  !X =   253.372,  -1333.130,  12.19512, 10.08,  6.09756,  9.14634,
294.11111,  0.0,  0.0095228175!
VE90CT8  !SIGYZI = 0.,0.!
VE90CT8  !FMFAC = 1.! !END!
EQ10     !SRCNAM  = EQ10    !
EQ10     !X =   239.045,  -1334.042,  100.00000, 18.00,  0.10000,  0.01000,
810.77778,  0.0,  0.0085993578!
```

```
EQ10     !SIGYZI = 0.,0.!
EQ10     !FMFAC = 1.! !END!
EQ11     !SRCNAM  = EQ11    !
EQ11     !X =   239.046,  -1334.073,  100.00000, 18.00,  0.10000,  0.01000,
810.77778,  0.0,  0.0085993578!
EQ11     !SIGYZI = 0.,0.!
EQ11     !FMFAC = 1.! !END!
VW12F    !SRCNAM  = VW12F   !
VW12F    !X =   249.966,  -1332.801,  6.09756, 7.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0085813611!
VW12F    !SIGYZI = 0.,0.!
VW12F    !FMFAC = 1.! !END!
VWMVRUF  !SRCNAM  = VWMVRUF !
VWMVRUF  !X =   249.383,  -1332.694,  6.09756, 4.22,  0.01000,  0.01000,
294.00000,  0.0,  0.0084604031!
VWMVRUF  !SIGYZI = 0.,0.!
VWMVRUF  !FMFAC = 1.! !END!
IPT132   !SRCNAM  = IPT132  !
IPT132   !X =   279.726,  -1326.441,  6.09756, 5.00,  0.91463,  0.00305,
293.55556,  0.0,  0.0083888363!
IPT132   !SIGYZI = 0.,0.!
IPT132   !FMFAC = 1.! !END!
IPT133   !SRCNAM  = IPT133  !
IPT133   !X =   279.754,  -1326.440,  6.09756, 5.06,  0.91463,  0.00305,
293.55556,  0.0,  0.0083279373!
IPT133   !SIGYZI = 0.,0.!
IPT133   !FMFAC = 1.! !END!
VEBTX1FE !SRCNAM  = VEBTX1FE!
VEBTX1FE !X =   254.333,  -1332.943,  0.91463, 9.91,  0.01000,  0.01000,
294.00000,  0.0,  0.0083048377!
VEBTX1FE !SIGYZI = 0.,0.!
VEBTX1FE !FMFAC = 1.! !END!
VW9      !SRCNAM  = VW9     !
VW9      !X =   249.489,  -1332.536,  12.19512, 4.45,  0.91463,  0.00305,
298.55556,  0.0,  0.0082146442!
VW9      !SIGYZI = 0.,0.!
VW9      !FMFAC = 1.! !END!
VETKFME1 !SRCNAM  = VETKFME1!
VETKFME1 !X =   254.015,  -1333.358,  0.91463, 12.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0081368615!
VETKFME1 !SIGYZI = 0.,0.!
VETKFME1 !FMFAC = 1.! !END!
FEE18TK1 !SRCNAM  = FEE18TK1!
FEE18TK1 !X =   256.913,  -1333.329,  12.80488, 7.86,  0.91463,  0.00305,
294.81111,  0.0,  0.0079047523!
FEE18TK1 !SIGYZI = 0.,0.!
FEE18TK1 !FMFAC = 1.! !END!
VE16COMP !SRCNAM  = VE16COMP!
VE16COMP !X =   252.635,  -1333.371,  9.45122, 9.88,  0.25305,  21.34146,
629.66667,  0.0,  0.0079024738!
VE16COMP !SIGYZI = 0.,0.!
VE16COMP !FMFAC = 1.! !END!
FEF112   !SRCNAM  = FEF112  !
FEF112   !X =   255.961,  -1333.795,  3.04878, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0078449453!
FEF112   !SIGYZI = 0.,0.!
FEF112   !FMFAC = 1.! !END!
FWFB101  !SRCNAM  = FWFB101 !
FWFB101  !X =   246.084,  -1330.456,  12.80488, 8.10,  0.91463,  0.00305,
299.22222,  0.0,  0.0077968141!
FWFB101  !SIGYZI = 0.,0.!
FWFB101  !FMFAC = 1.! !END!
```

```
FWFB501  !SRCNAM  = FWFB501 !
FWFB501  !X =   245.599,  -1330.815,  12.19512, 14.71,  0.91463,  0.00305,
302.53889,  0.0,  0.0077655141!
FWFB501  !SIGYZI = 0.,0.!
FWFB501  !FMFAC = 1.! !END!
VECRUVAC !SRCNAM  = VECRUVAC!
VECRUVAC !X =   253.732,  -1333.150,  0.91463, 11.11,  0.01000,  0.01000,
294.00000,  0.0,  0.0077485044!
VECRUVAC !SIGYZI = 0.,0.!
VECRUVAC !FMFAC = 1.! !END!
WTFUG1   !SRCNAM  = WTFUG1  !
WTFUG1   !X =   254.494,  -1333.687,  0.91463, 12.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0075487242!
WTFUG1   !SIGYZI = 0.,0.!
WTFUG1   !FMFAC = 1.! !END!
VEPD6    !SRCNAM  = VEPD6   !
VEPD6    !X =   252.341,  -1332.819,  0.91463, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0075140433!
VEPD6    !SIGYZI = 0.,0.!
VEPD6    !FMFAC = 1.! !END!
FWFB102  !SRCNAM  = FWFB102 !
FWFB102  !X =   246.026,  -1330.333,  12.80488, 6.95,  0.91463,  0.00305,
299.30000,  0.0,  0.0073410796!
FWFB102  !SIGYZI = 0.,0.!
FWFB102  !FMFAC = 1.! !END!
VW197    !SRCNAM  = VW197   !
VW197    !X =   249.364,  -1332.945,  17.07317, 6.63,  0.91463,  0.00305,
294.11111,  0.0,  0.0072523141!
VW197    !SIGYZI = 0.,0.!
VW197    !FMFAC = 1.! !END!
CE561    !SRCNAM  = CE561   !
CE561    !X =   255.980,  -1332.641,  6.09756, 1.50,  0.01000,  0.01000,
294.00000,  0.0,  0.0072062408!
CE561    !SIGYZI = 0.,0.!
CE561    !FMFAC = 1.! !END!
EQ40     !SRCNAM  = EQ40    !
EQ40     !X =   239.055,  -1333.479,  5.48780, 18.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0070637582!
EQ40     !SIGYZI = 0.,0.!
EQ40     !FMFAC = 1.! !END!
WT144    !SRCNAM  = WT144   !
WT144    !X =   254.501,  -1333.906,  14.63415, 12.00,  0.91463,  0.00305,
305.22222,  0.0,  0.0070234074!
WT144    !SIGYZI = 0.,0.!
WT144    !FMFAC = 1.! !END!
VW196    !SRCNAM  = VW196   !
VW196    !X =   249.392,  -1332.975,  17.07317, 7.00,  0.91463,  0.00305,
294.11111,  0.0,  0.0069640519!
VW196    !SIGYZI = 0.,0.!
VW196    !FMFAC = 1.! !END!
TP122T53 !SRCNAM  = TP122T53!
TP122T53 !X =   217.595,  -1361.356,  57.92683, 16.19,  0.10000,  0.01000,
1273.00000,  0.0,  0.0071817763!
TP122T53 !SIGYZI = 0.,0.!
TP122T53 !FMFAC = 1.! !END!
FWFB160  !SRCNAM  = FWFB160 !
FWFB160  !X =   245.722,  -1330.342,  14.63415, 9.47,  0.91463,  0.00305,
297.88889,  0.0,  0.0067057141!
FWFB160  !SIGYZI = 0.,0.!
FWFB160  !FMFAC = 1.! !END!
VW88     !SRCNAM  = VW88    !
```

```
VW88     !X =   249.377,  -1332.507,  17.37805, 4.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0066282044!
VW88     !SIGYZI = 0.,0.!
VW88     !FMFAC = 1.! !END!
CEF341   !SRCNAM  = CEF341  !
CEF341   !X =   255.333,  -1333.129,  6.09756, 8.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0065616250!
CEF341   !SIGYZI = 0.,0.!
CEF341   !FMFAC = 1.! !END!
FEF55    !SRCNAM  = FEF55   !
FEF55    !X =   255.822,  -1333.738,  3.04878, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0065440168!
FEF55    !SIGYZI = 0.,0.!
FEF55    !FMFAC = 1.! !END!
VW10     !SRCNAM  = VW10    !
VW10     !X =   249.517,  -1332.566,  12.19512, 4.86,  0.91463,  0.00305,
298.55556,  0.0,  0.0064802724!
VW10     !SIGYZI = 0.,0.!
VW10     !FMFAC = 1.! !END!
FEE29T21 !SRCNAM  = FEE29T21!
FEE29T21 !X =   255.755,  -1334.240,  12.19512, 9.00,  0.91463,  0.00305,
298.60556,  0.0,  0.0063576449!
FEE29T21 !SIGYZI = 0.,0.!
FEE29T21 !FMFAC = 1.! !END!
FWF26    !SRCNAM  = FWF26   !
FWF26    !X =   245.565,  -1331.471,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0062647214!
FWF26    !SIGYZI = 0.,0.!
FWF26    !FMFAC = 1.! !END!
VETK333  !SRCNAM  = VETK333 !
VETK333  !X =   252.631,  -1333.247,  14.63415, 8.56,  0.91463,  0.00305,
295.22222,  0.0,  0.0062511661!
VETK333  !SIGYZI = 0.,0.!
VETK333  !FMFAC = 1.! !END!
CE726    !SRCNAM  = CE726   !
CE726    !X =   255.597,  -1333.621,  14.32927, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0062421468!
CE726    !SIGYZI = 0.,0.!
CE726    !FMFAC = 1.! !END!
VW1F     !SRCNAM  = VW1F    !
VW1F     !X =   249.465,  -1332.660,  1.82927, 5.25,  0.01000,  0.01000,
294.00000,  0.0,  0.0061775939!
VW1F     !SIGYZI = 0.,0.!
VW1F     !FMFAC = 1.! !END!
WT134    !SRCNAM  = WT134   !
WT134    !X =   254.687,  -1333.649,  14.63415, 12.00,  0.91463,  0.00305,
294.11111,  0.0,  0.0061380515!
WT134    !SIGYZI = 0.,0.!
WT134    !FMFAC = 1.! !END!
FEE11TKN !SRCNAM  = FEE11TKN!
FEE11TKN !X =   255.779,  -1334.145,  14.63415, 9.00,  0.91463,  0.00305,
300.02222,  0.0,  0.0060980157!
FEE11TKN !SIGYZI = 0.,0.!
FEE11TKN !FMFAC = 1.! !END!
MIGVENT  !SRCNAM  = MIGVENT !
MIGVENT  !X =   281.478,  -1337.742,  3.35366, 1.50,  0.15244,  0.01000,
452.44444,  0.0,  0.0060898993!
MIGVENT  !SIGYZI = 0.,0.!
MIGVENT  !FMFAC = 1.! !END!
FWFB113  !SRCNAM  = FWFB113 !
FWFB113  !X =   245.839,  -1330.526,  12.19512, 11.73,  0.91463,  0.00305,
298.01111,  0.0,  0.0059628934!
```

```
FWFB113  !SIGYZI = 0.,0.!
FWFB113  !FMFAC = 1.! !END!
VL177    !SRCNAM  = VL177   !
VL177    !X =   249.037,  -1333.079,  16.46341, 6.57,  0.91463,  0.00305,
296.88889,  0.0,  0.0059105938!
VL177    !SIGYZI = 0.,0.!
VL177    !FMFAC = 1.! !END!
VETK51   !SRCNAM  = VETK51  !
VETK51   !X =   254.211,  -1333.446,  8.84146, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0058252407!
VETK51   !SIGYZI = 0.,0.!
VETK51   !FMFAC = 1.! !END!
CE744    !SRCNAM  = CE744   !
CE744    !X =   255.434,  -1333.687,  12.80488, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0057165255!
CE744    !SIGYZI = 0.,0.!
CE744    !FMFAC = 1.! !END!
CE742    !SRCNAM  = CE742   !
CE742    !X =   255.405,  -1333.658,  7.92683, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0056824850!
CE742    !SIGYZI = 0.,0.!
CE742    !FMFAC = 1.! !END!
FEE11TK2 !SRCNAM  = FEE11TK2!
FEE11TK2 !X =   255.721,  -1334.054,  9.14634, 9.00,  0.91463,  0.00305,
304.66667,  0.0,  0.0055927850!
FEE11TK2 !SIGYZI = 0.,0.!
FEE11TK2 !FMFAC = 1.! !END!
WT142    !SRCNAM  = WT142   !
WT142    !X =   254.417,  -1333.845,  14.63415, 12.00,  0.91463,  0.00305,
305.22222,  0.0,  0.0055911996!
WT142    !SIGYZI = 0.,0.!
WT142    !FMFAC = 1.! !END!
WT143    !SRCNAM  = WT143   !
WT143    !X =   254.364,  -1333.941,  14.63415, 12.00,  0.91463,  0.00305,
305.22222,  0.0,  0.0055911996!
WT143    !SIGYZI = 0.,0.!
WT143    !FMFAC = 1.! !END!
FEE11TKM !SRCNAM  = FEE11TKM!
FEE11TKM !X =   255.917,  -1334.109,  14.63415, 9.00,  0.91463,  0.00305,
295.50000,  0.0,  0.0055890156!
FEE11TKM !SIGYZI = 0.,0.!
FEE11TKM !FMFAC = 1.! !END!
CWF99A   !SRCNAM  = CWF99A  !
CWF99A   !X =   248.769,  -1333.337,  3.04878, 8.23,  0.01000,  0.01000,
294.00000,  0.0,  0.0055492842!
CWF99A   !SIGYZI = 0.,0.!
CWF99A   !FMFAC = 1.! !END!
FEE18TK2 !SRCNAM  = FEE18TK2!
FEE18TK2 !X =   256.686,  -1333.148,  12.80488, 7.00,  0.91463,  0.00305,
297.52222,  0.0,  0.0055399604!
FEE18TK2 !SIGYZI = 0.,0.!
FEE18TK2 !FMFAC = 1.! !END!
FWFB3043 !SRCNAM  = FWFB3043!
FWFB3043 !X =   243.799,  -1330.589,  14.63415, 14.14,  0.91463,  0.00305,
306.60000,  0.0,  0.0054842483!
FWFB3043 !SIGYZI = 0.,0.!
FWFB3043 !FMFAC = 1.! !END!
VWDOCKS  !SRCNAM  = VWDOCKS !
VWDOCKS  !X =   249.956,  -1332.489,  1.82927, 4.64,  0.01000,  0.01000,
294.00000,  0.0,  0.0052571371!
VWDOCKS  !SIGYZI = 0.,0.!
VWDOCKS  !FMFAC = 1.! !END!
```

```
FWFS8    !SRCNAM  = FWFS8   !
FWFS8    !X =   245.392,  -1331.258,  10.67073, 15.00,  6.70732,  7.31707,
308.00000,  0.0,  0.0052499132!
FWFS8    !SIGYZI = 0.,0.!
FWFS8    !FMFAC = 1.! !END!
FWFB142  !SRCNAM  = FWFB142 !
FWFB142  !X =   245.357,  -1330.136,  12.80488, 6.41,  0.91463,  0.00305,
299.12778,  0.0,  0.0051511098!
FWFB142  !SIGYZI = 0.,0.!
FWFB142  !FMFAC = 1.! !END!
VEPD3    !SRCNAM  = VEPD3   !
VEPD3    !X =   254.943,  -1332.174,  0.91463, 3.10,  0.01000,  0.01000,
294.00000,  0.0,  0.0051014876!
VEPD3    !SIGYZI = 0.,0.!
VEPD3    !FMFAC = 1.! !END!
CE851    !SRCNAM  = CE851   !
CE851    !X =   249.708,  -1333.339,  4.57317, 10.57,  0.01000,  0.01000,
294.00000,  0.0,  0.0048604431!
CE851    !SIGYZI = 0.,0.!
CE851    !FMFAC = 1.! !END!
WT117    !SRCNAM  = WT117   !
WT117    !X =   254.744,  -1333.709,  12.43902, 11.52,  0.91463,  0.00305,
310.77778,  0.0,  0.0047914383!
WT117    !SIGYZI = 0.,0.!
WT117    !FMFAC = 1.! !END!
VETK152  !SRCNAM  = VETK152 !
VETK152  !X =   254.576,  -1332.780,  12.19512, 9.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0047569778!
VETK152  !SIGYZI = 0.,0.!
VETK152  !FMFAC = 1.! !END!
VW198    !SRCNAM  = VW198   !
VW198    !X =   249.338,  -1332.977,  17.07317, 5.98,  0.91463,  0.00305,
294.11111,  0.0,  0.0047279248!
VW198    !SIGYZI = 0.,0.!
VW198    !FMFAC = 1.! !END!
FEE11TKK !SRCNAM  = FEE11TKK!
FEE11TKK !X =   255.859,  -1334.050,  14.63415, 9.00,  0.91463,  0.00305,
298.90556,  0.0,  0.0046866080!
FEE11TKK !SIGYZI = 0.,0.!
FEE11TKK !FMFAC = 1.! !END!
VW2122F  !SRCNAM  = VW2122F !
VW2122F  !X =   250.044,  -1332.642,  4.57317, 6.25,  0.01000,  0.01000,
294.00000,  0.0,  0.0046741552!
VW2122F  !SIGYZI = 0.,0.!
VW2122F  !FMFAC = 1.! !END!
CEVC447  !SRCNAM  = CEVC447 !
CEVC447  !X =   255.957,  -1332.798,  21.34146, 1.50,  3.81098,  7.01220,
468.00000,  0.0,  0.0061292737!
CEVC447  !SIGYZI = 0.,0.!
CEVC447  !FMFAC = 1.! !END!
VETKFMEP !SRCNAM  = VETKFMEP!
VETKFMEP !X =   254.555,  -1332.968,  0.91463, 9.12,  0.01000,  0.01000,
294.00000,  0.0,  0.0045876891!
VETKFMEP !SIGYZI = 0.,0.!
VETKFMEP !FMFAC = 1.! !END!
VEFCCU1F !SRCNAM  = VEFCCU1F!
VEFCCU1F !X =   254.418,  -1333.001,  0.91463, 10.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0045453958!
VEFCCU1F !SIGYZI = 0.,0.!
VEFCCU1F !FMFAC = 1.! !END!
SH12     !SRCNAM  = SH12    !
```

```
SH12     !X =   241.949,  -1335.108,  23.78049, 18.00,  0.60976,  23.01829,
616.33333,  0.0,  0.0044834259!
SH12     !SIGYZI = 0.,0.!
SH12     !FMFAC = 1.! !END!
CEF361   !SRCNAM  = CEF361  !
CEF361   !X =   255.277,  -1333.101,  3.04878, 8.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0044418046!
CEF361   !SIGYZI = 0.,0.!
CEF361   !FMFAC = 1.! !END!
FWFB147  !SRCNAM  = FWFB147 !
FWFB147  !X =   245.362,  -1330.292,  12.80488, 10.74,  0.91463,  0.00305,
300.47222,  0.0,  0.0043331839!
FWFB147  !SIGYZI = 0.,0.!
FWFB147  !FMFAC = 1.! !END!
VETKFMWP !SRCNAM  = VETKFMWP!
VETKFMWP !X =   253.328,  -1333.444,  0.91463, 11.49,  0.01000,  0.01000,
294.00000,  0.0,  0.0042846432!
VETKFMWP !SIGYZI = 0.,0.!
VETKFMWP !FMFAC = 1.! !END!
CE775    !SRCNAM  = CE775   !
CE775    !X =   255.357,  -1333.878,  15.24390, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0042386434!
CE775    !SIGYZI = 0.,0.!
CE775    !FMFAC = 1.! !END!
VECOKER1 !SRCNAM  = VECOKER1!
VECOKER1 !X =   253.647,  -1333.090,  0.91463, 11.37,  0.01000,  0.01000,
294.00000,  0.0,  0.0042327110!
VECOKER1 !SIGYZI = 0.,0.!
VECOKER1 !FMFAC = 1.! !END!
NSF1     !SRCNAM  = NSF1    !
NSF1     !X =   258.039,  -1332.324,  0.91463, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0041645881!
NSF1     !SIGYZI = 0.,0.!
NSF1     !FMFAC = 1.! !END!
VL82     !SRCNAM  = VL82    !
VL82     !X =   249.257,  -1333.072,  17.07317, 6.14,  0.91463,  0.00305,
298.55556,  0.0,  0.0040687457!
VL82     !SIGYZI = 0.,0.!
VL82     !FMFAC = 1.! !END!
VETKFMQP !SRCNAM  = VETKFMQP!
VETKFMQP !X =   252.631,  -1333.247,  0.91463, 8.56,  0.01000,  0.01000,
294.00000,  0.0,  0.0040082352!
VETKFMQP !SIGYZI = 0.,0.!
VETKFMQP !FMFAC = 1.! !END!
FEF61    !SRCNAM  = FEF61   !
FEF61    !X =   255.850,  -1333.769,  3.04878, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0047889708!
FEF61    !SIGYZI = 0.,0.!
FEF61    !FMFAC = 1.! !END!
VW11FHDS !SRCNAM  = VW11FHDS!
VW11FHDS !X =   249.773,  -1332.776,  4.57317, 6.59,  0.01000,  0.01000,
294.00000,  0.0,  0.0038829303!
VW11FHDS !SIGYZI = 0.,0.!
VW11FHDS !FMFAC = 1.! !END!
VETK94   !SRCNAM  = VETK94  !
VETK94   !X =   253.356,  -1333.504,  14.63415, 11.37,  0.91463,  0.00305,
295.22222,  0.0,  0.0038828988!
VETK94   !SIGYZI = 0.,0.!
VETK94   !FMFAC = 1.! !END!
VW12     !SRCNAM  = VW12    !
VW12     !X =   249.515,  -1332.502,  13.71951, 4.47,  0.91463,  0.00305,
298.00000,  0.0,  0.0038682515!
```

```
VW12     !SIGYZI = 0.,0.!
VW12     !FMFAC = 1.! !END!
A1TB1VNT !SRCNAM  = A1TB1VNT!
A1TB1VNT !X =   252.646,  -1300.839,  7.31707, 15.00,  0.91463,  0.00305,
299.66667,  0.0,  0.0053291554!
A1TB1VNT !SIGYZI = 0.,0.!
A1TB1VNT !FMFAC = 1.! !END!
FWFB3044 !SRCNAM  = FWFB3044!
FWFB3044 !X =   243.797,  -1330.526,  14.63415, 14.00,  0.91463,  0.00305,
310.28333,  0.0,  0.0037600193!
FWFB3044 !SIGYZI = 0.,0.!
FWFB3044 !FMFAC = 1.! !END!
VETK95   !SRCNAM  = VETK95  !
VETK95   !X =   253.409,  -1333.410,  14.63415, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0037455506!
VETK95   !SIGYZI = 0.,0.!
VETK95   !FMFAC = 1.! !END!
VETK73   !SRCNAM  = VETK73  !
VETK73   !X =   254.043,  -1333.390,  14.63415, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0037274909!
VETK73   !SIGYZI = 0.,0.!
VETK73   !FMFAC = 1.! !END!
IPFI1    !SRCNAM  = IPFI1   !
IPFI1    !X =   266.698,  -1327.108,  1.52439, 1.50,  0.01000,  0.01000,
294.00000,  0.0,  0.0037221885!
IPFI1    !SIGYZI = 0.,0.!
IPFI1    !FMFAC = 1.! !END!
FEE12TK2 !SRCNAM  = FEE12TK2!
FEE12TK2 !X =   256.406,  -1333.001,  12.80488, 7.00,  0.91463,  0.00305,
299.94444,  0.0,  0.0037149226!
FEE12TK2 !SIGYZI = 0.,0.!
FEE12TK2 !FMFAC = 1.! !END!
WTLD7    !SRCNAM  = WTLD7   !
WTLD7    !X =   255.227,  -1332.415,  0.91463, 6.64,  0.01000,  0.01000,
294.00000,  0.0,  0.0037104706!
WTLD7    !SIGYZI = 0.,0.!
WTLD7    !FMFAC = 1.! !END!
FBDEHY1  !SRCNAM  = FBDEHY1 !
FBDEHY1  !X =   270.343,  -1349.933,  3.65854, 4.00,  0.15244,  4.57317,
373.00000,  0.0,  0.0037064387!
FBDEHY1  !SIGYZI = 0.,0.!
FBDEHY1  !FMFAC = 1.! !END!
FWF51    !SRCNAM  = FWF51   !
FWF51    !X =   245.587,  -1331.345,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0036801891!
FWF51    !SIGYZI = 0.,0.!
FWF51    !FMFAC = 1.! !END!
VEPD4    !SRCNAM  = VEPD4   !
VEPD4    !X =   254.911,  -1332.051,  0.91463, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0035804933!
VEPD4    !SIGYZI = 0.,0.!
VEPD4    !FMFAC = 1.! !END!
CE774    !SRCNAM  = CE774   !
CE774    !X =   255.273,  -1333.849,  14.32927, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0035803463!
CE774    !SIGYZI = 0.,0.!
CE774    !FMFAC = 1.! !END!
FEFWW    !SRCNAM  = FEFWW   !
FEFWW    !X =   255.880,  -1333.829,  3.04878, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0035704660!
FEFWW    !SIGYZI = 0.,0.!
FEFWW    !FMFAC = 1.! !END!
```

```
VL53     !SRCNAM  = VL53    !
VL53     !X =   248.867,  -1332.960,  17.07317, 5.25,  0.91463,  0.00305,
298.55556,  0.0,  0.0035324251!
VL53     !SIGYZI = 0.,0.!
VL53     !FMFAC = 1.! !END!
SH16     !SRCNAM  = SH16    !
SH16     !X =   241.949,  -1335.108,  23.78049, 18.00,  0.60976,  17.86585,
616.33333,  0.0,  0.0034701926!
SH16     !SIGYZI = 0.,0.!
SH16     !FMFAC = 1.! !END!
VWTRUCKF !SRCNAM  = VWTRUCKF!
VWTRUCKF !X =   249.335,  -1332.882,  0.91463, 5.55,  0.01000,  0.01000,
294.00000,  0.0,  0.0034375802!
VWTRUCKF !SIGYZI = 0.,0.!
VWTRUCKF !FMFAC = 1.! !END!
CE725    !SRCNAM  = CE725   !
CE725    !X =   255.650,  -1333.556,  14.32927, 8.86,  0.91463,  0.00305,
298.55556,  0.0,  0.0034105851!
CE725    !SIGYZI = 0.,0.!
CE725    !FMFAC = 1.! !END!
VW2F     !SRCNAM  = VW2F    !
VW2F     !X =   249.465,  -1332.660,  6.09756, 5.25,  0.01000,  0.01000,
294.00000,  0.0,  0.0033896590!
VW2F     !SIGYZI = 0.,0.!
VW2F     !FMFAC = 1.! !END!
TRTK303  !SRCNAM  = TRTK303 !
TRTK303  !X =   249.190,  -1332.669,  12.19512, 4.00,  0.91463,  0.00305,
335.77778,  0.0,  0.0033687643!
TRTK303  !SIGYZI = 0.,0.!
TRTK303  !FMFAC = 1.! !END!
FEE11TK5 !SRCNAM  = FEE11TK5!
FEE11TK5 !X =   255.666,  -1334.056,  9.14634, 9.00,  0.91463,  0.00305,
291.36667,  0.0,  0.0033568260!
FEE11TK5 !SIGYZI = 0.,0.!
FEE11TK5 !FMFAC = 1.! !END!
FEE18TK6 !SRCNAM  = FEE18TK6!
FEE18TK6 !X =   256.780,  -1333.488,  10.97561, 8.00,  0.91463,  0.00305,
298.50000,  0.0,  0.0033436277!
FEE18TK6 !SIGYZI = 0.,0.!
FEE18TK6 !FMFAC = 1.! !END!
VL81     !SRCNAM  = VL81    !
VL81     !X =   249.311,  -1333.009,  17.07317, 5.30,  0.91463,  0.00305,
298.55556,  0.0,  0.0033137242!
VL81     !SIGYZI = 0.,0.!
VL81     !FMFAC = 1.! !END!
FWFS4    !SRCNAM  = FWFS4   !
FWFS4    !X =   245.711,  -1330.874,  15.24390, 14.05,  3.35366,  8.23171,
308.00000,  0.0,  0.0032528462!
FWFS4    !SIGYZI = 0.,0.!
FWFS4    !FMFAC = 1.! !END!
FWFB4015 !SRCNAM  = FWFB4015!
FWFB4015 !X =   244.142,  -1330.984,  14.63415, 16.60,  0.91463,  0.00305,
298.63333,  0.0,  0.0031991396!
FWFB4015 !SIGYZI = 0.,0.!
FWFB4015 !FMFAC = 1.! !END!
CE638    !SRCNAM  = CE638   !
CE638    !X =   256.118,  -1333.510,  12.19512, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0031971971!
CE638    !SIGYZI = 0.,0.!
CE638    !FMFAC = 1.! !END!
CE639    !SRCNAM  = CE639   !
```

```
CE639    !X =   256.063,  -1333.512,  12.19512, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0031971971!
CE639    !SIGYZI = 0.,0.!
CE639    !FMFAC = 1.! !END!
VEQREF2F !SRCNAM  = VEQREF2F!
VEQREF2F !X =   252.635,  -1333.371,  0.91463, 9.88,  0.01000,  0.01000,
294.00000,  0.0,  0.0031911912!
VEQREF2F !SIGYZI = 0.,0.!
VEQREF2F !FMFAC = 1.! !END!
VETK331  !SRCNAM  = VETK331 !
VETK331  !X =   252.576,  -1333.249,  14.63415, 8.56,  0.91463,  0.00305,
295.22222,  0.0,  0.0030510081!
VETK331  !SIGYZI = 0.,0.!
VETK331  !FMFAC = 1.! !END!
VEQSULFO !SRCNAM  = VEQSULFO!
VEQSULFO !X =   252.524,  -1333.343,  6.09756, 9.55,  0.01000,  0.01000,
294.00000,  0.0,  0.0030510081!
VEQSULFO !SIGYZI = 0.,0.!
VEQSULFO !FMFAC = 1.! !END!
CD9834   !SRCNAM  = CD9834  !
CD9834   !X =   254.093,  -1334.074,  1.82927, 12.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0029616965!
CD9834   !SIGYZI = 0.,0.!
CD9834   !FMFAC = 1.! !END!
VETK50   !SRCNAM  = VETK50  !
VETK50   !X =   254.237,  -1333.384,  12.80488, 11.77,  0.91463,  0.00305,
295.22222,  0.0,  0.0029611190!
VETK50   !SIGYZI = 0.,0.!
VETK50   !FMFAC = 1.! !END!
VL54     !SRCNAM  = VL54    !
VL54     !X =   248.925,  -1333.021,  17.07317, 5.92,  0.91463,  0.00305,
298.55556,  0.0,  0.0029425553!
VL54     !SIGYZI = 0.,0.!
VL54     !FMFAC = 1.! !END!
VETK357  !SRCNAM  = VETK357 !
VETK357  !X =   252.520,  -1333.219,  14.63415, 8.23,  0.91463,  0.00305,
295.22222,  0.0,  0.0029418939!
VETK357  !SIGYZI = 0.,0.!
VETK357  !FMFAC = 1.! !END!
FWFB109R !SRCNAM  = FWFB109R!
FWFB109R !X =   245.827,  -1330.152,  15.24390, 5.59,  0.91463,  0.00305,
298.00000,  0.0,  0.0029340190!
FWFB109R !SIGYZI = 0.,0.!
FWFB109R !FMFAC = 1.! !END!
CE727    !SRCNAM  = CE727   !
CE727    !X =   255.653,  -1333.650,  6.09756, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0028471119!
CE727    !SIGYZI = 0.,0.!
CE727    !FMFAC = 1.! !END!
FWW8     !SRCNAM  = FWW8    !
FWW8     !X =   245.931,  -1329.961,  0.91463, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0028360241!
FWW8     !SIGYZI = 0.,0.!
FWW8     !FMFAC = 1.! !END!
FWFB508  !SRCNAM  = FWFB508 !
FWFB508  !X =   245.166,  -1331.078,  12.19512, 15.00,  0.91463,  0.00305,
295.99444,  0.0,  0.0028345751!
FWFB508  !SIGYZI = 0.,0.!
FWFB508  !FMFAC = 1.! !END!
CE733    !SRCNAM  = CE733   !
CE733    !X =   255.184,  -1332.792,  14.63415, 7.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0027946548!
```

```
CE733    !SIGYZI = 0.,0.!
CE733    !FMFAC = 1.! !END!
VETK92   !SRCNAM  = VETK92  !
VETK92   !X =   253.927,  -1333.174,  14.93902, 11.69,  0.91463,  0.00305,
295.22222,  0.0,  0.0027864649!
VETK92   !SIGYZI = 0.,0.!
VETK92   !FMFAC = 1.! !END!
FWFB4010 !SRCNAM  = FWFB4010!
FWFB4010 !X =   244.028,  -1330.894,  15.54878, 15.61,  0.91463,  0.00305,
300.80556,  0.0,  0.0027783171!
FWFB4010 !SIGYZI = 0.,0.!
FWFB4010 !FMFAC = 1.! !END!
CE446    !SRCNAM  = CE446   !
CE446    !X =   255.902,  -1332.800,  76.21951, 1.50,  0.10000,  0.01000,
810.77778,  0.0,  0.0027513955!
CE446    !SIGYZI = 0.,0.!
CE446    !FMFAC = 1.! !END!
FTTK2807 !SRCNAM  = FTTK2807!
FTTK2807 !X =   278.282,  -1330.924,  17.07317, 4.00,  0.60976,  0.00305,
295.22222,  0.0,  0.0027471746!
FTTK2807 !SIGYZI = 0.,0.!
FTTK2807 !FMFAC = 1.! !END!
FTTK280A !SRCNAM  = FTTK280A!
FTTK280A !X =   278.496,  -1330.729,  16.76829, 5.03,  0.91463,  0.00305,
298.00000,  0.0,  0.0027449906!
FTTK280A !SIGYZI = 0.,0.!
FTTK280A !FMFAC = 1.! !END!
FEF30    !SRCNAM  = FEF30   !
FEF30    !X =   256.745,  -1333.271,  0.91463, 7.19,  0.01000,  0.01000,
294.00000,  0.0,  0.0027210300!
FEF30    !SIGYZI = 0.,0.!
FEF30    !FMFAC = 1.! !END!
FWLSGFUG !SRCNAM  = FWLSGFUG!
FWLSGFUG !X =   244.890,  -1331.086,  0.91463, 14.97,  0.01000,  0.01000,
294.00000,  0.0,  0.0026989804!
FWLSGFUG !SIGYZI = 0.,0.!
FWLSGFUG !FMFAC = 1.! !END!
FWFB505  !SRCNAM  = FWFB505 !
FWFB505  !X =   245.188,  -1330.952,  17.07317, 15.00,  0.91463,  0.00305,
295.38889,  0.0,  0.0026734343!
FWFB505  !SIGYZI = 0.,0.!
FWFB505  !FMFAC = 1.! !END!
FW15FB52 !SRCNAM  = FW15FB52!
FW15FB52 !X =   245.349,  -1330.792,  14.63415, 14.96,  0.91463,  0.00305,
306.07222,  0.0,  0.0026730668!
FW15FB52 !SIGYZI = 0.,0.!
FW15FB52 !FMFAC = 1.! !END!
VETK350  !SRCNAM  = VETK350 !
VETK350  !X =   252.408,  -1333.193,  14.32927, 7.91,  0.91463,  0.00305,
295.22222,  0.0,  0.0026693289!
VETK350  !SIGYZI = 0.,0.!
VETK350  !FMFAC = 1.! !END!
FWFB4011 !SRCNAM  = FWFB4011!
FWFB4011 !X =   243.999,  -1330.864,  15.54878, 15.28,  0.91463,  0.00305,
299.21111,  0.0,  0.0026582620!
FWFB4011 !SIGYZI = 0.,0.!
FWFB4011 !FMFAC = 1.! !END!
FTTK280C !SRCNAM  = FTTK280C!
FTTK280C !X =   278.307,  -1330.828,  17.07317, 4.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0026564036!
FTTK280C !SIGYZI = 0.,0.!
FTTK280C !FMFAC = 1.! !END!
```

```
VETK72   !SRCNAM  = VETK72  !
VETK72   !X =   254.069,  -1333.326,  14.93902, 11.88,  0.91463,  0.00305,
295.22222,  0.0,  0.0026481717!
VETK72   !SIGYZI = 0.,0.!
VETK72   !FMFAC = 1.! !END!
VEGOT1FE !SRCNAM  = VEGOT1FE!
VEGOT1FE !X =   253.708,  -1333.275,  0.91463, 11.22,  0.01000,  0.01000,
294.00000,  0.0,  0.0026302590!
VEGOT1FE !SIGYZI = 0.,0.!
VEGOT1FE !FMFAC = 1.! !END!
FWF42    !SRCNAM  = FWF42   !
FWF42    !X =   244.831,  -1330.994,  0.91463, 14.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0026286315!
FWF42    !SIGYZI = 0.,0.!
FWF42    !FMFAC = 1.! !END!
FWFB110R !SRCNAM  = FWFB110R!
FWFB110R !X =   245.830,  -1330.246,  18.29268, 7.30,  0.91463,  0.00305,
296.48889,  0.0,  0.0026128713!
FWFB110R !SIGYZI = 0.,0.!
FWFB110R !FMFAC = 1.! !END!
VL52     !SRCNAM  = VL52    !
VL52     !X =   248.923,  -1332.958,  17.07317, 5.24,  0.91463,  0.00305,
298.55556,  0.0,  0.0026089339!
VL52     !SIGYZI = 0.,0.!
VL52     !FMFAC = 1.! !END!
VEREF4FE !SRCNAM  = VEREF4FE!
VEREF4FE !X =   253.651,  -1333.215,  0.91463, 11.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0025557732!
VEREF4FE !SIGYZI = 0.,0.!
VEREF4FE !FMFAC = 1.! !END!
VETK204  !SRCNAM  = VETK204 !
VETK204  !X =   254.627,  -1332.653,  14.63415, 7.89,  0.91463,  0.00305,
295.22222,  0.0,  0.0025373565!
VETK204  !SIGYZI = 0.,0.!
VETK204  !FMFAC = 1.! !END!
FWFB161  !SRCNAM  = FWFB161 !
FWFB161  !X =   245.151,  -1330.610,  14.63415, 14.01,  0.91463,  0.00305,
297.08333,  0.0,  0.0024926483!
FWFB161  !SIGYZI = 0.,0.!
FWFB161  !FMFAC = 1.! !END!
CEF061   !SRCNAM  = CEF061  !
CEF061   !X =   255.700,  -1333.398,  6.09756, 8.69,  0.01000,  0.01000,
294.00000,  0.0,  0.0024868209!
CEF061   !SIGYZI = 0.,0.!
CEF061   !FMFAC = 1.! !END!
CE736    !SRCNAM  = CE736   !
CE736    !X =   255.256,  -1333.319,  17.68293, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0024299328!
CE736    !SIGYZI = 0.,0.!
CE736    !FMFAC = 1.! !END!
FTTK2808 !SRCNAM  = FTTK2808!
FTTK2808 !X =   278.332,  -1330.734,  17.07317, 5.01,  0.91463,  0.00305,
298.00000,  0.0,  0.0024251764!
FTTK2808 !SIGYZI = 0.,0.!
FTTK2808 !FMFAC = 1.! !END!
VETK15   !SRCNAM  = VETK15  !
VETK15   !X =   254.072,  -1333.389,  12.19512, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0024197585!
VETK15   !SIGYZI = 0.,0.!
VETK15   !FMFAC = 1.! !END!
VEHCUFE  !SRCNAM  = VEHCUFE !
```

```
VEHCUFE  !X =   252.718,  -1333.400,  0.91463, 10.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0023490737!
VEHCUFE  !SIGYZI = 0.,0.!
VEHCUFE  !FMFAC = 1.! !END!
WT141    !SRCNAM  = WT141   !
WT141    !X =   254.685,  -1333.587,  17.07317, 11.89,  0.91463,  0.00305,
310.77778,  0.0,  0.0023425533!
WT141    !SIGYZI = 0.,0.!
WT141    !FMFAC = 1.! !END!
FTTK2805 !SRCNAM  = FTTK2805!
FTTK2805 !X =   278.167,  -1330.771,  14.63415, 5.34,  0.91463,  0.00305,
298.00000,  0.0,  0.0023203041!
FTTK2805 !SIGYZI = 0.,0.!
FTTK2805 !FMFAC = 1.! !END!
FTTK2801 !SRCNAM  = FTTK2801!
FTTK2801 !X =   277.851,  -1331.220,  14.63415, 4.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0023193067!
FTTK2801 !SIGYZI = 0.,0.!
FTTK2801 !FMFAC = 1.! !END!
SH17     !SRCNAM  = SH17    !
SH17     !X =   241.949,  -1335.108,  23.78049, 18.00,  0.60976,  17.86585,
616.33333,  0.0,  0.0023099618!
SH17     !SIGYZI = 0.,0.!
SH17     !FMFAC = 1.! !END!
FTTK2802 !SRCNAM  = FTTK2802!
FTTK2802 !X =   277.934,  -1331.218,  14.63415, 4.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0023013519!
FTTK2802 !SIGYZI = 0.,0.!
FTTK2802 !FMFAC = 1.! !END!
CE859    !SRCNAM  = CE859   !
CE859    !X =   249.769,  -1333.557,  14.63415, 13.39,  0.91463,  0.00305,
298.55556,  0.0,  0.0022975825!
CE859    !SIGYZI = 0.,0.!
CE859    !FMFAC = 1.! !END!
VETK370  !SRCNAM  = VETK370 !
VETK370  !X =   252.799,  -1333.304,  14.63415, 9.22,  0.91463,  0.00305,
295.22222,  0.0,  0.0022924166!
VETK370  !SIGYZI = 0.,0.!
VETK370  !FMFAC = 1.! !END!
WTLD11   !SRCNAM  = WTLD11  !
WTLD11   !X =   255.201,  -1332.479,  0.91463, 7.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0022903271!
WTLD11   !SIGYZI = 0.,0.!
WTLD11   !FMFAC = 1.! !END!
VL56     !SRCNAM  = VL56    !
VL56     !X =   249.481,  -1332.286,  16.46341, 4.00,  0.91463,  0.00305,
302.44444,  0.0,  0.0022837647!
VL56     !SIGYZI = 0.,0.!
VL56     !FMFAC = 1.! !END!
FWF30    !SRCNAM  = FWF30   !
FWF30    !X =   245.643,  -1331.343,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0021997136!
FWF30    !SIGYZI = 0.,0.!
FWF30    !FMFAC = 1.! !END!
CEL571   !SRCNAM  = CEL571  !
CEL571   !X =   256.150,  -1332.792,  6.09756, 1.50,  0.01000,  0.01000,
294.00000,  0.0,  0.0021346777!
CEL571   !SIGYZI = 0.,0.!
CEL571   !FMFAC = 1.! !END!
EQEF2113 !SRCNAM  = EQEF2113!
EQEF2113 !X =   239.055,  -1333.479,  6.09756, 18.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0021314648!
```

```
EQEF2113 !SIGYZI = 0.,0.!
EQEF2113 !FMFAC = 1.! !END!
FTTK2800 !SRCNAM  = FTTK2800!
FTTK2800 !X =   278.480,  -1331.041,  16.76829, 4.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0021140875!
FTTK2800 !SIGYZI = 0.,0.!
FTTK2800 !FMFAC = 1.! !END!
CE675    !SRCNAM  = CE675   !
CE675    !X =   255.808,  -1333.301,  10.67073, 8.39,  0.91463,  0.00305,
298.55556,  0.0,  0.0021060762!
CE675    !SIGYZI = 0.,0.!
CE675    !FMFAC = 1.! !END!
VETK100  !SRCNAM  = VETK100 !
VETK100  !X =   253.249,  -1333.571,  14.63415, 11.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0021016977!
VETK100  !SIGYZI = 0.,0.!
VETK100  !FMFAC = 1.! !END!
VETK99   !SRCNAM  = VETK99  !
VETK99   !X =   253.361,  -1333.661,  14.63415, 11.22,  0.91463,  0.00305,
295.22222,  0.0,  0.0020987893!
VETK99   !SIGYZI = 0.,0.!
VETK99   !FMFAC = 1.! !END!
CE857    !SRCNAM  = CE857   !
CE857    !X =   249.867,  -1333.146,  14.63415, 9.56,  0.91463,  0.00305,
298.55556,  0.0,  0.0020931614!
CE857    !SIGYZI = 0.,0.!
CE857    !FMFAC = 1.! !END!
FW15FB51 !SRCNAM  = FW15FB51!
FW15FB51 !X =   245.461,  -1330.819,  14.63415, 14.66,  0.91463,  0.00305,
298.06667,  0.0,  0.0020864940!
FW15FB51 !SIGYZI = 0.,0.!
FW15FB51 !FMFAC = 1.! !END!
VW49F    !SRCNAM  = VW49F   !
VW49F    !X =   249.777,  -1332.932,  7.62195, 8.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0020779156!
VW49F    !SIGYZI = 0.,0.!
VW49F    !FMFAC = 1.! !END!
VETK203  !SRCNAM  = VETK203 !
VETK203  !X =   254.601,  -1332.715,  14.63415, 8.47,  0.91463,  0.00305,
295.22222,  0.0,  0.0020550365!
VETK203  !SIGYZI = 0.,0.!
VETK203  !FMFAC = 1.! !END!
EQ33     !SRCNAM  = EQ33    !
EQ33     !X =   239.054,  -1333.449,  7.31707, 18.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0020474661!
EQ33     !SIGYZI = 0.,0.!
EQ33     !FMFAC = 1.! !END!
FTTK280B !SRCNAM  = FTTK280B!
FTTK280B !X =   278.216,  -1330.614,  14.63415, 6.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0020402528!
FTTK280B !SIGYZI = 0.,0.!
FTTK280B !FMFAC = 1.! !END!
CE672    !SRCNAM  = CE672   !
CE672    !X =   255.779,  -1333.271,  10.67073, 8.13,  0.91463,  0.00305,
298.55556,  0.0,  0.0020051518!
CE672    !SIGYZI = 0.,0.!
CE672    !FMFAC = 1.! !END!
FBCST1   !SRCNAM  = FBCST1  !
FBCST1   !X =   270.345,  -1349.996,  9.14634, 4.00,  0.91463,  0.00305,
293.00000,  0.0,  0.0019970670!
FBCST1   !SIGYZI = 0.,0.!
FBCST1   !FMFAC = 1.! !END!
```

```
FWF22    !SRCNAM  = FWF22   !
FWF22    !X =   245.472,  -1331.162,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0019907671!
FWF22    !SIGYZI = 0.,0.!
FWF22    !FMFAC = 1.! !END!
CE858    !SRCNAM  = CE858   !
CE858    !X =   249.846,  -1333.367,  14.63415, 11.39,  0.91463,  0.00305,
299.66667,  0.0,  0.0019866932!
CE858    !SIGYZI = 0.,0.!
CE858    !FMFAC = 1.! !END!
CE706    !SRCNAM  = CE706   !
CE706    !X =   255.636,  -1333.119,  12.19512, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0019797213!
CE706    !SIGYZI = 0.,0.!
CE706    !FMFAC = 1.! !END!
VEQNAPSP !SRCNAM  = VEQNAPSP!
VEQNAPSP !X =   252.552,  -1333.374,  0.91463, 9.89,  0.01000,  0.01000,
294.00000,  0.0,  0.0019778628!
VEQNAPSP !SIGYZI = 0.,0.!
VEQNAPSP !FMFAC = 1.! !END!
FT28071  !SRCNAM  = FT28071 !
FT28071  !X =   278.230,  -1331.019,  17.07317, 4.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0019754793!
FT28071  !SIGYZI = 0.,0.!
FT28071  !FMFAC = 1.! !END!
GRE7A    !SRCNAM  = GRE7A   !
GRE7A    !X =   271.577,  -1318.112,  8.84146, 6.00,  0.60976,  10.12500,
689.11111,  0.0,  0.0019646015!
GRE7A    !SIGYZI = 0.,0.!
GRE7A    !FMFAC = 1.! !END!
FW62FB21 !SRCNAM  = FW62FB21!
FW62FB21 !X =   246.330,  -1330.354,  6.70732, 4.00,  0.91463,  0.00305,
298.72222,  0.0,  0.0019502168!
FW62FB21 !SIGYZI = 0.,0.!
FW62FB21 !FMFAC = 1.! !END!
EQ30A    !SRCNAM  = EQ30A   !
EQ30A    !X =   239.831,  -1333.550,  14.63415, 19.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0019450928!
EQ30A    !SIGYZI = 0.,0.!
EQ30A    !FMFAC = 1.! !END!
EQ30B    !SRCNAM  = EQ30B   !
EQ30B    !X =   239.833,  -1333.644,  14.63415, 19.00,  0.91463,  0.00305,
302.44444,  0.0,  0.0019450928!
EQ30B    !SIGYZI = 0.,0.!
EQ30B    !FMFAC = 1.! !END!
FWFB137  !SRCNAM  = FWFB137 !
FWFB137  !X =   245.615,  -1330.439,  12.19512, 12.83,  0.91463,  0.00305,
294.67778,  0.0,  0.0019067895!
FWFB137  !SIGYZI = 0.,0.!
FWFB137  !FMFAC = 1.! !END!
FWFB141  !SRCNAM  = FWFB141 !
FWFB141  !X =   245.550,  -1330.129,  15.85366, 7.88,  0.91463,  0.00305,
318.22222,  0.0,  0.0018507834!
FWFB141  !SIGYZI = 0.,0.!
FWFB141  !FMFAC = 1.! !END!
EQ30C    !SRCNAM  = EQ30C   !
EQ30C    !X =   239.836,  -1333.736,  14.63415, 19.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0018427195!
EQ30C    !SIGYZI = 0.,0.!
EQ30C    !FMFAC = 1.! !END!
VETK98   !SRCNAM  = VETK98  !
```

```
VETK98   !X =   253.475,  -1333.750,  14.63415, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0018197879!
VETK98   !SIGYZI = 0.,0.!
VETK98   !FMFAC = 1.! !END!
VESWS1FE !SRCNAM  = VESWS1FE!
VESWS1FE !X =   253.594,  -1333.155,  0.91463, 11.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0018142125!
VESWS1FE !SIGYZI = 0.,0.!
VESWS1FE !FMFAC = 1.! !END!
FWFB401  !SRCNAM  = FWFB401 !
FWFB401  !X =   253.997,  -1333.672,  12.80488, 12.00,  0.91463,  0.00305,
299.34444,  0.0,  0.0018141495!
FWFB401  !SIGYZI = 0.,0.!
FWFB401  !FMFAC = 1.! !END!
FTTK2809 !SRCNAM  = FTTK2809!
FTTK2809 !X =   278.445,  -1330.823,  17.07317, 4.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0017971188!
FTTK2809 !SIGYZI = 0.,0.!
FTTK2809 !FMFAC = 1.! !END!
CE856    !SRCNAM  = CE856   !
CE856    !X =   249.684,  -1333.464,  14.63415, 11.43,  0.91463,  0.00305,
298.55556,  0.0,  0.0017780196!
CE856    !SIGYZI = 0.,0.!
CE856    !FMFAC = 1.! !END!
FWFB4012 !SRCNAM  = FWFB4012!
FWFB4012 !X =   243.976,  -1330.989,  15.54878, 16.29,  0.91463,  0.00305,
301.93333,  0.0,  0.0017741347!
FWFB4012 !SIGYZI = 0.,0.!
FWFB4012 !FMFAC = 1.! !END!
VETK110  !SRCNAM  = VETK110 !
VETK110  !X =   253.107,  -1333.451,  14.63415, 10.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0017725387!
VETK110  !SIGYZI = 0.,0.!
VETK110  !FMFAC = 1.! !END!
VETK97   !SRCNAM  = VETK97  !
VETK97   !X =   253.471,  -1333.626,  14.63415, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0017702392!
VETK97   !SIGYZI = 0.,0.!
VETK97   !FMFAC = 1.! !END!
VETK371  !SRCNAM  = VETK371 !
VETK371  !X =   252.853,  -1333.303,  14.63415, 9.23,  0.91463,  0.00305,
295.22222,  0.0,  0.0017537125!
VETK371  !SIGYZI = 0.,0.!
VETK371  !FMFAC = 1.! !END!
FWF40    !SRCNAM  = FWF40   !
FWF40    !X =   243.999,  -1330.833,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0017497961!
FWF40    !SIGYZI = 0.,0.!
FWF40    !FMFAC = 1.! !END!
FWF32    !SRCNAM  = FWF32   !
FWF32    !X =   245.807,  -1331.276,  0.91463, 13.88,  0.01000,  0.01000,
294.00000,  0.0,  0.0017455961!
FWF32    !SIGYZI = 0.,0.!
FWF32    !FMFAC = 1.! !END!
FWFB408  !SRCNAM  = FWFB408 !
FWFB408  !X =   253.945,  -1333.735,  12.19512, 12.00,  0.91463,  0.00305,
298.03889,  0.0,  0.0016983784!
FWFB408  !SIGYZI = 0.,0.!
FWFB408  !FMFAC = 1.! !END!
FWFB507  !SRCNAM  = FWFB507 !
FWFB507  !X =   245.276,  -1331.074,  12.19512, 15.00,  0.91463,  0.00305,
296.55556,  0.0,  0.0016850646!
```

```
FWFB507  !SIGYZI = 0.,0.!
FWFB507  !FMFAC = 1.! !END!
FTTK2803 !SRCNAM  = FTTK2803!
FTTK2803 !X =   278.066,  -1331.056,  14.63415, 4.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0016791427!
FTTK2803 !SIGYZI = 0.,0.!
FTTK2803 !FMFAC = 1.! !END!
TRTK306  !SRCNAM  = TRTK306 !
TRTK306  !X =   249.268,  -1332.510,  16.46341, 4.00,  0.91463,  0.00305,
308.00000,  0.0,  0.0016687164!
TRTK306  !SIGYZI = 0.,0.!
TRTK306  !FMFAC = 1.! !END!
FTTK2806 !SRCNAM  = FTTK2806!
FTTK2806 !X =   278.207,  -1331.145,  14.63415, 4.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0016601905!
FTTK2806 !SIGYZI = 0.,0.!
FTTK2806 !FMFAC = 1.! !END!
FEE11TK1 !SRCNAM  = FEE11TK1!
FEE11TK1 !X =   255.442,  -1333.938,  9.45122, 9.00,  0.91463,  0.00305,
299.66667,  0.0,  0.0016420783!
FEE11TK1 !SIGYZI = 0.,0.!
FEE11TK1 !FMFAC = 1.! !END!
CE692    !SRCNAM  = CE692   !
CE692    !X =   255.668,  -1333.243,  12.19512, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0016319460!
CE692    !SIGYZI = 0.,0.!
CE692    !FMFAC = 1.! !END!
FWFB506R !SRCNAM  = FWFB506R!
FWFB506R !X =   245.327,  -1330.947,  12.19512, 15.00,  0.91463,  0.00305,
352.15000,  0.0,  0.0015961836!
FWFB506R !SIGYZI = 0.,0.!
FWFB506R !FMFAC = 1.! !END!
CE728    !SRCNAM  = CE728   !
CE728    !X =   255.709,  -1333.678,  6.09756, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0015910597!
CE728    !SIGYZI = 0.,0.!
CE728    !FMFAC = 1.! !END!
CE853    !SRCNAM  = CE853   !
CE853    !X =   249.514,  -1333.346,  14.63415, 9.78,  0.91463,  0.00305,
298.55556,  0.0,  0.0015906397!
CE853    !SIGYZI = 0.,0.!
CE853    !FMFAC = 1.! !END!
WT133    !SRCNAM  = WT133   !
WT133    !X =   254.662,  -1333.743,  12.80488, 12.00,  0.91463,  0.00305,
294.11111,  0.0,  0.0015729580!
WT133    !SIGYZI = 0.,0.!
WT133    !FMFAC = 1.! !END!
TRTK5001 !SRCNAM  = TRTK5001!
TRTK5001 !X =   249.510,  -1333.189,  14.63415, 8.90,  0.91463,  0.00305,
317.44444,  0.0,  0.0015501209!
TRTK5001 !SIGYZI = 0.,0.!
TRTK5001 !FMFAC = 1.! !END!
VETK91   !SRCNAM  = VETK91  !
VETK91   !X =   253.902,  -1333.269,  14.93902, 11.62,  0.91463,  0.00305,
295.22222,  0.0,  0.0015379726!
VETK91   !SIGYZI = 0.,0.!
VETK91   !FMFAC = 1.! !END!
VL86     !SRCNAM  = VL86    !
VL86     !X =   249.386,  -1332.788,  15.24390, 5.37,  0.91463,  0.00305,
298.55556,  0.0,  0.0015162799!
VL86     !SIGYZI = 0.,0.!
VL86     !FMFAC = 1.! !END!
```

```
CE705    !SRCNAM  = CE705   !
CE705    !X =   255.745,  -1333.086,  12.19512, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0014851689!
CE705    !SIGYZI = 0.,0.!
CE705    !FMFAC = 1.! !END!
FEE12TK4 !SRCNAM  = FEE12TK4!
FEE12TK4 !X =   256.462,  -1333.063,  14.63415, 7.00,  0.91463,  0.00305,
301.08889,  0.0,  0.0014821240!
FEE12TK4 !SIGYZI = 0.,0.!
FEE12TK4 !FMFAC = 1.! !END!
FWFGB    !SRCNAM  = FWFGB   !
FWFGB    !X =   245.871,  -1330.682,  0.91463, 14.94,  0.01000,  0.01000,
294.00000,  0.0,  0.0014783756!
FWFGB    !SIGYZI = 0.,0.!
FWFGB    !FMFAC = 1.! !END!
CE768    !SRCNAM  = CE768   !
CE768    !X =   255.355,  -1333.815,  12.19512, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0014701962!
CE768    !SIGYZI = 0.,0.!
CE768    !FMFAC = 1.! !END!
CE854    !SRCNAM  = CE854   !
CE854    !X =   249.702,  -1333.151,  14.63415, 9.46,  0.91463,  0.00305,
298.55556,  0.0,  0.0014671302!
CE854    !SIGYZI = 0.,0.!
CE854    !FMFAC = 1.! !END!
FWFB4013 !SRCNAM  = FWFB4013!
FWFB4013 !X =   244.031,  -1330.987,  15.54878, 16.60,  0.91463,  0.00305,
305.07222,  0.0,  0.0014649673!
FWFB4013 !SIGYZI = 0.,0.!
FWFB4013 !FMFAC = 1.! !END!
FEE11TKE !SRCNAM  = FEE11TKE!
FEE11TKE !X =   255.555,  -1334.027,  14.63415, 9.00,  0.91463,  0.00305,
298.70000,  0.0,  0.0014577959!
FEE11TKE !SIGYZI = 0.,0.!
FEE11TKE !FMFAC = 1.! !END!
FWFB145  !SRCNAM  = FWFB145 !
FWFB145  !X =   245.284,  -1330.450,  14.63415, 14.51,  0.91463,  0.00305,
378.28333,  0.0,  0.0014518425!
FWFB145  !SIGYZI = 0.,0.!
FWFB145  !FMFAC = 1.! !END!
FEF98    !SRCNAM  = FEF98   !
FEF98    !X =   255.853,  -1333.862,  3.04878, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0014474011!
FEF98    !SIGYZI = 0.,0.!
FEF98    !FMFAC = 1.! !END!
TRTK304  !SRCNAM  = TRTK304 !
TRTK304  !X =   249.241,  -1332.543,  16.46341, 4.00,  0.91463,  0.00305,
352.44444,  0.0,  0.0014438731!
TRTK304  !SIGYZI = 0.,0.!
TRTK304  !FMFAC = 1.! !END!
VW96     !SRCNAM  = VW96    !
VW96     !X =   249.404,  -1332.444,  12.80488, 4.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0014437471!
VW96     !SIGYZI = 0.,0.!
VW96     !FMFAC = 1.! !END!
FEE11TK3 !SRCNAM  = FEE11TK3!
FEE11TK3 !X =   255.665,  -1334.024,  9.14634, 9.00,  0.91463,  0.00305,
302.13889,  0.0,  0.0014178756!
FEE11TK3 !SIGYZI = 0.,0.!
FEE11TK3 !FMFAC = 1.! !END!
CE643    !SRCNAM  = CE643   !
```

```
CE643    !X =   256.084,  -1333.324,  14.63415, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0014002463!
CE643    !SIGYZI = 0.,0.!
CE643    !FMFAC = 1.! !END!
VETK102  !SRCNAM  = VETK102 !
VETK102  !X =   254.359,  -1332.879,  9.75610, 9.21,  0.91463,  0.00305,
295.22222,  0.0,  0.0013922245!
VETK102  !SIGYZI = 0.,0.!
VETK102  !FMFAC = 1.! !END!
CE644    !SRCNAM  = CE644   !
CE644    !X =   256.197,  -1333.414,  14.63415, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0013893370!
CE644    !SIGYZI = 0.,0.!
CE644    !FMFAC = 1.! !END!
CE704    !SRCNAM  = CE704   !
CE704    !X =   255.662,  -1333.057,  12.19512, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0013820711!
CE704    !SIGYZI = 0.,0.!
CE704    !FMFAC = 1.! !END!
FWFB504  !SRCNAM  = FWFB504 !
FWFB504  !X =   245.212,  -1330.795,  17.07317, 14.49,  0.91463,  0.00305,
297.61667,  0.0,  0.0013677074!
FWFB504  !SIGYZI = 0.,0.!
FWFB504  !FMFAC = 1.! !END!
VETK93   !SRCNAM  = VETK93  !
VETK93   !X =   253.520,  -1333.438,  14.63415, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0013533961!
VETK93   !SIGYZI = 0.,0.!
VETK93   !FMFAC = 1.! !END!
FWFB134  !SRCNAM  = FWFB134 !
FWFB134  !X =   245.508,  -1330.537,  12.19512, 14.91,  0.91463,  0.00305,
293.15556,  0.0,  0.0013443558!
FWFB134  !SIGYZI = 0.,0.!
FWFB134  !FMFAC = 1.! !END!
VWENG730 !SRCNAM  = VWENG730!
VWENG730 !X =   249.031,  -1332.892,  12.19512, 4.58,  0.38110,  16.03659,
644.11111,  0.0,  0.0013420773!
VWENG730 !SIGYZI = 0.,0.!
VWENG730 !FMFAC = 1.! !END!
VW6      !SRCNAM  = VW6     !
VW6      !X =   249.490,  -1332.567,  12.19512, 4.62,  0.91463,  0.00305,
298.55556,  0.0,  0.0013400718!
VW6      !SIGYZI = 0.,0.!
VW6      !FMFAC = 1.! !END!
SH5      !SRCNAM  = SH5     !
SH5      !X =   241.973,  -1335.015,  25.00000, 18.00,  0.12195,  3.29268,
616.33333,  0.0,  0.0013384129!
SH5      !SIGYZI = 0.,0.!
SH5      !FMFAC = 1.! !END!
VEDOCK11 !SRCNAM  = VEDOCK11!
VEDOCK11 !X =   254.409,  -1331.878,  4.57317, 1.50,  0.01000,  0.01000,
294.00000,  0.0,  0.0013261281!
VEDOCK11 !SIGYZI = 0.,0.!
VEDOCK11 !FMFAC = 1.! !END!
TRTK302  !SRCNAM  = TRTK302 !
TRTK302  !X =   249.242,  -1332.575,  13.10976, 4.00,  0.91463,  0.00305,
327.44444,  0.0,  0.0013205317!
TRTK302  !SIGYZI = 0.,0.!
TRTK302  !FMFAC = 1.! !END!
VL87     !SRCNAM  = VL87    !
VL87     !X =   249.360,  -1332.820,  15.24390, 5.50,  0.91463,  0.00305,
298.55556,  0.0,  0.0013196707!
```

```
VL87     !SIGYZI = 0.,0.!
VL87     !FMFAC = 1.! !END!
FW10FA13 !SRCNAM  = FW10FA13!
FW10FA13 !X =   245.761,  -1330.685,  7.31707, 14.10,  0.91463,  0.00305,
321.88889,  0.0,  0.0013169407!
FW10FA13 !SIGYZI = 0.,0.!
FW10FA13 !FMFAC = 1.! !END!
FEE11TKJ !SRCNAM  = FEE11TKJ!
FEE11TKJ !X =   255.631,  -1333.837,  14.63415, 9.00,  0.91463,  0.00305,
306.44444,  0.0,  0.0013003405!
FEE11TKJ !SIGYZI = 0.,0.!
FEE11TKJ !FMFAC = 1.! !END!
CE521    !SRCNAM  = CE521   !
CE521    !X =   255.263,  -1333.538,  3.04878, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0012957311!
CE521    !SIGYZI = 0.,0.!
CE521    !FMFAC = 1.! !END!
VETK147  !SRCNAM  = VETK147 !
VETK147  !X =   254.519,  -1332.718,  12.19512, 8.93,  0.91463,  0.00305,
295.22222,  0.0,  0.0012726105!
VETK147  !SIGYZI = 0.,0.!
VETK147  !FMFAC = 1.! !END!
VETK96   !SRCNAM  = VETK96  !
VETK96   !X =   253.523,  -1333.530,  14.63415, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0012514218!
VETK96   !SIGYZI = 0.,0.!
VETK96   !FMFAC = 1.! !END!
VW157    !SRCNAM  = VW157   !
VW157    !X =   249.328,  -1332.665,  6.09756, 4.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0012448594!
VW157    !SIGYZI = 0.,0.!
VW157    !FMFAC = 1.! !END!
WT130    !SRCNAM  = WT130   !
WT130    !X =   254.280,  -1333.880,  14.63415, 12.00,  0.91463,  0.00305,
294.11111,  0.0,  0.0012416150!
WT130    !SIGYZI = 0.,0.!
WT130    !FMFAC = 1.! !END!
VESWS2FE !SRCNAM  = VESWS2FE!
VESWS2FE !X =   253.567,  -1333.156,  0.91463, 11.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0012195548!
VESWS2FE !SIGYZI = 0.,0.!
VESWS2FE !FMFAC = 1.! !END!
FW45FB73 !SRCNAM  = FW45FB73!
FW45FB73 !X =   244.763,  -1330.560,  7.31707, 12.58,  0.91463,  0.00305,
303.54444,  0.0,  0.0012192713!
FW45FB73 !SIGYZI = 0.,0.!
FW45FB73 !FMFAC = 1.! !END!
TRTK301  !SRCNAM  = TRTK301 !
TRTK301  !X =   249.215,  -1332.637,  13.10976, 4.00,  0.91463,  0.00305,
327.44444,  0.0,  0.0012191978!
TRTK301  !SIGYZI = 0.,0.!
TRTK301  !FMFAC = 1.! !END!
WTLD3    !SRCNAM  = WTLD3   !
WTLD3    !X =   255.228,  -1332.446,  0.91463, 6.91,  0.01000,  0.01000,
294.00000,  0.0,  0.0011999832!
WTLD3    !SIGYZI = 0.,0.!
WTLD3    !FMFAC = 1.! !END!
SH4      !SRCNAM  = SH4     !
SH4      !X =   241.973,  -1335.015,  25.00000, 18.00,  1.21951,  3.29268,
616.33333,  0.0,  0.0011958462!
SH4      !SIGYZI = 0.,0.!
SH4      !FMFAC = 1.! !END!
```

```
VL57     !SRCNAM  = VL57    !
VL57     !X =   249.455,  -1332.348,  16.46341, 4.00,  0.91463,  0.00305,
302.44444,  0.0,  0.0011871314!
VL57     !SIGYZI = 0.,0.!
VL57     !FMFAC = 1.! !END!
FWFB20   !SRCNAM  = FWFB20  !
FWFB20   !X =   245.905,  -1330.898,  14.02439, 14.13,  0.91463,  0.00305,
300.80556,  0.0,  0.0011559469!
FWFB20   !SIGYZI = 0.,0.!
FWFB20   !FMFAC = 1.! !END!
MISTACKC !SRCNAM  = MISTACKC!
MISTACKC !X =   281.503,  -1337.678,  9.14634, 1.50,  0.25305,  7.92683,
635.77778,  0.0,  0.0011549809!
MISTACKC !SIGYZI = 0.,0.!
MISTACKC !FMFAC = 1.! !END!
VW5      !SRCNAM  = VW5     !
VW5      !X =   249.463,  -1332.598,  12.19512, 4.64,  0.91463,  0.00305,
298.55556,  0.0,  0.0011179165!
VW5      !SIGYZI = 0.,0.!
VW5      !FMFAC = 1.! !END!
CW525526 !SRCNAM  = CW525526!
CW525526 !X =   248.880,  -1333.366,  2.13415, 8.58,  0.01000,  0.01000,
294.00000,  0.0,  0.0011075112!
CW525526 !SIGYZI = 0.,0.!
CW525526 !FMFAC = 1.! !END!
VETRUCKR !SRCNAM  = VETRUCKR!
VETRUCKR !X =   254.410,  -1332.753,  3.04878, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0011058207!
VETRUCKR !SIGYZI = 0.,0.!
VETRUCKR !FMFAC = 1.! !END!
CE645    !SRCNAM  = CE645   !
CE645    !X =   256.145,  -1333.479,  14.63415, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0010998358!
CE645    !SIGYZI = 0.,0.!
CE645    !FMFAC = 1.! !END!
A1TB2VNT !SRCNAM  = A1TB2VNT!
A1TB2VNT !X =   252.646,  -1300.839,  7.31707, 15.00,  0.91463,  0.00305,
299.66667,  0.0,  0.0020470357!
A1TB2VNT !SIGYZI = 0.,0.!
A1TB2VNT !FMFAC = 1.! !END!
VL58     !SRCNAM  = VL58    !
VL58     !X =   249.453,  -1332.287,  16.46341, 4.00,  0.91463,  0.00305,
302.44444,  0.0,  0.0010714338!
VL58     !SIGYZI = 0.,0.!
VL58     !FMFAC = 1.! !END!
CE667A   !SRCNAM  = CE667A  !
CE667A   !X =   255.863,  -1333.299,  17.37805, 8.81,  0.91463,  0.00305,
298.55556,  0.0,  0.0010682313!
CE667A   !SIGYZI = 0.,0.!
CE667A   !FMFAC = 1.! !END!
FECE06ST !SRCNAM  = FECE06ST!
FECE06ST !X =   255.878,  -1333.768,  6.09756, 9.00,  0.30488,  21.64634,
730.22222,  0.0,  0.0010640314!
FECE06ST !SIGYZI = 0.,0.!
FECE06ST !FMFAC = 1.! !END!
FWFB17   !SRCNAM  = FWFB17  !
FWFB17   !X =   245.902,  -1330.774,  11.89024, 15.00,  0.91463,  0.00305,
299.25556,  0.0,  0.0010436827!
FWFB17   !SIGYZI = 0.,0.!
FWFB17   !FMFAC = 1.! !END!
VEDIST1F !SRCNAM  = VEDIST1F!
```

```
VEDIST1F !X =   253.731,  -1333.119,  0.91463, 11.44,  0.01000,  0.01000,
294.00000,  0.0,  0.0010436827!
VEDIST1F !SIGYZI = 0.,0.!
VEDIST1F !FMFAC = 1.! !END!
FEC108   !SRCNAM  = FEC108  !
FEC108   !X =   255.872,  -1333.581,  15.54878, 8.20,  3.35366,  4.57317,
302.44444,  0.0,  0.0010363329!
FEC108   !SIGYZI = 0.,0.!
FEC108   !FMFAC = 1.! !END!
VL0113   !SRCNAM  = VL0113  !
VL0113   !X =   249.035,  -1333.018,  3.04878, 5.92,  0.91463,  0.00305,
299.66667,  0.0,  0.0010121833!
VL0113   !SIGYZI = 0.,0.!
VL0113   !FMFAC = 1.! !END!
VELEU2FE !SRCNAM  = VELEU2FE!
VELEU2FE !X =   253.706,  -1333.213,  0.91463, 11.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0009796338!
VELEU2FE !SIGYZI = 0.,0.!
VELEU2FE !FMFAC = 1.! !END!
FEE11TK8 !SRCNAM  = FEE11TK8!
FEE11TK8 !X =   255.997,  -1334.045,  8.84146, 9.00,  0.91463,  0.00305,
298.53333,  0.0,  0.0009541192!
FEE11TK8 !SIGYZI = 0.,0.!
FEE11TK8 !FMFAC = 1.! !END!
VEDEOCTF !SRCNAM  = VEDEOCTF!
VEDEOCTF !X =   252.635,  -1333.371,  0.91463, 9.88,  0.01000,  0.01000,
294.00000,  0.0,  0.0009523343!
VEDEOCTF !SIGYZI = 0.,0.!
VEDEOCTF !FMFAC = 1.! !END!
VECOGEN1 !SRCNAM  = VECOGEN1!
VECOGEN1 !X =   253.871,  -1333.175,  15.24390, 11.29,  3.04878,  22.46951,
477.44444,  0.0,  0.0009512843!
VECOGEN1 !SIGYZI = 0.,0.!
VECOGEN1 !FMFAC = 1.! !END!
FEE11TKD !SRCNAM  = FEE11TKD!
FEE11TKD !X =   255.685,  -1333.774,  14.63415, 9.00,  0.91463,  0.00305,
317.44444,  0.0,  0.0009407844!
FEE11TKD !SIGYZI = 0.,0.!
FEE11TKD !FMFAC = 1.! !END!
FWFMX1   !SRCNAM  = FWFMX1  !
FWFMX1   !X =   244.889,  -1331.054,  0.91463, 14.79,  0.01000,  0.01000,
294.00000,  0.0,  0.0009386845!
FWFMX1   !SIGYZI = 0.,0.!
FWFMX1   !FMFAC = 1.! !END!
VL55     !SRCNAM  = VL55    !
VL55     !X =   248.980,  -1333.050,  17.07317, 6.24,  0.91463,  0.00305,
298.55556,  0.0,  0.0009239847!
VL55     !SIGYZI = 0.,0.!
VL55     !FMFAC = 1.! !END!
VETK330  !SRCNAM  = VETK330 !
VETK330  !X =   252.602,  -1333.216,  14.63415, 8.22,  0.91463,  0.00305,
295.22222,  0.0,  0.0009197848!
VETK330  !SIGYZI = 0.,0.!
VETK330  !FMFAC = 1.! !END!
VW47F    !SRCNAM  = VW47F   !
VW47F    !X =   249.941,  -1332.863,  6.09756, 7.57,  0.01000,  0.01000,
294.00000,  0.0,  0.0009008851!
VW47F    !SIGYZI = 0.,0.!
VW47F    !FMFAC = 1.! !END!
FW45FB72 !SRCNAM  = FW45FB72!
FW45FB72 !X =   244.764,  -1330.591,  9.75610, 13.24,  0.91463,  0.00305,
299.15556,  0.0,  0.0008998351!
```

```
FW45FB72 !SIGYZI = 0.,0.!
FW45FB72 !FMFAC = 1.! !END!
FTTK2856 !SRCNAM  = FTTK2856!
FTTK2856 !X =   278.016,  -1331.215,  6.09756, 4.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0008998351!
FTTK2856 !SIGYZI = 0.,0.!
FTTK2856 !FMFAC = 1.! !END!
VEISOMFE !SRCNAM  = VEISOMFE!
VEISOMFE !X =   254.334,  -1332.975,  0.91463, 10.04,  0.01000,  0.01000,
294.00000,  0.0,  0.0008977352!
VEISOMFE !SIGYZI = 0.,0.!
VEISOMFE !FMFAC = 1.! !END!
CE732    !SRCNAM  = CE732   !
CE732    !X =   255.368,  -1333.347,  14.63415, 8.93,  0.91463,  0.00305,
298.55556,  0.0,  0.0008966852!
CE732    !SIGYZI = 0.,0.!
CE732    !FMFAC = 1.! !END!
VEKER01F !SRCNAM  = VEKER01F!
VEKER01F !X =   253.704,  -1333.119,  0.91463, 11.45,  0.01000,  0.01000,
294.00000,  0.0,  0.0008851354!
VEKER01F !SIGYZI = 0.,0.!
VEKER01F !FMFAC = 1.! !END!
VW4F     !SRCNAM  = VW4F    !
VW4F     !X =   250.298,  -1332.791,  1.82927, 6.92,  0.01000,  0.01000,
294.00000,  0.0,  0.0008782055!
VW4F     !SIGYZI = 0.,0.!
VW4F     !FMFAC = 1.! !END!
FEF114   !SRCNAM  = FEF114  !
FEF114   !X =   256.105,  -1333.104,  3.04878, 7.19,  0.01000,  0.01000,
294.00000,  0.0,  0.0008609858!
FEF114   !SIGYZI = 0.,0.!
FEF114   !FMFAC = 1.! !END!
NSB1     !SRCNAM  = NSB1    !
NSB1     !X =   258.025,  -1332.700,  6.09756, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0008546859!
NSB1     !SIGYZI = 0.,0.!
NSB1     !FMFAC = 1.! !END!
GRTKCOND !SRCNAM  = GRTKCOND!
GRTKCOND !X =   271.341,  -1318.463,  4.57317, 7.00,  0.91463,  0.00305,
310.77778,  0.0,  0.0008533209!
GRTKCOND !SIGYZI = 0.,0.!
GRTKCOND !FMFAC = 1.! !END!
FW45FB71 !SRCNAM  = FW45FB71!
FW45FB71 !X =   244.736,  -1330.591,  9.75610, 13.22,  0.91463,  0.00305,
299.39444,  0.0,  0.0008517459!
FW45FB71 !SIGYZI = 0.,0.!
FW45FB71 !FMFAC = 1.! !END!
GRE7     !SRCNAM  = GRE7    !
GRE7     !X =   271.552,  -1318.175,  6.70732, 6.16,  0.30488,  27.74390,
546.88889,  0.0,  0.0008399861!
GRE7     !SIGYZI = 0.,0.!
GRE7     !FMFAC = 1.! !END!
GRE2A    !SRCNAM  = GRE2A   !
GRE2A    !X =   271.477,  -1318.396,  6.70732, 6.19,  0.30488,  27.74390,
699.66667,  0.0,  0.0008378861!
GRE2A    !SIGYZI = 0.,0.!
GRE2A    !FMFAC = 1.! !END!
FW10FA12 !SRCNAM  = FW10FA12!
FW10FA12 !X =   245.761,  -1330.685,  7.31707, 14.10,  0.91463,  0.00305,
305.22222,  0.0,  0.0008084341!
FW10FA12 !SIGYZI = 0.,0.!
FW10FA12 !FMFAC = 1.! !END!
```

```
COCU1    !SRCNAM  = COCU1   !
COCU1    !X =   255.409,  -1332.908,  54.87805, 7.16,  3.04878,  17.01220,
371.88889,  0.0,  0.0007958868!
COCU1    !SIGYZI = 0.,0.!
COCU1    !FMFAC = 1.! !END!
FWF16    !SRCNAM  = FWF16   !
FWF16    !X =   245.605,  -1331.002,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0007953618!
FWF16    !SIGYZI = 0.,0.!
FWF16    !FMFAC = 1.! !END!
FEE11TK9 !SRCNAM  = FEE11TK9!
FEE11TK9 !X =   255.939,  -1333.952,  9.14634, 9.00,  0.91463,  0.00305,
297.51667,  0.0,  0.0007874870!
FEE11TK9 !SIGYZI = 0.,0.!
FEE11TK9 !FMFAC = 1.! !END!
GRE4A    !SRCNAM  = GRE4A   !
GRE4A    !X =   271.340,  -1318.432,  7.01220, 7.00,  0.60976,  5.12195,
699.66667,  0.0,  0.0007832870!
GRE4A    !SIGYZI = 0.,0.!
GRE4A    !FMFAC = 1.! !END!
VECOGEN2 !SRCNAM  = VECOGEN2!
VECOGEN2 !X =   253.842,  -1333.147,  15.24390, 11.02,  3.04878,  22.46951,
477.44444,  0.0,  0.0007748872!
VECOGEN2 !SIGYZI = 0.,0.!
VECOGEN2 !FMFAC = 1.! !END!
FEC107   !SRCNAM  = FEC107  !
FEC107   !X =   255.872,  -1333.581,  16.46341, 8.20,  4.87805,  8.84146,
302.44444,  0.0,  0.0007706873!
FEC107   !SIGYZI = 0.,0.!
FEC107   !FMFAC = 1.! !END!
VETK503  !SRCNAM  = VETK503 !
VETK503  !X =   254.435,  -1332.690,  7.31707, 9.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0007580875!
VETK503  !SIGYZI = 0.,0.!
VETK503  !FMFAC = 1.! !END!
VW17     !SRCNAM  = VW17    !
VW17     !X =   249.652,  -1332.437,  12.19512, 4.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0007575625!
VW17     !SIGYZI = 0.,0.!
VW17     !FMFAC = 1.! !END!
VW48F    !SRCNAM  = VW48F   !
VW48F    !X =   249.805,  -1332.899,  1.00000, 7.91,  0.01000,  0.01000,
294.00000,  0.0,  0.0007391878!
VW48F    !SIGYZI = 0.,0.!
VW48F    !FMFAC = 1.! !END!
CE693    !SRCNAM  = CE693   !
CE693    !X =   255.669,  -1333.274,  12.19512, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0007318379!
CE693    !SIGYZI = 0.,0.!
CE693    !FMFAC = 1.! !END!
CE876    !SRCNAM  = CE876   !
CE876    !X =   250.339,  -1333.226,  1.52439, 10.57,  0.01000,  0.01000,
294.00000,  0.0,  0.0007213381!
CE876    !SIGYZI = 0.,0.!
CE876    !FMFAC = 1.! !END!
VETK85   !SRCNAM  = VETK85  !
VETK85   !X =   253.877,  -1333.363,  14.63415, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0007192381!
VETK85   !SIGYZI = 0.,0.!
VETK85   !FMFAC = 1.! !END!
FWVRU1   !SRCNAM  = FWVRU1  !
```

```
FWVRU1   !X =   243.865,  -1330.992,  7.62195, 15.65,  0.20427,  2.07317,
295.22222,  0.0,  0.0007076883!
FWVRU1   !SIGYZI = 0.,0.!
FWVRU1   !FMFAC = 1.! !END!
CE642    !SRCNAM  = CE642   !
CE642    !X =   256.033,  -1333.419,  14.63415, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0007076883!
CE642    !SIGYZI = 0.,0.!
CE642    !FMFAC = 1.! !END!
FTTK2804 !SRCNAM  = FTTK2804!
FTTK2804 !X =   278.115,  -1330.898,  14.63415, 4.04,  0.91463,  0.00305,
298.00000,  0.0,  0.0007076883!
FTTK2804 !SIGYZI = 0.,0.!
FTTK2804 !FMFAC = 1.! !END!
VETK77   !SRCNAM  = VETK77  !
VETK77   !X =   254.122,  -1333.262,  11.58537, 11.19,  0.91463,  0.00305,
295.22222,  0.0,  0.0006971885!
VETK77   !SIGYZI = 0.,0.!
VETK77   !FMFAC = 1.! !END!
FWFB4003 !SRCNAM  = FWFB4003!
FWFB4003 !X =   244.083,  -1330.892,  12.19512, 15.60,  0.91463,  0.00305,
290.45556,  0.0,  0.0006856387!
FWFB4003 !SIGYZI = 0.,0.!
FWFB4003 !FMFAC = 1.! !END!
VWGBF    !SRCNAM  = VWGBF   !
VWGBF    !X =   249.407,  -1332.569,  3.04878, 4.12,  0.01000,  0.01000,
294.00000,  0.0,  0.0006735849!
VWGBF    !SIGYZI = 0.,0.!
VWGBF    !FMFAC = 1.! !END!
FWFB4007 !SRCNAM  = FWFB4007!
FWFB4007 !X =   244.058,  -1330.955,  15.24390, 16.27,  0.91463,  0.00305,
299.47222,  0.0,  0.0006593891!
FWFB4007 !SIGYZI = 0.,0.!
FWFB4007 !FMFAC = 1.! !END!
GRE3     !SRCNAM  = GRE3    !
GRE3     !X =   271.477,  -1318.396,  6.70732, 6.19,  0.30488,  27.74390,
699.66667,  0.0,  0.0006572891!
GRE3     !SIGYZI = 0.,0.!
GRE3     !FMFAC = 1.! !END!
FWFB4004 !SRCNAM  = FWFB4004!
FWFB4004 !X =   244.083,  -1330.892,  12.19512, 15.60,  0.91463,  0.00305,
290.80000,  0.0,  0.0006562391!
FWFB4004 !SIGYZI = 0.,0.!
FWFB4004 !FMFAC = 1.! !END!
FWFB4008 !SRCNAM  = FWFB4008!
FWFB4008 !X =   244.085,  -1330.955,  15.24390, 16.27,  0.91463,  0.00305,
292.66667,  0.0,  0.0006467893!
FWFB4008 !SIGYZI = 0.,0.!
FWFB4008 !FMFAC = 1.! !END!
FWFVCS1  !SRCNAM  = FWFVCS1 !
FWFVCS1  !X =   245.714,  -1330.092,  0.91463, 5.42,  0.01000,  0.01000,
294.00000,  0.0,  0.0006425894!
FWFVCS1  !SIGYZI = 0.,0.!
FWFVCS1  !FMFAC = 1.! !END!
VERAFF1F !SRCNAM  = VERAFF1F!
VERAFF1F !X =   254.500,  -1332.999,  12.19512, 9.63,  0.01000,  0.01000,
294.00000,  0.0,  0.0006331395!
VERAFF1F !SIGYZI = 0.,0.!
VERAFF1F !FMFAC = 1.! !END!
GRE6     !SRCNAM  = GRE6    !
GRE6     !X =   271.441,  -1318.116,  8.84146, 7.00,  0.60976,  10.12500,
689.11111,  0.0,  0.0006299896!
```

```
GRE6     !SIGYZI = 0.,0.!
GRE6     !FMFAC = 1.! !END!
VEQHDS2F !SRCNAM  = VEQHDS2F!
VEQHDS2F !X =   252.551,  -1333.343,  0.91463, 9.56,  0.01000,  0.01000,
294.00000,  0.0,  0.0006131899!
VEQHDS2F !SIGYZI = 0.,0.!
VEQHDS2F !FMFAC = 1.! !END!
VETK89   !SRCNAM  = VETK89  !
VETK89   !X =   253.798,  -1333.459,  14.63415, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0006089899!
VETK89   !SIGYZI = 0.,0.!
VETK89   !FMFAC = 1.! !END!
FWFB410  !SRCNAM  = FWFB410 !
FWFB410  !X =   253.939,  -1333.549,  14.63415, 12.00,  0.91463,  0.00305,
303.31111,  0.0,  0.0006026900!
FWFB410  !SIGYZI = 0.,0.!
FWFB410  !FMFAC = 1.! !END!
GRE5A    !SRCNAM  = GRE5A   !
GRE5A    !X =   271.450,  -1318.396,  7.62195, 6.52,  0.45732,  15.24390,
699.66667,  0.0,  0.0005995401!
GRE5A    !SIGYZI = 0.,0.!
GRE5A    !FMFAC = 1.! !END!
CEF1001  !SRCNAM  = CEF1001 !
CEF1001  !X =   256.150,  -1332.792,  6.09756, 1.50,  0.01000,  0.01000,
294.00000,  0.0,  0.0005901952!
CEF1001  !SIGYZI = 0.,0.!
CEF1001  !FMFAC = 1.! !END!
FEF118   !SRCNAM  = FEF118  !
FEF118   !X =   256.320,  -1332.911,  0.91463, 2.45,  0.01000,  0.01000,
294.00000,  0.0,  0.0005648907!
FEF118   !SIGYZI = 0.,0.!
FEF118   !FMFAC = 1.! !END!
FWFB1    !SRCNAM  = FWFB1   !
FWFB1    !X =   246.012,  -1330.771,  9.14634, 13.68,  0.91463,  0.00305,
312.44444,  0.0,  0.0005533409!
FWFB1    !SIGYZI = 0.,0.!
FWFB1    !FMFAC = 1.! !END!
VETK90   !SRCNAM  = VETK90  !
VETK90   !X =   253.828,  -1333.553,  14.93902, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0005449410!
VETK90   !SIGYZI = 0.,0.!
VETK90   !FMFAC = 1.! !END!
FWFB146  !SRCNAM  = FWFB146 !
FWFB146  !X =   245.367,  -1330.447,  14.63415, 14.49,  0.91463,  0.00305,
381.20556,  0.0,  0.0005396911!
FWFB146  !SIGYZI = 0.,0.!
FWFB146  !FMFAC = 1.! !END!
TRBARGED !SRCNAM  = TRBARGED!
TRBARGED !X =   249.418,  -1332.006,  0.91463, 1.55,  0.01000,  0.01000,
294.00000,  0.0,  0.0005246343!
TRBARGED !SIGYZI = 0.,0.!
TRBARGED !FMFAC = 1.! !END!
MIFLASH  !SRCNAM  = MIFLASH !
MIFLASH  !X =   281.474,  -1337.648,  3.65854, 4.00,  0.91463,  0.00305,
294.94444,  0.0,  0.0005137775!
MIFLASH  !SIGYZI = 0.,0.!
MIFLASH  !FMFAC = 1.! !END!
GP102    !SRCNAM  = GP102   !
GP102    !X =   271.999,  -1323.963,  60.67073, 6.00,  5.79268,  13.59756,
571.88889,  0.0,  0.0005092416!
GP102    !SIGYZI = 0.,0.!
GP102    !FMFAC = 1.! !END!
```

```
GP101    !SRCNAM  = GP101   !
GP101    !X =   271.970,  -1323.933,  60.67073, 6.00,  5.79268,  13.59756,
571.88889,  0.0,  0.0005071416!
GP101    !SIGYZI = 0.,0.!
GP101    !FMFAC = 1.! !END!
FWF20    !SRCNAM  = FWF20   !
FWF20    !X =   245.720,  -1331.185,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0005034667!
FWF20    !SIGYZI = 0.,0.!
FWF20    !FMFAC = 1.! !END!
CE737    !SRCNAM  = CE737   !
CE737    !X =   255.309,  -1333.254,  6.09756, 8.53,  0.91463,  0.00305,
298.55556,  0.0,  0.0004984478!
CE737    !SIGYZI = 0.,0.!
CE737    !FMFAC = 1.! !END!
NCDRIP1  !SRCNAM  = NCDRIP1 !
NCDRIP1  !X =   226.675,  -1327.165,  4.57317, 27.00,  0.91463,  0.00305,
296.33333,  0.0,  0.0004982168!
NCDRIP1  !SIGYZI = 0.,0.!
NCDRIP1  !FMFAC = 1.! !END!
FW10FA11 !SRCNAM  = FW10FA11!
FW10FA11 !X =   245.899,  -1330.681,  7.31707, 14.95,  0.91463,  0.00305,
288.55556,  0.0,  0.0004978493!
FW10FA11 !SIGYZI = 0.,0.!
FW10FA11 !FMFAC = 1.! !END!
NCDRIP2  !SRCNAM  = NCDRIP2 !
NCDRIP2  !X =   226.675,  -1327.165,  4.57317, 27.00,  0.91463,  0.00305,
296.33333,  0.0,  0.0004976918!
NCDRIP2  !SIGYZI = 0.,0.!
NCDRIP2  !FMFAC = 1.! !END!
VEPD11   !SRCNAM  = VEPD11  !
VEPD11   !X =   254.411,  -1331.942,  0.91463, 1.50,  0.01000,  0.01000,
294.00000,  0.0,  0.0004840420!
VEPD11   !SIGYZI = 0.,0.!
VEPD11   !FMFAC = 1.! !END!
EQ44     !SRCNAM  = EQ44    !
EQ44     !X =   238.814,  -1333.706,  22.86585, 18.00,  3.04878,  23.71646,
449.66667,  0.0,  0.0004840420!
EQ44     !SIGYZI = 0.,0.!
EQ44     !FMFAC = 1.! !END!
FEE18TKC !SRCNAM  = FEE18TKC!
FEE18TKC !X =   256.768,  -1333.115,  3.04878, 7.00,  0.91463,  0.00305,
298.60556,  0.0,  0.0004808920!
FEE18TKC !SIGYZI = 0.,0.!
FEE18TKC !FMFAC = 1.! !END!
FEFL118  !SRCNAM  = FEFL118 !
FEFL118  !X =   256.319,  -1332.879,  9.14634, 1.50,  1.82927,  1.52439,
634.11111,  0.0,  0.0004808920!
FEFL118  !SIGYZI = 0.,0.!
FEFL118  !FMFAC = 1.! !END!
VWVRU    !SRCNAM  = VWVRU   !
VWVRU    !X =   249.383,  -1332.694,  9.14634, 4.22,  0.30488,  1.89024,
310.77778,  0.0,  0.0004808920!
VWVRU    !SIGYZI = 0.,0.!
VWVRU    !FMFAC = 1.! !END!
FTFWPTK  !SRCNAM  = FTFWPTK !
FTFWPTK  !X =   278.019,  -1331.276,  1.21951, 4.00,  0.91463,  0.00305,
296.05556,  0.0,  0.0004713582!
FTFWPTK  !SIGYZI = 0.,0.!
FTFWPTK  !FMFAC = 1.! !END!
FEC109   !SRCNAM  = FEC109  !
```

```
FEC109   !X =   255.794,  -1333.739,  10.36585, 9.00,  3.35366,  4.57317,
299.66667,  0.0,  0.0004577924!
FEC109   !SIGYZI = 0.,0.!
FEC109   !FMFAC = 1.! !END!
VETK354  !SRCNAM  = VETK354 !
VETK354  !X =   252.548,  -1333.250,  14.63415, 8.57,  0.91463,  0.00305,
295.22222,  0.0,  0.0004535925!
VETK354  !SIGYZI = 0.,0.!
VETK354  !FMFAC = 1.! !END!
VEDOCK7F !SRCNAM  = VEDOCK7F!
VEDOCK7F !X =   254.660,  -1331.965,  4.57317, 1.50,  0.01000,  0.01000,
294.00000,  0.0,  0.0004457176!
VEDOCK7F !SIGYZI = 0.,0.!
VEDOCK7F !FMFAC = 1.! !END!
COCU2    !SRCNAM  = COCU2   !
COCU2    !X =   255.463,  -1332.907,  54.87805, 7.00,  3.04878,  17.01220,
371.88889,  0.0,  0.0004409927!
COCU2    !SIGYZI = 0.,0.!
COCU2    !FMFAC = 1.! !END!
CE063    !SRCNAM  = CE063   !
CE063    !X =   255.701,  -1333.430,  7.62195, 8.40,  0.20427,  23.78049,
616.33333,  0.0,  0.0004399427!
CE063    !SIGYZI = 0.,0.!
CE063    !FMFAC = 1.! !END!
CE062    !SRCNAM  = CE062   !
CE062    !X =   255.701,  -1333.430,  7.62195, 8.40,  0.20427,  23.78049,
616.33333,  0.0,  0.0004399427!
CE062    !SIGYZI = 0.,0.!
CE062    !FMFAC = 1.! !END!
CE064    !SRCNAM  = CE064   !
CE064    !X =   255.701,  -1333.430,  7.62195, 8.40,  0.20427,  23.78049,
616.33333,  0.0,  0.0004399427!
CE064    !SIGYZI = 0.,0.!
CE064    !FMFAC = 1.! !END!
CEF321   !SRCNAM  = CEF321  !
CEF321   !X =   255.443,  -1333.157,  3.04878, 8.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0004253060!
CEF321   !SIGYZI = 0.,0.!
CEF321   !FMFAC = 1.! !END!
FWFB4006 !SRCNAM  = FWFB4006!
FWFB4006 !X =   244.086,  -1330.986,  15.24390, 16.61,  0.91463,  0.00305,
298.00000,  0.0,  0.0004157931!
FWFB4006 !SIGYZI = 0.,0.!
FWFB4006 !FMFAC = 1.! !END!
CE773    !SRCNAM  = CE773   !
CE773    !X =   255.270,  -1333.756,  15.24390, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0004153731!
CE773    !SIGYZI = 0.,0.!
CE773    !FMFAC = 1.! !END!
FEF121   !SRCNAM  = FEF121  !
FEF121   !X =   255.772,  -1333.927,  3.04878, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0004126432!
FEF121   !SIGYZI = 0.,0.!
FEF121   !FMFAC = 1.! !END!
SCC93    !SRCNAM  = SCC93   !
SCC93    !X =   248.228,  -1334.572,  10.06098, 13.00,  0.20427,  0.01000,
294.00000,  0.0,  0.0004063433!
SCC93    !SIGYZI = 0.,0.!
SCC93    !FMFAC = 1.! !END!
VWT3F    !SRCNAM  = VWT3F   !
VWT3F    !X =   249.405,  -1332.475,  6.09756, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0004014294!
```

```
VWT3F    !SIGYZI = 0.,0.!
VWT3F    !FMFAC = 1.! !END!
VETK22   !SRCNAM  = VETK22  !
VETK22   !X =   254.209,  -1333.385,  14.63415, 11.62,  0.91463,  0.00305,
295.22222,  0.0,  0.0003937435!
VETK22   !SIGYZI = 0.,0.!
VETK22   !FMFAC = 1.! !END!
VETK19   !SRCNAM  = VETK19  !
VETK19   !X =   254.157,  -1333.479,  14.63415, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0003905935!
VETK19   !SIGYZI = 0.,0.!
VETK19   !FMFAC = 1.! !END!
FWFB409  !SRCNAM  = FWFB409 !
FWFB409  !X =   253.914,  -1333.643,  14.63415, 12.00,  0.91463,  0.00305,
302.21111,  0.0,  0.0003895436!
FWFB409  !SIGYZI = 0.,0.!
FWFB409  !FMFAC = 1.! !END!
VETK74   !SRCNAM  = VETK74  !
VETK74   !X =   254.046,  -1333.482,  9.14634, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0003874436!
VETK74   !SIGYZI = 0.,0.!
VETK74   !FMFAC = 1.! !END!
VETK17   !SRCNAM  = VETK17  !
VETK17   !X =   254.068,  -1333.294,  9.14634, 11.54,  0.91463,  0.00305,
295.22222,  0.0,  0.0003758938!
VETK17   !SIGYZI = 0.,0.!
VETK17   !FMFAC = 1.! !END!
VW15     !SRCNAM  = VW15    !
VW15     !X =   249.625,  -1332.468,  9.75610, 4.25,  0.91463,  0.00305,
298.55556,  0.0,  0.0003746863!
VW15     !SIGYZI = 0.,0.!
VW15     !FMFAC = 1.! !END!
VETK14   !SRCNAM  = VETK14  !
VETK14   !X =   254.208,  -1333.353,  14.63415, 11.33,  0.91463,  0.00305,
295.22222,  0.0,  0.0003695939!
VETK14   !SIGYZI = 0.,0.!
VETK14   !FMFAC = 1.! !END!
MIT7     !SRCNAM  = MIT7    !
MIT7     !X =   281.474,  -1337.648,  3.65854, 4.00,  0.91463,  0.00305,
294.94444,  0.0,  0.0003614460!
MIT7     !SIGYZI = 0.,0.!
MIT7     !FMFAC = 1.! !END!
NASCGRP6 !SRCNAM  = NASCGRP6!
NASCGRP6 !X =   271.164,  -1345.626,  0.91463, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0003517442!
NASCGRP6 !SIGYZI = 0.,0.!
NASCGRP6 !FMFAC = 1.! !END!
VEISOMDI !SRCNAM  = VEISOMDI!
VEISOMDI !X =   254.361,  -1332.942,  4.57317, 9.88,  0.01000,  0.01000,
294.00000,  0.0,  0.0003454443!
VEISOMDI !SIGYZI = 0.,0.!
VEISOMDI !FMFAC = 1.! !END!
TP305COG !SRCNAM  = TP305COG!
TP305COG !X =   217.189,  -1361.680,  21.95122, 17.00,  3.65854,  15.51829,
441.33333,  0.0,  0.0003443943!
TP305COG !SIGYZI = 0.,0.!
TP305COG !FMFAC = 1.! !END!
VW11     !SRCNAM  = VW11    !
VW11     !X =   249.546,  -1332.595,  12.19512, 5.09,  0.91463,  0.00305,
298.55556,  0.0,  0.0003412444!
VW11     !SIGYZI = 0.,0.!
VW11     !FMFAC = 1.! !END!
```

```
FEE11TKI !SRCNAM  = FEE11TKI!
FEE11TKI !X =   255.578,  -1333.871,  14.63415, 9.00,  0.91463,  0.00305,
308.01111,  0.0,  0.0003307445!
FEE11TKI !SIGYZI = 0.,0.!
FEE11TKI !FMFAC = 1.! !END!
FWFTR101 !SRCNAM  = FWFTR101!
FWFTR101 !X =   243.836,  -1330.932,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0003275946!
FWFTR101 !SIGYZI = 0.,0.!
FWFTR101 !FMFAC = 1.! !END!
FWFFGHU  !SRCNAM  = FWFFGHU !
FWFFGHU  !X =   245.607,  -1331.095,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0003275946!
FWFFGHU  !SIGYZI = 0.,0.!
FWFFGHU  !FMFAC = 1.! !END!
GRE1A    !SRCNAM  = GRE1A   !
GRE1A    !X =   271.367,  -1318.399,  7.01220, 7.00,  0.60976,  3.84146,
699.66667,  0.0,  0.0003254946!
GRE1A    !SIGYZI = 0.,0.!
GRE1A    !FMFAC = 1.! !END!
NSS103   !SRCNAM  = NSS103  !
NSS103   !X =   257.817,  -1332.270,  7.31707, 4.00,  0.91463,  0.00305,
296.88889,  0.0,  0.0003160448!
NSS103   !SIGYZI = 0.,0.!
NSS103   !FMFAC = 1.! !END!
TRTERMFU !SRCNAM  = TRTERMFU!
TRTERMFU !X =   249.190,  -1332.669,  0.91463, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0003151523!
TRTERMFU !SIGYZI = 0.,0.!
TRTERMFU !FMFAC = 1.! !END!
VW36     !SRCNAM  = VW36    !
VW36     !X =   249.519,  -1332.627,  10.67073, 4.98,  0.91463,  0.00305,
298.55556,  0.0,  0.0003132623!
VW36     !SIGYZI = 0.,0.!
VW36     !FMFAC = 1.! !END!
FWF12    !SRCNAM  = FWF12   !
FWF12    !X =   245.609,  -1331.158,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0003086949!
FWF12    !SIGYZI = 0.,0.!
FWF12    !FMFAC = 1.! !END!
CE872    !SRCNAM  = CE872   !
CE872    !X =   250.201,  -1333.199,  13.41463, 10.24,  0.91463,  0.00305,
298.55556,  0.0,  0.0003044950!
CE872    !SIGYZI = 0.,0.!
CE872    !FMFAC = 1.! !END!
WT132    !SRCNAM  = WT132   !
WT132    !X =   254.635,  -1333.776,  12.80488, 12.00,  0.91463,  0.00305,
294.11111,  0.0,  0.0003002950!
WT132    !SIGYZI = 0.,0.!
WT132    !FMFAC = 1.! !END!
FWVCS2   !SRCNAM  = FWVCS2  !
FWVCS2   !X =   246.395,  -1330.665,  7.31707, 4.36,  1.82927,  14.54268,
533.00000,  0.0,  0.0011723056!
FWVCS2   !SIGYZI = 0.,0.!
FWVCS2   !FMFAC = 1.! !END!
GRL1     !SRCNAM  = GRL1    !
GRL1     !X =   271.341,  -1318.463,  3.04878, 7.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0002934701!
GRL1     !SIGYZI = 0.,0.!
GRL1     !FMFAC = 1.! !END!
NSS104   !SRCNAM  = NSS104  !
```

```
NSS104   !X =   257.791,  -1332.302,  7.31707, 4.00,  0.91463,  0.00305,
296.88889,  0.0,  0.0002887452!
NSS104   !SIGYZI = 0.,0.!
NSS104   !FMFAC = 1.! !END!
NSS105   !SRCNAM  = NSS105  !
NSS105   !X =   257.847,  -1332.331,  7.31707, 4.00,  0.91463,  0.00305,
296.88889,  0.0,  0.0002887452!
NSS105   !SIGYZI = 0.,0.!
NSS105   !FMFAC = 1.! !END!
CE873    !SRCNAM  = CE873   !
CE873    !X =   250.339,  -1333.226,  13.41463, 10.57,  0.91463,  0.00305,
298.55556,  0.0,  0.0002803454!
CE873    !SIGYZI = 0.,0.!
CE873    !FMFAC = 1.! !END!
VW37     !SRCNAM  = VW37    !
VW37     !X =   249.547,  -1332.626,  10.67073, 5.13,  0.91463,  0.00305,
298.55556,  0.0,  0.0002764079!
VW37     !SIGYZI = 0.,0.!
VW37     !FMFAC = 1.! !END!
A1ICVNT  !SRCNAM  = A1ICVNT !
A1ICVNT  !X =   252.646,  -1300.839,  5.48780, 15.00,  0.60976,  21.34146,
560.77778,  0.0,  0.0002698455!
A1ICVNT  !SIGYZI = 0.,0.!
A1ICVNT  !FMFAC = 1.! !END!
WTLD4    !SRCNAM  = WTLD4   !
WTLD4    !X =   255.254,  -1332.384,  0.91463, 6.23,  0.01000,  0.01000,
294.00000,  0.0,  0.0002498959!
WTLD4    !SIGYZI = 0.,0.!
WTLD4    !FMFAC = 1.! !END!
VETK359  !SRCNAM  = VETK359 !
VETK359  !X =   252.825,  -1333.241,  14.63415, 8.78,  0.91463,  0.00305,
295.22222,  0.0,  0.0002456959!
VETK359  !SIGYZI = 0.,0.!
VETK359  !FMFAC = 1.! !END!
MIT4     !SRCNAM  = MIT4    !
MIT4     !X =   281.474,  -1337.648,  6.09756, 4.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0002456959!
MIT4     !SIGYZI = 0.,0.!
MIT4     !FMFAC = 1.! !END!
MIT5     !SRCNAM  = MIT5    !
MIT5     !X =   281.474,  -1337.648,  6.09756, 4.00,  0.91463,  0.00305,
294.94444,  0.0,  0.0002456959!
MIT5     !SIGYZI = 0.,0.!
MIT5     !FMFAC = 1.! !END!
MIT6     !SRCNAM  = MIT6    !
MIT6     !X =   281.474,  -1337.648,  6.09756, 4.00,  0.91463,  0.00305,
294.94444,  0.0,  0.0002456959!
MIT6     !SIGYZI = 0.,0.!
MIT6     !FMFAC = 1.! !END!
FWVCU    !SRCNAM  = FWVCU   !
FWVCU    !X =   243.839,  -1331.024,  6.09756, 15.76,  0.30488,  9.14634,
477.44444,  0.0,  0.0002404460!
FWVCU    !SIGYZI = 0.,0.!
FWVCU    !FMFAC = 1.! !END!
CE146    !SRCNAM  = CE146   !
CE146    !X =   256.039,  -1333.606,  7.01220, 8.00,  0.20427,  25.00000,
616.33333,  0.0,  0.0002393960!
CE146    !SIGYZI = 0.,0.!
CE146    !FMFAC = 1.! !END!
CE166    !SRCNAM  = CE166   !
CE166    !X =   256.011,  -1333.607,  7.01220, 8.10,  0.20427,  25.00000,
616.33333,  0.0,  0.0002393960!
```

```
CE166    !SIGYZI = 0.,0.!
CE166    !FMFAC = 1.! !END!
CE145    !SRCNAM  = CE145   !
CE145    !X =   256.011,  -1333.607,  7.01220, 8.10,  0.20427,  25.00000,
616.33333,  0.0,  0.0002393960!
CE145    !SIGYZI = 0.,0.!
CE145    !FMFAC = 1.! !END!
CE144    !SRCNAM  = CE144   !
CE144    !X =   256.011,  -1333.607,  7.01220, 8.10,  0.20427,  25.00000,
616.33333,  0.0,  0.0002393960!
CE144    !SIGYZI = 0.,0.!
CE144    !FMFAC = 1.! !END!
CEF861   !SRCNAM  = CEF861  !
CEF861   !X =   248.806,  -1331.870,  6.09756, 2.42,  0.01000,  0.01000,
294.00000,  0.0,  0.0002372961!
CEF861   !SIGYZI = 0.,0.!
CEF861   !FMFAC = 1.! !END!
GRE6A    !SRCNAM  = GRE6A   !
GRE6A    !X =   271.037,  -1318.411,  5.79268, 7.00,  0.32927,  27.74390,
699.66667,  0.0,  0.0002299462!
GRE6A    !SIGYZI = 0.,0.!
GRE6A    !FMFAC = 1.! !END!
FWFS201  !SRCNAM  = FWFS201 !
FWFS201  !X =   244.600,  -1330.657,  12.19512, 14.00,  6.09756,  7.92683,
305.22222,  0.0,  0.0002283712!
FWFS201  !SIGYZI = 0.,0.!
FWFS201  !FMFAC = 1.! !END!
CD9817   !SRCNAM  = CD9817  !
CD9817   !X =   254.380,  -1333.565,  12.80488, 12.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0002275522!
CD9817   !SIGYZI = 0.,0.!
CD9817   !FMFAC = 1.! !END!
VEISOMST !SRCNAM  = VEISOMST!
VEISOMST !X =   254.390,  -1332.973,  15.24390, 10.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0002157714!
VEISOMST !SIGYZI = 0.,0.!
VEISOMST !FMFAC = 1.! !END!
VEPD7    !SRCNAM  = VEPD7   !
VEPD7    !X =   254.660,  -1331.965,  0.91463, 1.50,  0.01000,  0.01000,
294.00000,  0.0,  0.0002152464!
VEPD7    !SIGYZI = 0.,0.!
VEPD7    !FMFAC = 1.! !END!
FWFB9    !SRCNAM  = FWFB9   !
FWFB9    !X =   245.956,  -1330.772,  11.89024, 14.52,  0.91463,  0.00305,
299.66667,  0.0,  0.0002094715!
FWFB9    !SIGYZI = 0.,0.!
FWFB9    !FMFAC = 1.! !END!
VWT22AF  !SRCNAM  = VWT22AF !
VWT22AF  !X =   249.062,  -1332.986,  1.82927, 5.59,  0.01000,  0.01000,
294.00000,  0.0,  0.0002080856!
VWT22AF  !SIGYZI = 0.,0.!
VWT22AF  !FMFAC = 1.! !END!
A2C9     !SRCNAM  = A2C9    !
A2C9     !X =   252.740,  -1302.924,  4.26829, 12.97,  0.20122,  27.43902,
644.11111,  0.0,  0.0002068466!
A2C9     !SIGYZI = 0.,0.!
A2C9     !FMFAC = 1.! !END!
FWF13    !SRCNAM  = FWF13   !
FWF13    !X =   245.638,  -1331.187,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0002057966!
FWF13    !SIGYZI = 0.,0.!
FWF13    !FMFAC = 1.! !END!
```

```
EQ53     !SRCNAM  = EQ53    !
EQ53     !X =   239.083,  -1333.478,  5.48780, 18.00,  0.30488,  0.00305,
298.00000,  0.0,  0.0002047466!
EQ53     !SIGYZI = 0.,0.!
EQ53     !FMFAC = 1.! !END!
FWF28    !SRCNAM  = FWF28   !
FWF28    !X =   245.577,  -1331.003,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001973967!
FWF28    !SIGYZI = 0.,0.!
FWF28    !FMFAC = 1.! !END!
A2C10    !SRCNAM  = A2C10   !
A2C10    !X =   252.740,  -1302.924,  6.40244, 12.97,  0.36585,  22.86585,
644.11111,  0.0,  0.0001973967!
A2C10    !SIGYZI = 0.,0.!
A2C10    !FMFAC = 1.! !END!
NSS101   !SRCNAM  = NSS101  !
NSS101   !X =   257.763,  -1332.303,  7.62195, 4.00,  0.91463,  0.00305,
296.88889,  0.0,  0.0001910968!
NSS101   !SIGYZI = 0.,0.!
NSS101   !FMFAC = 1.! !END!
GRE4     !SRCNAM  = GRE4    !
GRE4     !X =   271.477,  -1318.396,  6.70732, 6.19,  0.30488,  27.74390,
699.66667,  0.0,  0.0001910968!
GRE4     !SIGYZI = 0.,0.!
GRE4     !FMFAC = 1.! !END!
NSS102   !SRCNAM  = NSS102  !
NSS102   !X =   252.300,  -1332.383,  7.62195, 4.00,  0.91463,  0.00305,
296.88889,  0.0,  0.0001900469!
NSS102   !SIGYZI = 0.,0.!
NSS102   !FMFAC = 1.! !END!
VETK88   !SRCNAM  = VETK88  !
VETK88   !X =   253.830,  -1333.615,  14.93902, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0001900469!
VETK88   !SIGYZI = 0.,0.!
VETK88   !FMFAC = 1.! !END!
FWFB3040 !SRCNAM  = FWFB3040!
FWFB3040 !X =   243.803,  -1330.745,  14.63415, 14.97,  0.91463,  0.00305,
321.94444,  0.0,  0.0001868969!
FWFB3040 !SIGYZI = 0.,0.!
FWFB3040 !FMFAC = 1.! !END!
NASET005 !SRCNAM  = NASET005!
NASET005 !X =   271.140,  -1345.689,  15.24390, 4.00,  1.06707,  15.24390,
644.11111,  0.0,  0.0001805970!
NASET005 !SIGYZI = 0.,0.!
NASET005 !FMFAC = 1.! !END!
VEMEROXW !SRCNAM  = VEMEROXW!
VEMEROXW !X =   253.706,  -1333.213,  0.91463, 11.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001763971!
VEMEROXW !SIGYZI = 0.,0.!
VEMEROXW !FMFAC = 1.! !END!
GRE5     !SRCNAM  = GRE5    !
GRE5     !X =   271.477,  -1318.396,  6.70732, 6.19,  0.20122,  25.00000,
699.66667,  0.0,  0.0001742971!
GRE5     !SIGYZI = 0.,0.!
GRE5     !FMFAC = 1.! !END!
FWFS101  !SRCNAM  = FWFS101 !
FWFS101  !X =   243.997,  -1330.771,  7.62195, 15.00,  3.35366,  7.92683,
305.22222,  0.0,  0.0001711472!
FWFS101  !SIGYZI = 0.,0.!
FWFS101  !FMFAC = 1.! !END!
VETK504  !SRCNAM  = VETK504 !
```

```
VETK504  !X =   254.434,  -1332.659,  7.31707, 8.98,  0.91463,  0.00305,
295.22222,  0.0,  0.0001690472!
VETK504  !SIGYZI = 0.,0.!
VETK504  !FMFAC = 1.! !END!
VETK200  !SRCNAM  = VETK200 !
VETK200  !X =   254.602,  -1332.747,  5.48780, 8.76,  0.91463,  0.00305,
295.22222,  0.0,  0.0001595974!
VETK200  !SIGYZI = 0.,0.!
VETK200  !FMFAC = 1.! !END!
BD2      !SRCNAM  = BD2     !
BD2      !X =   267.881,  -1355.734,  48.78049, 4.00,  4.69512,  17.31707,
391.33333,  0.0,  0.0001574974!
BD2      !SIGYZI = 0.,0.!
BD2      !FMFAC = 1.! !END!
CE501    !SRCNAM  = CE501   !
CE501    !X =   255.264,  -1333.569,  1.21951, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001543054!
CE501    !SIGYZI = 0.,0.!
CE501    !FMFAC = 1.! !END!
WT101    !SRCNAM  = WT101   !
WT101    !X =   254.465,  -1333.625,  12.80488, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0001532975!
WT101    !SIGYZI = 0.,0.!
WT101    !FMFAC = 1.! !END!
VW18F    !SRCNAM  = VW18F   !
VW18F    !X =   250.297,  -1332.759,  7.62195, 6.58,  0.01000,  0.01000,
294.00000,  0.0,  0.0001496855!
VW18F    !SIGYZI = 0.,0.!
VW18F    !FMFAC = 1.! !END!
GRE2     !SRCNAM  = GRE2    !
GRE2     !X =   271.477,  -1318.396,  6.70732, 6.19,  0.30488,  27.74390,
699.66667,  0.0,  0.0001490975!
GRE2     !SIGYZI = 0.,0.!
GRE2     !FMFAC = 1.! !END!
VETK329  !SRCNAM  = VETK329 !
VETK329  !X =   252.522,  -1333.282,  12.19512, 8.90,  1.00000,  0.00305,
295.22222,  0.0,  0.0001333478!
VETK329  !SIGYZI = 0.,0.!
VETK329  !FMFAC = 1.! !END!
FWFB3041 !SRCNAM  = FWFB3041!
FWFB3041 !X =   243.801,  -1330.682,  14.63415, 14.65,  0.91463,  0.00305,
326.88889,  0.0,  0.0001301978!
FWFB3041 !SIGYZI = 0.,0.!
FWFB3041 !FMFAC = 1.! !END!
VETK500  !SRCNAM  = VETK500 !
VETK500  !X =   254.487,  -1332.594,  7.62195, 8.36,  0.91463,  0.00305,
295.22222,  0.0,  0.0001291479!
VETK500  !SIGYZI = 0.,0.!
VETK500  !FMFAC = 1.! !END!
CE739    !SRCNAM  = CE739   !
CE739    !X =   255.263,  -1333.538,  6.09756, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0001228060!
CE739    !SIGYZI = 0.,0.!
CE739    !FMFAC = 1.! !END!
VETK205  !SRCNAM  = VETK205 !
VETK205  !X =   254.036,  -1333.141,  12.19512, 10.90,  0.91463,  0.00305,
295.22222,  0.0,  0.0001186480!
VETK205  !SIGYZI = 0.,0.!
VETK205  !FMFAC = 1.! !END!
CEF3200  !SRCNAM  = CEF3200 !
CEF3200  !X =   255.361,  -1333.128,  7.62195, 8.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001165481!
```

```
CEF3200  !SIGYZI = 0.,0.!
CEF3200  !FMFAC = 1.! !END!
VETK326  !SRCNAM  = VETK326 !
VETK326  !X =   252.522,  -1333.282,  12.19512, 8.90,  1.00000,  0.00305,
295.22222,  0.0,  0.0001165481!
VETK326  !SIGYZI = 0.,0.!
VETK326  !FMFAC = 1.! !END!
CW521FUG !SRCNAM  = CW521FUG!
CW521FUG !X =   248.738,  -1333.245,  6.09756, 7.24,  0.01000,  0.01000,
294.00000,  0.0,  0.0001164851!
CW521FUG !SIGYZI = 0.,0.!
CW521FUG !FMFAC = 1.! !END!
FWFS2    !SRCNAM  = FWFS2   !
FWFS2    !X =   245.716,  -1331.061,  14.02439, 15.00,  6.09756,  8.23171,
308.00000,  0.0,  0.0001139231!
FWFS2    !SIGYZI = 0.,0.!
FWFS2    !FMFAC = 1.! !END!
CE204    !SRCNAM  = CE204   !
CE204    !X =   255.374,  -1333.534,  7.01220, 9.00,  0.20427,  24.20732,
639.66667,  0.0,  0.0001102482!
CE204    !SIGYZI = 0.,0.!
CE204    !FMFAC = 1.! !END!
CE205    !SRCNAM  = CE205   !
CE205    !X =   255.374,  -1333.534,  7.01220, 9.00,  0.20427,  24.20732,
639.66667,  0.0,  0.0001102482!
CE205    !SIGYZI = 0.,0.!
CE205    !FMFAC = 1.! !END!
CE206    !SRCNAM  = CE206   !
CE206    !X =   255.374,  -1333.534,  7.01220, 9.00,  0.20427,  24.20732,
639.66667,  0.0,  0.0001102482!
CE206    !SIGYZI = 0.,0.!
CE206    !FMFAC = 1.! !END!
SH1      !SRCNAM  = SH1     !
SH1      !X =   241.973,  -1335.015,  25.00000, 18.00,  1.21951,  22.95732,
653.55556,  0.0,  0.0001081482!
SH1      !SIGYZI = 0.,0.!
SH1      !FMFAC = 1.! !END!
VETK351  !SRCNAM  = VETK351 !
VETK351  !X =   252.436,  -1333.192,  14.32927, 7.91,  0.91463,  0.00305,
295.22222,  0.0,  0.0001070982!
VETK351  !SIGYZI = 0.,0.!
VETK351  !FMFAC = 1.! !END!
BD1      !SRCNAM  = BD1     !
BD1      !X =   267.855,  -1355.765,  48.78049, 4.18,  4.57317,  17.31707,
391.33333,  0.0,  0.0001049983!
BD1      !SIGYZI = 0.,0.!
BD1      !FMFAC = 1.! !END!
VETK54   !SRCNAM  = VETK54  !
VETK54   !X =   254.201,  -1333.136,  12.80488, 10.91,  0.91463,  0.00305,
295.22222,  0.0,  0.0891420561!
VETK54   !SIGYZI = 0.,0.!
VETK54   !FMFAC = 1.! !END!
VW62     !SRCNAM  = VW62    !
VW62     !X =   249.788,  -1332.369,  14.63415, 4.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0800246578!
VW62     !SIGYZI = 0.,0.!
VW62     !FMFAC = 1.! !END!
CE707    !SRCNAM  = CE707   !
CE707    !X =   255.610,  -1333.183,  12.19512, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0762993719!
CE707    !SIGYZI = 0.,0.!
CE707    !FMFAC = 1.! !END!
```

```
CE708    !SRCNAM  = CE708   !
CE708    !X =   255.584,  -1333.215,  12.19512, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0751610857!
CE708    !SIGYZI = 0.,0.!
CE708    !FMFAC = 1.! !END!
FWZ4     !SRCNAM  = FWZ4    !
FWZ4     !X =   245.524,  -1331.066,  12.19512, 15.00,  3.35366,  20.12195,
394.11111,  0.0,  0.0728821614!
FWZ4     !SIGYZI = 0.,0.!
FWZ4     !FMFAC = 1.! !END!
VETK53   !SRCNAM  = VETK53  !
VETK53   !X =   254.160,  -1333.573,  12.80488, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0630121776!
VETK53   !SIGYZI = 0.,0.!
VETK53   !FMFAC = 1.! !END!
CE697    !SRCNAM  = CE697   !
CE697    !X =   255.692,  -1333.149,  12.19512, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0608118445!
CE697    !SIGYZI = 0.,0.!
CE697    !FMFAC = 1.! !END!
SA70     !SRCNAM  = SA70    !
SA70     !X =   272.085,  -1324.054,  9.14634, 6.00,  1.82927,  23.47561,
413.00000,  0.0,  0.0513031072!
SA70     !SIGYZI = 0.,0.!
SA70     !FMFAC = 1.! !END!
VW91     !SRCNAM  = VW91    !
VW91     !X =   249.380,  -1332.601,  15.24390, 4.08,  0.91463,  0.00305,
298.55556,  0.0,  0.0497867223!
VW91     !SIGYZI = 0.,0.!
VW91     !FMFAC = 1.! !END!
VETK151  !SRCNAM  = VETK151 !
VETK151  !X =   254.577,  -1332.811,  12.50000, 9.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0469054859!
VETK151  !SIGYZI = 0.,0.!
VETK151  !FMFAC = 1.! !END!
VETK71   !SRCNAM  = VETK71  !
VETK71   !X =   254.093,  -1333.232,  10.67073, 11.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0462382955!
VETK71   !SIGYZI = 0.,0.!
VETK71   !FMFAC = 1.! !END!
CE698    !SRCNAM  = CE698   !
CE698    !X =   255.693,  -1333.181,  12.19512, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0451173550!
CE698    !SIGYZI = 0.,0.!
CE698    !FMFAC = 1.! !END!
VW89     !SRCNAM  = VW89    !
VW89     !X =   249.406,  -1332.538,  15.24390, 4.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0434413202!
VW89     !SIGYZI = 0.,0.!
VW89     !FMFAC = 1.! !END!
CE454    !SRCNAM  = CE454   !
CE454    !X =   255.965,  -1333.047,  9.14634, 7.78,  0.91463,  0.00305,
298.55556,  0.0,  0.0419616427!
CE454    !SIGYZI = 0.,0.!
CE454    !FMFAC = 1.! !END!
VETK81   !SRCNAM  = VETK81  !
VETK81   !X =   254.063,  -1333.108,  14.63415, 10.56,  0.91463,  0.00305,
295.22222,  0.0,  0.0406231248!
VETK81   !SIGYZI = 0.,0.!
VETK81   !FMFAC = 1.! !END!
VETK153  !SRCNAM  = VETK153 !
```

```
VETK153  !X =   254.603,  -1332.779,  12.19512, 8.86,  0.91463,  0.00305,
295.22222,  0.0,  0.0365148262!
VETK153  !SIGYZI = 0.,0.!
VETK153  !FMFAC = 1.! !END!
CE694    !SRCNAM  = CE694   !
CE694    !X =   255.639,  -1333.213,  12.19512, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0329411893!
CE694    !SIGYZI = 0.,0.!
CE694    !FMFAC = 1.! !END!
FWFB3045 !SRCNAM  = FWFB3045!
FWFB3045 !X =   243.853,  -1330.587,  14.63415, 14.00,  0.91463,  0.00305,
301.05556,  0.0,  0.0318978951!
FWFB3045 !SIGYZI = 0.,0.!
FWFB3045 !FMFAC = 1.! !END!
CE695    !SRCNAM  = CE695   !
CE695    !X =   255.667,  -1333.213,  12.19512, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0318718870!
CE695    !SIGYZI = 0.,0.!
CE695    !FMFAC = 1.! !END!
VETK70   !SRCNAM  = VETK70  !
VETK70   !X =   254.117,  -1333.106,  14.93902, 10.55,  0.91463,  0.00305,
295.22222,  0.0,  0.0285297503!
VETK70   !SIGYZI = 0.,0.!
VETK70   !FMFAC = 1.! !END!
VW13     !SRCNAM  = VW13    !
VW13     !X =   249.542,  -1332.470,  17.07317, 4.25,  0.91463,  0.00305,
298.55556,  0.0,  0.0270806692!
VW13     !SIGYZI = 0.,0.!
VW13     !FMFAC = 1.! !END!
VW182    !SRCNAM  = VW182   !
VW182    !X =   249.902,  -1332.490,  14.63415, 4.58,  0.91463,  0.00305,
296.33333,  0.0,  0.0263363155!
VW182    !SIGYZI = 0.,0.!
VW182    !FMFAC = 1.! !END!
FWA203   !SRCNAM  = FWA203  !
FWA203   !X =   244.996,  -1330.958,  64.02439, 14.68,  3.65854,  5.27439,
421.88889,  0.0,  0.0256049291!
FWA203   !SIGYZI = 0.,0.!
FWA203   !FMFAC = 1.! !END!
CW553FUG !SRCNAM  = CW553FUG!
CW553FUG !X =   248.963,  -1333.363,  3.04878, 8.58,  0.01000,  0.01000,
294.00000,  0.0,  0.0252902388!
CW553FUG !SIGYZI = 0.,0.!
CW553FUG !FMFAC = 1.! !END!
FWFB3046 !SRCNAM  = FWFB3046!
FWFB3046 !X =   243.854,  -1330.619,  14.63415, 14.00,  0.91463,  0.00305,
300.81667,  0.0,  0.0224491853!
FWFB3046 !SIGYZI = 0.,0.!
FWFB3046 !FMFAC = 1.! !END!
COFUG    !SRCNAM  = COFUG   !
COFUG    !X =   255.353,  -1332.879,  0.91463, 7.46,  0.01000,  0.01000,
294.00000,  0.0,  0.0195217812!
COFUG    !SIGYZI = 0.,0.!
COFUG    !FMFAC = 1.! !END!
VETK86   !SRCNAM  = VETK86  !
VETK86   !X =   253.795,  -1333.366,  9.14634, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0193265579!
VETK86   !SIGYZI = 0.,0.!
VETK86   !FMFAC = 1.! !END!
VW169    !SRCNAM  = VW169   !
VW169    !X =   249.293,  -1332.448,  16.46341, 4.00,  0.91463,  0.00305,
296.88889,  0.0,  0.0182718399!
```

```
VW169    !SIGYZI = 0.,0.!
VW169    !FMFAC = 1.! !END!
VETK55   !SRCNAM  = VETK55  !
VETK55   !X =   254.176,  -1333.198,  12.80488, 11.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0167314104!
VETK55   !SIGYZI = 0.,0.!
VETK55   !FMFAC = 1.! !END!
CWAPI1   !SRCNAM  = CWAPI1  !
CWAPI1   !X =   248.318,  -1333.040,  3.04878, 4.99,  0.01000,  0.01000,
294.00000,  0.0,  0.0160099253!
CWAPI1   !SIGYZI = 0.,0.!
CWAPI1   !FMFAC = 1.! !END!
CW585T64 !SRCNAM  = CW585T64!
CW585T64 !X =   249.102,  -1333.390,  9.14634, 8.91,  0.91463,  0.00305,
299.66667,  0.0,  0.0153840516!
CW585T64 !SIGYZI = 0.,0.!
CW585T64 !FMFAC = 1.! !END!
CW585T63 !SRCNAM  = CW585T63!
CW585T63 !X =   249.102,  -1333.390,  9.14634, 8.91,  0.91463,  0.00305,
298.00000,  0.0,  0.0153150678!
CW585T63 !SIGYZI = 0.,0.!
CW585T63 !FMFAC = 1.! !END!
FWN103   !SRCNAM  = FWN103  !
FWN103   !X =   245.918,  -1331.303,  45.73171, 12.18,  1.52439,  16.46341,
421.88889,  0.0,  0.0137180232!
FWN103   !SIGYZI = 0.,0.!
FWN103   !FMFAC = 1.! !END!
CE459    !SRCNAM  = CE459   !
CE459    !X =   255.965,  -1333.047,  3.65854, 7.78,  1.82927,  0.00305,
298.55556,  0.0,  0.0136960050!
CE459    !SIGYZI = 0.,0.!
CE459    !FMFAC = 1.! !END!
FE94     !SRCNAM  = FE94    !
FE94     !X =   255.689,  -1333.899,  30.48780, 9.00,  2.53049,  6.40244,
424.66667,  0.0,  0.0133390319!
FE94     !SIGYZI = 0.,0.!
FE94     !FMFAC = 1.! !END!
CE469    !SRCNAM  = CE469   !
CE469    !X =   255.909,  -1333.017,  6.09756, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0131835505!
CE469    !SIGYZI = 0.,0.!
CE469    !FMFAC = 1.! !END!
CE470    !SRCNAM  = CE470   !
CE470    !X =   255.909,  -1333.017,  6.09756, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0131322484!
CE470    !SIGYZI = 0.,0.!
CE470    !FMFAC = 1.! !END!
CE696    !SRCNAM  = CE696   !
CE696    !X =   255.666,  -1333.182,  12.19512, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0131074898!
CE696    !SIGYZI = 0.,0.!
CE696    !FMFAC = 1.! !END!
SA80     !SRCNAM  = SA80    !
SA80     !X =   272.085,  -1324.054,  9.14634, 6.00,  1.82927,  23.47561,
413.00000,  0.0,  0.0130454148!
SA80     !SIGYZI = 0.,0.!
SA80     !FMFAC = 1.! !END!
CE714    !SRCNAM  = CE714   !
CE714    !X =   255.696,  -1333.273,  14.63415, 8.00,  0.91463,  0.00305,
304.66667,  0.0,  0.0124653834!
CE714    !SIGYZI = 0.,0.!
CE714    !FMFAC = 1.! !END!
```

```
VW162    !SRCNAM  = VW162   !
VW162    !X =   250.274,  -1332.917,  74.69512, 8.26,  2.59146,  10.79268,
449.66667,  0.0,  0.0213666637!
VW162    !SIGYZI = 0.,0.!
VW162    !FMFAC = 1.! !END!
CE666    !SRCNAM  = CE666   !
CE666    !X =   255.919,  -1333.330,  14.63415, 8.46,  0.91463,  0.00305,
298.55556,  0.0,  0.0122230369!
CE666    !SIGYZI = 0.,0.!
CE666    !FMFAC = 1.! !END!
TP117CT1 !SRCNAM  = TP117CT1!
TP117CT1 !X =   217.292,  -1361.364,  0.91463, 17.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0115454621!
TP117CT1 !SIGYZI = 0.,0.!
TP117CT1 !FMFAC = 1.! !END!
FE65A    !SRCNAM  = FE65A   !
FE65A    !X =   255.851,  -1333.799,  45.73171, 9.00,  2.71951,  4.60366,
505.22222,  0.0,  0.0106640017!
FE65A    !SIGYZI = 0.,0.!
FE65A    !FMFAC = 1.! !END!
VW163    !SRCNAM  = VW163   !
VW163    !X =   250.210,  -1332.668,  0.30488, 6.44,  0.30488,  14.02439,
477.44444,  0.0,  0.0106012967!
VW163    !SIGYZI = 0.,0.!
VW163    !FMFAC = 1.! !END!
VW118    !SRCNAM  = VW118   !
VW118    !X =   249.799,  -1332.712,  45.73171, 6.07,  3.96341,  9.14634,
449.66667,  0.0,  0.0170255210!
VW118    !SIGYZI = 0.,0.!
VW118    !FMFAC = 1.! !END!
FWD3     !SRCNAM  = FWD3    !
FWD3     !X =   245.938,  -1331.085,  30.48780, 13.44,  2.74390,  6.54878,
421.88889,  0.0,  0.0101309990!
FWD3     !SIGYZI = 0.,0.!
FWD3     !FMFAC = 1.! !END!
FWLSGHTR !SRCNAM  = FWLSGHTR!
FWLSGHTR !X =   244.944,  -1331.052,  53.35366, 15.00,  3.35366,  0.01000,
310.77778,  0.0,  0.0100306731!
FWLSGHTR !SIGYZI = 0.,0.!
FWLSGHTR !FMFAC = 1.! !END!
TP131COO !SRCNAM  = TP131COO!
TP131COO !X =   217.355,  -1361.675,  6.09756, 16.06,  0.30488,  9.14634,
305.22222,  0.0,  0.0098961074!
TP131COO !SIGYZI = 0.,0.!
TP131COO !FMFAC = 1.! !END!
VW133    !SRCNAM  = VW133   !
VW133    !X =   250.185,  -1332.700,  30.48780, 6.91,  2.43902,  9.87805,
388.55556,  0.0,  0.0098735642!
VW133    !SIGYZI = 0.,0.!
VW133    !FMFAC = 1.! !END!
FBCPSTV1 !SRCNAM  = FBCPSTV1!
FBCPSTV1 !X =   270.345,  -1349.996,  4.87805, 4.00,  0.91463,  0.00305,
305.22222,  0.0,  0.0195059265!
FBCPSTV1 !SIGYZI = 0.,0.!
FBCPSTV1 !FMFAC = 1.! !END!
CW585TK6 !SRCNAM  = CW585TK6!
CW585TK6 !X =   249.047,  -1333.392,  6.40244, 8.91,  0.91463,  0.00305,
304.11111,  0.0,  0.0094511877!
CW585TK6 !SIGYZI = 0.,0.!
CW585TK6 !FMFAC = 1.! !END!
CE468    !SRCNAM  = CE468   !
```

```
CE468    !X =   255.909,  -1333.017,  6.09756, 8.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0090284227!
CE468    !SIGYZI = 0.,0.!
CE468    !FMFAC = 1.! !END!
CE471    !SRCNAM  = CE471   !
CE471    !X =   255.936,  -1333.017,  6.09756, 7.89,  0.91463,  0.00305,
298.55556,  0.0,  0.0089771206!
CE471    !SIGYZI = 0.,0.!
CE471    !FMFAC = 1.! !END!
VW165    !SRCNAM  = VW165   !
VW165    !X =   249.273,  -1332.667,  18.90244, 4.00,  0.91463,  0.00305,
294.11111,  0.0,  0.0089211355!
VW165    !SIGYZI = 0.,0.!
VW165    !FMFAC = 1.! !END!
VW31F    !SRCNAM  = VW31F   !
VW31F    !X =   250.020,  -1332.736,  4.57317, 7.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0087887747!
VW31F    !SIGYZI = 0.,0.!
VW31F    !FMFAC = 1.! !END!
VW164    !SRCNAM  = VW164   !
VW164    !X =   249.299,  -1332.634,  18.90244, 4.00,  0.91463,  0.00305,
294.66667,  0.0,  0.0085978248!
VW164    !SIGYZI = 0.,0.!
VW164    !FMFAC = 1.! !END!
EQ1M     !SRCNAM  = EQ1M    !
EQ1M     !X =   238.982,  -1333.762,  39.63415, 18.00,  1.29573,  7.93902,
449.66667,  0.0,  0.0085955359!
EQ1M     !SIGYZI = 0.,0.!
EQ1M     !FMFAC = 1.! !END!
FWFB3047 !SRCNAM  = FWFB3047!
FWFB3047 !X =   243.881,  -1330.586,  14.63415, 14.00,  0.91463,  0.00305,
298.29444,  0.0,  0.0083739370!
FWFB3047 !SIGYZI = 0.,0.!
FWFB3047 !FMFAC = 1.! !END!
VW152    !SRCNAM  = VW152   !
VW152    !X =   249.749,  -1332.933,  81.70732, 8.00,  3.35366,  5.79268,
449.66667,  0.0,  0.0260726964!
VW152    !SIGYZI = 0.,0.!
VW152    !FMFAC = 1.! !END!
VL59     !SRCNAM  = VL59    !
VL59     !X =   249.428,  -1332.317,  16.46341, 4.00,  0.91463,  0.00305,
302.44444,  0.0,  0.0083155580!
VL59     !SIGYZI = 0.,0.!
VL59     !FMFAC = 1.! !END!
VETK52   !SRCNAM  = VETK52  !
VETK52   !X =   254.186,  -1333.509,  12.80488, 12.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0080486839!
VETK52   !SIGYZI = 0.,0.!
VETK52   !FMFAC = 1.! !END!
TP121CT1 !SRCNAM  = TP121CT1!
TP121CT1 !X =   216.892,  -1361.970,  0.91463, 16.06,  0.01000,  0.01000,
294.00000,  0.0,  0.0076969712!
TP121CT1 !SIGYZI = 0.,0.!
TP121CT1 !FMFAC = 1.! !END!
EQ1N     !SRCNAM  = EQ1N    !
EQ1N     !X =   238.955,  -1333.794,  39.63415, 18.00,  1.29573,  7.93902,
449.66667,  0.0,  0.0075694193!
EQ1N     !SIGYZI = 0.,0.!
EQ1N     !FMFAC = 1.! !END!
VE8H4    !SRCNAM  = VE8H4   !
VE8H4    !X =   253.732,  -1333.150,  30.48780, 11.11,  2.59146,  5.22561,
598.00000,  0.0,  0.0074963511!
```

```
VE8H4    !SIGYZI = 0.,0.!
VE8H4    !FMFAC = 1.! !END!
FWA204   !SRCNAM  = FWA204  !
FWA204   !X =   244.995,  -1330.926,  53.35366, 14.41,  1.52439,  9.32927,
421.88889,  0.0,  0.0072492691!
FWA204   !SIGYZI = 0.,0.!
FWA204   !FMFAC = 1.! !END!
VL14     !SRCNAM  = VL14    !
VL14     !X =   249.568,  -1332.408,  12.19512, 4.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0070352407!
VL14     !SIGYZI = 0.,0.!
VL14     !FMFAC = 1.! !END!
VW153    !SRCNAM  = VW153   !
VW153    !X =   250.129,  -1332.702,  15.24390, 6.92,  2.43902,  6.40244,
449.66667,  0.0,  0.0070248563!
VW153    !SIGYZI = 0.,0.!
VW153    !FMFAC = 1.! !END!
FEFL125  !SRCNAM  = FEFL125 !
FEFL125  !X =   256.240,  -1333.007,  9.14634, 7.00,  1.25915,  5.67073,
580.77778,  0.0,  0.0121334314!
FEFL125  !SIGYZI = 0.,0.!
FEFL125  !FMFAC = 1.! !END!
CEF3720  !SRCNAM  = CEF3720 !
CEF3720  !X =   255.590,  -1333.402,  4.57317, 8.69,  0.01000,  0.01000,
294.00000,  0.0,  0.0068832032!
CEF3720  !SIGYZI = 0.,0.!
CEF3720  !FMFAC = 1.! !END!
EQ1E     !SRCNAM  = EQ1E    !
EQ1E     !X =   238.978,  -1333.637,  39.63415, 18.00,  1.29573,  5.32317,
449.66667,  0.0,  0.0067676106!
EQ1E     !SIGYZI = 0.,0.!
EQ1E     !FMFAC = 1.! !END!
VW1      !SRCNAM  = VW1     !
VW1      !X =   249.409,  -1332.631,  30.48780, 4.44,  1.76829,  7.50000,
616.33333,  0.0,  0.0067277638!
VW1      !SIGYZI = 0.,0.!
VW1      !FMFAC = 1.! !END!
EQ1D     !SRCNAM  = EQ1D    !
EQ1D     !X =   238.978,  -1333.637,  39.63415, 18.00,  1.29573,  5.32317,
449.66667,  0.0,  0.0066864784!
EQ1D     !SIGYZI = 0.,0.!
EQ1D     !FMFAC = 1.! !END!
CEF244   !SRCNAM  = CEF244  !
CEF244   !X =   255.562,  -1333.373,  4.57317, 8.43,  0.01000,  0.01000,
294.00000,  0.0,  0.0066432192!
CEF244   !SIGYZI = 0.,0.!
CEF244   !FMFAC = 1.! !END!
EQ1G     !SRCNAM  = EQ1G    !
EQ1G     !X =   238.980,  -1333.701,  39.63415, 18.00,  1.29573,  5.32317,
449.66667,  0.0,  0.0065576141!
EQ1G     !SIGYZI = 0.,0.!
EQ1G     !FMFAC = 1.! !END!
EQ1C     !SRCNAM  = EQ1C    !
EQ1C     !X =   238.978,  -1333.637,  39.63415, 18.00,  1.29573,  5.32317,
449.66667,  0.0,  0.0063762611!
EQ1C     !SIGYZI = 0.,0.!
EQ1C     !FMFAC = 1.! !END!
FE110    !SRCNAM  = FE110   !
FE110    !X =   255.987,  -1333.733,  60.97561, 8.93,  2.74390,  2.73780,
521.88889,  0.0,  0.0063101122!
FE110    !SIGYZI = 0.,0.!
FE110    !FMFAC = 1.! !END!
```

```
VW34     !SRCNAM  = VW34    !
VW34     !X =   249.519,  -1332.627,  17.07317, 4.98,  0.91463,  0.00305,
298.55556,  0.0,  0.0062613510!
VW34     !SIGYZI = 0.,0.!
VW34     !FMFAC = 1.! !END!
EQ1B     !SRCNAM  = EQ1B    !
EQ1B     !X =   238.978,  -1333.637,  39.63415, 18.00,  1.29573,  5.32317,
449.66667,  0.0,  0.0062426193!
EQ1B     !SIGYZI = 0.,0.!
EQ1B     !FMFAC = 1.! !END!
VW35     !SRCNAM  = VW35    !
VW35     !X =   249.518,  -1332.596,  12.19512, 4.92,  0.91463,  0.00305,
298.00000,  0.0,  0.0061449499!
VW35     !SIGYZI = 0.,0.!
VW35     !FMFAC = 1.! !END!
CEF411   !SRCNAM  = CEF411  !
CEF411   !X =   255.222,  -1333.132,  6.09756, 8.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0061081270!
CEF411   !SIGYZI = 0.,0.!
CEF411   !FMFAC = 1.! !END!
CE262    !SRCNAM  = CE262   !
CE262    !X =   255.509,  -1333.467,  41.76829, 8.89,  1.44817,  10.00000,
430.22222,  0.0,  0.0061042211!
CE262    !SIGYZI = 0.,0.!
CE262    !FMFAC = 1.! !END!
VE39H3A  !SRCNAM  = VE39H3A !
VE39H3A  !X =   253.624,  -1333.216,  46.34146, 11.00,  2.37805,  3.71646,
554.11111,  0.0,  0.0060851744!
VE39H3A  !SIGYZI = 0.,0.!
VE39H3A  !FMFAC = 1.! !END!
CE664    !SRCNAM  = CE664   !
CE664    !X =   255.889,  -1333.236,  12.19512, 8.53,  0.91463,  0.00305,
298.55556,  0.0,  0.0060849854!
CE664    !SIGYZI = 0.,0.!
CE664    !FMFAC = 1.! !END!
TPTF25   !SRCNAM  = TPTF25  !
TPTF25   !X =   216.645,  -1362.070,  3.04878, 16.87,  0.01000,  0.01000,
294.00000,  0.0,  0.0059478892!
TPTF25   !SIGYZI = 0.,0.!
TPTF25   !FMFAC = 1.! !END!
EQ23A    !SRCNAM  = EQ23A   !
EQ23A    !X =   239.195,  -1333.506,  9.75610, 18.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0059376518!
EQ23A    !SIGYZI = 0.,0.!
EQ23A    !FMFAC = 1.! !END!
SA32     !SRCNAM  = SA32    !
SA32     !X =   271.923,  -1324.184,  0.30488, 6.00,  0.30488,  0.00305,
421.88889,  0.0,  0.0057323802!
SA32     !SIGYZI = 0.,0.!
SA32     !FMFAC = 1.! !END!
FWB1     !SRCNAM  = FWB1    !
FWB1     !X =   245.686,  -1330.968,  25.91463, 14.95,  1.21951,  13.35366,
580.77778,  0.0,  0.0056938144!
FWB1     !SIGYZI = 0.,0.!
FWB1     !FMFAC = 1.! !END!
EQ1J     !SRCNAM  = EQ1J    !
EQ1J     !X =   238.981,  -1333.732,  39.63415, 18.00,  1.29573,  5.32317,
449.66667,  0.0,  0.0056699063!
EQ1J     !SIGYZI = 0.,0.!
EQ1J     !FMFAC = 1.! !END!
CW585T66 !SRCNAM  = CW585T66!
```

```
CW585T66 !X =   248.289,  -1333.010,  6.09756, 5.11,  0.91463,  0.00305,
299.66667,  0.0,  0.0056073903!
CW585T66 !SIGYZI = 0.,0.!
CW585T66 !FMFAC = 1.! !END!
TP324FLA !SRCNAM  = TP324FLA!
TP324FLA !X =   216.251,  -1361.801,  7.01220, 17.00,  0.10000,  0.01000,
977.44444,  0.0,  0.0054973101!
TP324FLA !SIGYZI = 0.,0.!
TP324FLA !FMFAC = 1.! !END!
EQ1F     !SRCNAM  = EQ1F    !
EQ1F     !X =   238.979,  -1333.669,  39.63415, 18.00,  1.29573,  5.32317,
449.66667,  0.0,  0.0054503654!
EQ1F     !SIGYZI = 0.,0.!
EQ1F     !FMFAC = 1.! !END!
FWAA3    !SRCNAM  = FWAA3   !
FWAA3    !X =   245.824,  -1330.963,  43.90244, 14.23,  1.82927,  4.75610,
421.88889,  0.0,  0.0053517090!
FWAA3    !SIGYZI = 0.,0.!
FWAA3    !FMFAC = 1.! !END!
CEF261   !SRCNAM  = CEF261  !
CEF261   !X =   255.564,  -1333.434,  6.09756, 8.50,  0.01000,  0.01000,
294.00000,  0.0,  0.0053502495!
CEF261   !SIGYZI = 0.,0.!
CEF261   !FMFAC = 1.! !END!
CW585T68 !SRCNAM  = CW585T68!
CW585T68 !X =   248.345,  -1333.008,  7.62195, 4.80,  0.91463,  0.00305,
299.66667,  0.0,  0.0053420492!
CW585T68 !SIGYZI = 0.,0.!
CW585T68 !FMFAC = 1.! !END!
EQ1L     !SRCNAM  = EQ1L    !
EQ1L     !X =   239.044,  -1333.979,  39.63415, 18.00,  1.29573,  5.32317,
449.66667,  0.0,  0.0053167341!
EQ1L     !SIGYZI = 0.,0.!
EQ1L     !FMFAC = 1.! !END!
VETK332  !SRCNAM  = VETK332 !
VETK332  !X =   252.577,  -1333.280,  14.63415, 8.89,  1.00000,  0.00305,
295.22222,  0.0,  0.0053071477!
VETK332  !SIGYZI = 0.,0.!
VETK332  !FMFAC = 1.! !END!
VE7H2    !SRCNAM  = VE7H2   !
VE7H2    !X =   253.620,  -1333.091,  51.82927, 11.12,  2.59146,  3.95122,
446.88889,  0.0,  0.0052743988!
VE7H2    !SIGYZI = 0.,0.!
VE7H2    !FMFAC = 1.! !END!
VETK213  !SRCNAM  = VETK213 !
VETK213  !X =   254.576,  -1332.780,  7.31707, 9.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0051491779!
VETK213  !SIGYZI = 0.,0.!
VETK213  !FMFAC = 1.! !END!
CE252    !SRCNAM  = CE252   !
CE252    !X =   255.533,  -1333.342,  48.78049, 8.08,  3.04878,  9.60366,
449.66667,  0.0,  0.0050446941!
CE252    !SIGYZI = 0.,0.!
CE252    !FMFAC = 1.! !END!
EQ3B     !SRCNAM  = EQ3B    !
EQ3B     !X =   238.977,  -1333.608,  36.58537, 18.00,  1.09146,  4.71341,
433.00000,  0.0,  0.0050303723!
EQ3B     !SIGYZI = 0.,0.!
EQ3B     !FMFAC = 1.! !END!
EQ1A     !SRCNAM  = EQ1A    !
EQ1A     !X =   238.977,  -1333.608,  39.63415, 18.00,  1.29573,  5.32317,
449.66667,  0.0,  0.0050303723!
```

```
EQ1A     !SIGYZI = 0.,0.!
EQ1A     !FMFAC = 1.! !END!
TP122CT1 !SRCNAM  = TP122CT1!
TP122CT1 !X =   216.693,  -1361.757,  0.91463, 17.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0049480537!
TP122CT1 !SIGYZI = 0.,0.!
TP122CT1 !FMFAC = 1.! !END!
EQ1H     !SRCNAM  = EQ1H    !
EQ1H     !X =   238.981,  -1333.732,  39.63415, 18.00,  1.29573,  5.32317,
449.66667,  0.0,  0.0049301410!
EQ1H     !SIGYZI = 0.,0.!
EQ1H     !FMFAC = 1.! !END!
EQ1K     !SRCNAM  = EQ1K    !
EQ1K     !X =   238.982,  -1333.762,  39.63415, 18.00,  1.29573,  5.32317,
449.66667,  0.0,  0.0049253741!
EQ1K     !SIGYZI = 0.,0.!
EQ1K     !FMFAC = 1.! !END!
EQ17     !SRCNAM  = EQ17    !
EQ17     !X =   238.973,  -1333.481,  9.75610, 18.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0048928351!
EQ17     !SIGYZI = 0.,0.!
EQ17     !FMFAC = 1.! !END!
EQ16     !SRCNAM  = EQ16    !
EQ16     !X =   238.972,  -1333.452,  9.75610, 18.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0048859997!
EQ16     !SIGYZI = 0.,0.!
EQ16     !FMFAC = 1.! !END!
TPTOXCOO !SRCNAM  = TPTOXCOO!
TPTOXCOO !X =   217.607,  -1361.794,  10.67073, 16.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0047694831!
TPTOXCOO !SIGYZI = 0.,0.!
TPTOXCOO !FMFAC = 1.! !END!
VE39H3C  !SRCNAM  = VE39H3C !
VE39H3C  !X =   253.624,  -1333.216,  46.34146, 11.00,  2.37805,  3.71646,
554.11111,  0.0,  0.0054434460!
VE39H3C  !SIGYZI = 0.,0.!
VE39H3C  !FMFAC = 1.! !END!
CW527H2  !SRCNAM  = CW527H2 !
CW527H2  !X =   248.691,  -1333.496,  42.68293, 9.90,  1.58537,  5.18293,
488.00000,  0.0,  0.0046628784!
CW527H2  !SIGYZI = 0.,0.!
CW527H2  !FMFAC = 1.! !END!
VW69     !SRCNAM  = VW69    !
VW69     !X =   248.948,  -1332.895,  7.31707, 4.58,  0.91463,  0.00305,
298.00000,  0.0,  0.0046523576!
VW69     !SIGYZI = 0.,0.!
VW69     !FMFAC = 1.! !END!
EQ4C     !SRCNAM  = EQ4C    !
EQ4C     !X =   238.923,  -1333.609,  60.97561, 18.00,  3.50610,  19.42073,
435.77778,  0.0,  0.0046390123!
EQ4C     !SIGYZI = 0.,0.!
EQ4C     !FMFAC = 1.! !END!
FWR201   !SRCNAM  = FWR201  !
FWR201   !X =   244.807,  -1331.056,  53.35366, 14.59,  3.35366,  3.36280,
421.88889,  0.0,  0.0045862717!
FWR201   !SIGYZI = 0.,0.!
FWR201   !FMFAC = 1.! !END!
VW158    !SRCNAM  = VW158   !
VW158    !X =   249.555,  -1332.875,  2.74390, 7.08,  0.10000,  0.01000,
810.77778,  0.0,  0.0048105585!
VW158    !SIGYZI = 0.,0.!
VW158    !FMFAC = 1.! !END!
```

```
EQ3A     !SRCNAM  = EQ3A    !
EQ3A     !X =   238.976,  -1333.576,  36.58537, 18.00,  1.09146,  4.71341,
433.00000,  0.0,  0.0045435584!
EQ3A     !SIGYZI = 0.,0.!
EQ3A     !FMFAC = 1.! !END!
VW150    !SRCNAM  = VW150   !
VW150    !X =   249.969,  -1332.894,  45.42683, 7.91,  2.13415,  7.31707,
449.66667,  0.0,  0.0090107620!
VW150    !SIGYZI = 0.,0.!
VW150    !FMFAC = 1.! !END!
FWN104   !SRCNAM  = FWN104  !
FWN104   !X =   245.731,  -1331.529,  45.73171, 14.52,  1.52439,  20.42683,
421.88889,  0.0,  0.0043639693!
FWN104   !SIGYZI = 0.,0.!
FWN104   !FMFAC = 1.! !END!
EQ44A    !SRCNAM  = EQ44A   !
EQ44A    !X =   238.814,  -1333.706,  22.86585, 18.00,  3.42988,  19.81707,
449.66667,  0.0,  0.0043431062!
EQ44A    !SIGYZI = 0.,0.!
EQ44A    !FMFAC = 1.! !END!
FEFWPENG !SRCNAM  = FEFWPENG!
FEFWPENG !X =   256.242,  -1333.070,  1.82927, 7.00,  0.04878,  2.92683,
644.11111,  0.0,  0.0043082888!
FEFWPENG !SIGYZI = 0.,0.!
FEFWPENG !FMFAC = 1.! !END!
VW64     !SRCNAM  = VW64    !
VW64     !X =   249.705,  -1332.372,  14.63415, 4.00,  0.91463,  0.00305,
302.44444,  0.0,  0.0042646200!
VW64     !SIGYZI = 0.,0.!
VW64     !FMFAC = 1.! !END!
CE082    !SRCNAM  = CE082   !
CE082    !X =   256.120,  -1333.572,  45.73171, 8.00,  2.28659,  5.79268,
580.77778,  0.0,  0.0042572071!
CE082    !SIGYZI = 0.,0.!
CE082    !FMFAC = 1.! !END!
CEF264   !SRCNAM  = CEF264  !
CEF264   !X =   255.476,  -1333.312,  11.89024, 8.11,  7.92683,  7.92683,
309.66667,  0.0,  0.0042444498!
CEF264   !SIGYZI = 0.,0.!
CEF264   !FMFAC = 1.! !END!
VE88CT7  !SRCNAM  = VE88CT7 !
VE88CT7  !X =   253.730,  -1333.087,  12.19512, 11.78,  6.09756,  9.14634,
294.11111,  0.0,  0.0042397774!
VE88CT7  !SIGYZI = 0.,0.!
VE88CT7  !FMFAC = 1.! !END!
FWAA18   !SRCNAM  = FWAA18  !
FWAA18   !X =   245.798,  -1330.964,  38.10976, 14.50,  1.52439,  6.06707,
514.11111,  0.0,  0.0041794559!
FWAA18   !SIGYZI = 0.,0.!
FWAA18   !FMFAC = 1.! !END!
VW74     !SRCNAM  = VW74    !
VW74     !X =   249.439,  -1332.692,  30.48780, 5.29,  1.82927,  7.95732,
580.77778,  0.0,  0.0041785004!
VW74     !SIGYZI = 0.,0.!
VW74     !FMFAC = 1.! !END!
VW167CT  !SRCNAM  = VW167CT !
VW167CT  !X =   250.433,  -1332.692,  32.01220, 5.09,  4.57317,  9.14634,
309.66667,  0.0,  0.0041155960!
VW167CT  !SIGYZI = 0.,0.!
VW167CT  !FMFAC = 1.! !END!
SA29     !SRCNAM  = SA29    !
```

```
SA29     !X =   272.007,  -1324.212,  18.29268, 6.00,  0.91463,  9.14634,
366.33333,  0.0,  0.0040269249!
SA29     !SIGYZI = 0.,0.!
SA29     !FMFAC = 1.! !END!
FWN3     !SRCNAM  = FWN3    !
FWN3     !X =   245.750,  -1331.247,  30.48780, 15.00,  1.52439,  6.37195,
421.88889,  0.0,  0.0068262206!
FWN3     !SIGYZI = 0.,0.!
FWN3     !FMFAC = 1.! !END!
EQ4A     !SRCNAM  = EQ4A    !
EQ4A     !X =   238.923,  -1333.609,  60.97561, 18.00,  3.50610,  1.98171,
435.77778,  0.0,  0.0039994784!
EQ4A     !SIGYZI = 0.,0.!
EQ4A     !FMFAC = 1.! !END!
FWM5     !SRCNAM  = FWM5    !
FWM5     !X =   245.720,  -1331.185,  30.48780, 15.00,  1.52439,  15.39634,
421.88889,  0.0,  0.0130838337!
FWM5     !SIGYZI = 0.,0.!
FWM5     !FMFAC = 1.! !END!
DP245    !SRCNAM  = DP245   !
DP245    !X =   273.276,  -1325.012,  0.91463, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0039296440!
DP245    !SIGYZI = 0.,0.!
DP245    !FMFAC = 1.! !END!
VW8      !SRCNAM  = VW8     !
VW8      !X =   249.491,  -1332.597,  17.07317, 4.78,  0.91463,  0.00305,
298.55556,  0.0,  0.0039060614!
VW8      !SIGYZI = 0.,0.!
VW8      !FMFAC = 1.! !END!
VW122    !SRCNAM  = VW122   !
VW122    !X =   250.125,  -1332.577,  1.00000, 5.58,  0.10000,  0.01000,
294.00000,  0.0,  0.0038770399!
VW122    !SIGYZI = 0.,0.!
VW122    !FMFAC = 1.! !END!
VE44H1   !SRCNAM  = VE44H1  !
VE44H1   !X =   253.736,  -1333.274,  36.58537, 11.22,  2.28659,  4.96341,
494.11111,  0.0,  0.0038509583!
VE44H1   !SIGYZI = 0.,0.!
VE44H1   !FMFAC = 1.! !END!
VW46     !SRCNAM  = VW46    !
VW46     !X =   249.436,  -1332.599,  17.07317, 4.48,  0.91463,  0.00305,
298.55556,  0.0,  0.0038381380!
VW46     !SIGYZI = 0.,0.!
VW46     !FMFAC = 1.! !END!
EQ4B     !SRCNAM  = EQ4B    !
EQ4B     !X =   238.923,  -1333.609,  60.97561, 18.00,  3.50610,  19.42073,
435.77778,  0.0,  0.0037990262!
EQ4B     !SIGYZI = 0.,0.!
EQ4B     !FMFAC = 1.! !END!
EQ4D     !SRCNAM  = EQ4D    !
EQ4D     !X =   238.923,  -1333.609,  60.97561, 18.00,  3.65854,  19.51220,
435.77778,  0.0,  0.0037369827!
EQ4D     !SIGYZI = 0.,0.!
EQ4D     !FMFAC = 1.! !END!
VL83     !SRCNAM  = VL83    !
VL83     !X =   249.314,  -1333.134,  17.37805, 7.14,  0.91463,  0.00305,
298.00000,  0.0,  0.0037229864!
VL83     !SIGYZI = 0.,0.!
VL83     !FMFAC = 1.! !END!
EQBX0012 !SRCNAM  = EQBX0012!
EQBX0012 !X =   239.217,  -1334.255,  36.58537, 17.32,  0.10000,  0.01000,
810.77778,  0.0,  0.0035318791!
```

```
EQBX0012 !SIGYZI = 0.,0.!
EQBX0012 !FMFAC = 1.! !END!
FWFB24   !SRCNAM  = FWFB24  !
FWFB24   !X =   245.985,  -1330.803,  12.19512, 13.90,  0.91463,  0.00305,
296.23889,  0.0,  0.0035291176!
FWFB24   !SIGYZI = 0.,0.!
FWFB24   !FMFAC = 1.! !END!
OCVCM9   !SRCNAM  = OCVCM9  !
OCVCM9   !X =   273.508,  -1324.535,  3.04878, 5.18,  0.01000,  0.01000,
294.00000,  0.0,  0.0034766605!
OCVCM9   !SIGYZI = 0.,0.!
OCVCM9   !FMFAC = 1.! !END!
VETK83   !SRCNAM  = VETK83  !
VETK83   !X =   254.091,  -1333.168,  14.63415, 11.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0033815951!
VETK83   !SIGYZI = 0.,0.!
VETK83   !FMFAC = 1.! !END!
VW63     !SRCNAM  = VW63    !
VW63     !X =   249.678,  -1332.404,  14.63415, 4.00,  0.91463,  0.00305,
302.44444,  0.0,  0.0033729222!
VW63     !SIGYZI = 0.,0.!
VW63     !FMFAC = 1.! !END!
CE083    !SRCNAM  = CE083   !
CE083    !X =   256.120,  -1333.572,  45.73171, 8.00,  2.28659,  6.09756,
580.77778,  0.0,  0.0033169897!
CE083    !SIGYZI = 0.,0.!
CE083    !FMFAC = 1.! !END!
FWFB514  !SRCNAM  = FWFB514 !
FWFB514  !X =   245.173,  -1331.326,  12.19512, 15.11,  0.91463,  0.00305,
295.77778,  0.0,  0.0033127477!
FWFB514  !SIGYZI = 0.,0.!
FWFB514  !FMFAC = 1.! !END!
FWJJ4    !SRCNAM  = FWJJ4   !
FWJJ4    !X =   245.835,  -1331.306,  30.48780, 13.26,  1.21951,  20.60976,
438.55556,  0.0,  0.0051779894!
FWJJ4    !SIGYZI = 0.,0.!
FWJJ4    !FMFAC = 1.! !END!
VE39H3B  !SRCNAM  = VE39H3B !
VE39H3B  !X =   253.624,  -1333.216,  46.34146, 11.00,  2.37805,  3.71646,
554.11111,  0.0,  0.0032155718!
VE39H3B  !SIGYZI = 0.,0.!
VE39H3B  !FMFAC = 1.! !END!
FWFB512  !SRCNAM  = FWFB512 !
FWFB512  !X =   245.066,  -1331.392,  12.19512, 16.26,  0.91463,  0.00305,
297.61111,  0.0,  0.0031937427!
FWFB512  !SIGYZI = 0.,0.!
FWFB512  !FMFAC = 1.! !END!
VEQ10H1  !SRCNAM  = VEQ10H1 !
VEQ10H1  !X =   252.691,  -1333.401,  21.64634, 10.00,  1.62500,  16.96341,
491.33333,  0.0,  0.0031151305!
VEQ10H1  !SIGYZI = 0.,0.!
VEQ10H1  !FMFAC = 1.! !END!
VL143    !SRCNAM  = VL143   !
VL143    !X =   249.289,  -1333.196,  17.07317, 7.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0030812371!
VL143    !SIGYZI = 0.,0.!
VL143    !FMFAC = 1.! !END!
CE086    !SRCNAM  = CE086   !
CE086    !X =   256.122,  -1333.635,  30.18293, 8.00,  1.44817,  5.53049,
527.44444,  0.0,  0.0030783601!
CE086    !SIGYZI = 0.,0.!
CE086    !FMFAC = 1.! !END!
```

```
VW172    !SRCNAM  = VW172   !
VW172    !X =   249.747,  -1332.869,  41.15854, 7.57,  1.37195,  6.09756,
477.44444,  0.0,  0.0030777406!
VW172    !SIGYZI = 0.,0.!
VW172    !FMFAC = 1.! !END!
VL176    !SRCNAM  = VL176   !
VL176    !X =   249.318,  -1333.258,  17.37805, 8.21,  0.91463,  0.00305,
294.00000,  0.0,  0.0030522260!
VL176    !SIGYZI = 0.,0.!
VL176    !FMFAC = 1.! !END!
FWO10    !SRCNAM  = FWO10   !
FWO10    !X =   245.473,  -1331.192,  30.48780, 15.00,  1.52439,  8.14024,
421.88889,  0.0,  0.0044548348!
FWO10    !SIGYZI = 0.,0.!
FWO10    !FMFAC = 1.! !END!
FWAA2    !SRCNAM  = FWAA2   !
FWAA2    !X =   245.883,  -1331.086,  17.68293, 13.87,  1.82927,  3.93293,
616.33333,  0.0,  0.0027615488!
FWAA2    !SIGYZI = 0.,0.!
FWAA2    !FMFAC = 1.! !END!
FWFB513  !SRCNAM  = FWFB513 !
FWFB513  !X =   245.148,  -1331.422,  12.19512, 16.13,  0.91463,  0.00305,
297.91111,  0.0,  0.0027167041!
FWFB513  !SIGYZI = 0.,0.!
FWFB513  !FMFAC = 1.! !END!
FBLOAD1  !SRCNAM  = FBLOAD1 !
FBLOAD1  !X =   270.344,  -1349.964,  6.09756, 4.00,  0.91463,  0.03049,
298.00000,  0.0,  0.0026757548!
FBLOAD1  !SIGYZI = 0.,0.!
FBLOAD1  !FMFAC = 1.! !END!
CEF3700  !SRCNAM  = CEF3700 !
CEF3700  !X =   255.616,  -1333.371,  7.92683, 8.88,  3.35366,  8.84146,
307.44444,  0.0,  0.0026497152!
CEF3700  !SIGYZI = 0.,0.!
CEF3700  !FMFAC = 1.! !END!
CWH99    !SRCNAM  = CWH99   !
CWH99    !X =   248.771,  -1333.400,  73.47561, 8.91,  3.58232,  10.67988,
516.88889,  0.0,  0.0045433694!
CWH99    !SIGYZI = 0.,0.!
CWH99    !FMFAC = 1.! !END!
VETK208  !SRCNAM  = VETK208 !
VETK208  !X =   254.598,  -1332.623,  8.84146, 7.56,  0.91463,  0.00305,
295.22222,  0.0,  0.0026215022!
VETK208  !SIGYZI = 0.,0.!
VETK208  !FMFAC = 1.! !END!
VE8H6    !SRCNAM  = VE8H6   !
VE8H6    !X =   253.760,  -1333.150,  43.29268, 11.10,  3.20122,  4.34451,
578.00000,  0.0,  0.0026156433!
VE8H6    !SIGYZI = 0.,0.!
VE8H6    !FMFAC = 1.! !END!
AL2      !SRCNAM  = AL2     !
AL2      !X =   250.473,  -1333.098,  4.57317, 9.25,  0.01000,  0.01000,
294.00000,  0.0,  0.0025902022!
AL2      !SIGYZI = 0.,0.!
AL2      !FMFAC = 1.! !END!
VL38     !SRCNAM  = VL38    !
VL38     !X =   249.622,  -1332.374,  17.07317, 4.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0025560462!
VL38     !SIGYZI = 0.,0.!
VL38     !FMFAC = 1.! !END!
SA12     !SRCNAM  = SA12    !
```

```
SA12     !X =   271.979,  -1324.213,  18.29268, 6.00,  0.91463,  9.14634,
366.33333,  0.0,  0.0025557102!
SA12     !SIGYZI = 0.,0.!
SA12     !FMFAC = 1.! !END!
FWN104B  !SRCNAM  = FWN104B !
FWN104B  !X =   245.763,  -1331.652,  45.73171, 15.00,  1.52439,  20.42683,
421.88889,  0.0,  0.0025484969!
FWN104B  !SIGYZI = 0.,0.!
FWN104B  !FMFAC = 1.! !END!
CEF224   !SRCNAM  = CEF224  !
CEF224   !X =   256.497,  -1333.279,  11.89024, 8.00,  4.26829,  8.23171,
302.44444,  0.0,  0.0024779695!
CEF224   !SIGYZI = 0.,0.!
CEF224   !FMFAC = 1.! !END!
VEPMALOA !SRCNAM  = VEPMALOA!
VEPMALOA !X =   253.985,  -1333.297,  3.04878, 11.54,  0.01000,  0.01000,
294.00000,  0.0,  0.0024759641!
VEPMALOA !SIGYZI = 0.,0.!
VEPMALOA !FMFAC = 1.! !END!
TP126COO !SRCNAM  = TP126COO!
TP126COO !X =   216.614,  -1361.915,  12.50000, 17.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0024730661!
TP126COO !SIGYZI = 0.,0.!
TP126COO !FMFAC = 1.! !END!
TPSHCOOL !SRCNAM  = TPSHCOOL!
TPSHCOOL !X =   216.588,  -1361.979,  12.19512, 17.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0024730661!
TPSHCOOL !SIGYZI = 0.,0.!
TPSHCOOL !FMFAC = 1.! !END!
CE084    !SRCNAM  = CE084   !
CE084    !X =   256.092,  -1333.573,  45.73171, 8.00,  1.82927,  8.23171,
580.77778,  0.0,  0.0024722366!
CE084    !SIGYZI = 0.,0.!
CE084    !FMFAC = 1.! !END!
CW585T67 !SRCNAM  = CW585T67!
CW585T67 !X =   248.317,  -1333.009,  7.62195, 4.94,  0.91463,  0.00305,
299.66667,  0.0,  0.0024587548!
CW585T67 !SIGYZI = 0.,0.!
CW585T67 !FMFAC = 1.! !END!
VE44H2   !SRCNAM  = VE44H2  !
VE44H2   !X =   253.708,  -1333.275,  37.19512, 11.22,  0.60976,  4.75610,
598.00000,  0.0,  0.0024311403!
VE44H2   !SIGYZI = 0.,0.!
VE44H2   !FMFAC = 1.! !END!
VWENG72P !SRCNAM  = VWENG72P!
VWENG72P !X =   249.513,  -1332.441,  9.14634, 4.00,  0.15244,  3.04878,
588.55556,  0.0,  0.0023650964!
VWENG72P !SIGYZI = 0.,0.!
VWENG72P !FMFAC = 1.! !END!
FWMX1    !SRCNAM  = FWMX1   !
FWMX1    !X =   244.890,  -1331.086,  30.48780, 14.97,  1.21951,  9.78659,
421.88889,  0.0,  0.0023553526!
FWMX1    !SIGYZI = 0.,0.!
FWMX1    !FMFAC = 1.! !END!
EQ52     !SRCNAM  = EQ52    !
EQ52     !X =   239.012,  -1333.856,  12.19512, 18.00,  0.30488,  0.00305,
298.00000,  0.0,  0.0023469527!
EQ52     !SIGYZI = 0.,0.!
EQ52     !FMFAC = 1.! !END!
CW527H1  !SRCNAM  = CW527H1 !
CW527H1  !X =   248.774,  -1333.493,  40.24390, 9.90,  1.15854,  7.92683,
511.88889,  0.0,  0.0023385948!
```

```
CW527H1  !SIGYZI = 0.,0.!
CW527H1  !FMFAC = 1.! !END!
CW585T65 !SRCNAM  = CW585T65!
CW585T65 !X =   248.881,  -1333.397,  6.09756, 8.91,  0.91463,  0.00305,
299.66667,  0.0,  0.0023172487!
CW585T65 !SIGYZI = 0.,0.!
CW585T65 !FMFAC = 1.! !END!
CE764    !SRCNAM  = CE764   !
CE764    !X =   255.540,  -1333.560,  12.19512, 8.98,  0.91463,  0.00305,
298.55556,  0.0,  0.0023110538!
CE764    !SIGYZI = 0.,0.!
CE764    !FMFAC = 1.! !END!
FE74     !SRCNAM  = FE74    !
FE74     !X =   255.795,  -1333.771,  30.18293, 9.00,  1.12805,  6.34146,
583.00000,  0.0,  0.0022968895!
FE74     !SIGYZI = 0.,0.!
FE74     !FMFAC = 1.! !END!
CW572T25 !SRCNAM  = CW572T25!
CW572T25 !X =   248.237,  -1333.104,  12.19512, 6.42,  0.91463,  0.00305,
305.22222,  0.0,  0.0022756274!
CW572T25 !SIGYZI = 0.,0.!
CW572T25 !FMFAC = 1.! !END!
CW572T24 !SRCNAM  = CW572T24!
CW572T24 !X =   248.235,  -1333.043,  12.19512, 5.79,  0.91463,  0.00305,
305.22222,  0.0,  0.0022756274!
CW572T24 !SIGYZI = 0.,0.!
CW572T24 !FMFAC = 1.! !END!
FE37     !SRCNAM  = FE37    !
FE37     !X =   255.795,  -1333.771,  15.54878, 9.00,  1.86890,  8.44512,
616.33333,  0.0,  0.0022522653!
FE37     !SIGYZI = 0.,0.!
FE37     !FMFAC = 1.! !END!
FE38     !SRCNAM  = FE38    !
FE38     !X =   255.795,  -1333.771,  15.54878, 9.00,  1.86890,  8.44512,
616.33333,  0.0,  0.0022522653!
FE38     !SIGYZI = 0.,0.!
FE38     !FMFAC = 1.! !END!
VETK325  !SRCNAM  = VETK325 !
VETK325  !X =   252.494,  -1333.283,  12.19512, 8.90,  0.91463,  0.00305,
295.22222,  0.0,  0.0022341321!
VETK325  !SIGYZI = 0.,0.!
VETK325  !FMFAC = 1.! !END!
CW552T1  !SRCNAM  = CW552T1 !
CW552T1  !X =   248.797,  -1333.368,  6.09756, 8.57,  0.91463,  0.00305,
299.66667,  0.0,  0.0022135524!
CW552T1  !SIGYZI = 0.,0.!
CW552T1  !FMFAC = 1.! !END!
CE874    !SRCNAM  = CE874   !
CE874    !X =   250.449,  -1333.223,  13.41463, 10.58,  0.91463,  0.00305,
298.55556,  0.0,  0.0022075780!
CE874    !SIGYZI = 0.,0.!
CE874    !FMFAC = 1.! !END!
VE39H2   !SRCNAM  = VE39H2  !
VE39H2   !X =   253.624,  -1333.216,  26.21951, 11.00,  1.37195,  4.29878,
574.66667,  0.0,  0.0022003856!
VE39H2   !SIGYZI = 0.,0.!
VE39H2   !FMFAC = 1.! !END!
VETK320  !SRCNAM  = VETK320 !
VETK320  !X =   252.494,  -1333.283,  12.19512, 8.90,  0.91463,  0.00305,
295.22222,  0.0,  0.0021875758!
VETK320  !SIGYZI = 0.,0.!
VETK320  !FMFAC = 1.! !END!
```

```
VW49H91  !SRCNAM  = VW49H91 !
VW49H91  !X =   249.748,  -1332.900,  30.48780, 7.90,  1.82927,  8.95122,
505.22222,  0.0,  0.0021724141!
VW49H91  !SIGYZI = 0.,0.!
VW49H91  !FMFAC = 1.! !END!
VE39H7   !SRCNAM  = VE39H7  !
VE39H7   !X =   253.624,  -1333.216,  26.21951, 11.00,  1.37195,  4.92683,
574.66667,  0.0,  0.0021358117!
VE39H7   !SIGYZI = 0.,0.!
VE39H7   !FMFAC = 1.! !END!
VE39H1   !SRCNAM  = VE39H1  !
VE39H1   !X =   253.624,  -1333.216,  27.74390, 11.00,  1.37195,  7.07012,
598.00000,  0.0,  0.0020972878!
VE39H1   !SIGYZI = 0.,0.!
VE39H1   !FMFAC = 1.! !END!
CE102    !SRCNAM  = CE102   !
CE102    !X =   256.149,  -1333.603,  28.96341, 8.00,  1.29573,  5.25610,
599.66667,  0.0,  0.0020951879!
CE102    !SIGYZI = 0.,0.!
CE102    !FMFAC = 1.! !END!
EQ5A     !SRCNAM  = EQ5A    !
EQ5A     !X =   238.923,  -1333.639,  33.23171, 18.00,  1.14329,  4.40549,
444.11111,  0.0,  0.0020665548!
EQ5A     !SIGYZI = 0.,0.!
EQ5A     !FMFAC = 1.! !END!
FE35     !SRCNAM  = FE35    !
FE35     !X =   255.823,  -1333.770,  15.54878, 9.00,  1.86890,  8.29268,
560.77778,  0.0,  0.0020233165!
FE35     !SIGYZI = 0.,0.!
FE35     !FMFAC = 1.! !END!
FE36     !SRCNAM  = FE36    !
FE36     !X =   255.823,  -1333.770,  15.54878, 9.00,  1.86890,  8.29268,
560.77778,  0.0,  0.0020233165!
FE36     !SIGYZI = 0.,0.!
FE36     !FMFAC = 1.! !END!
EQ5B     !SRCNAM  = EQ5B    !
EQ5B     !X =   238.924,  -1333.671,  33.23171, 18.00,  1.14329,  4.40549,
444.11111,  0.0,  0.0020045114!
EQ5B     !SIGYZI = 0.,0.!
EQ5B     !FMFAC = 1.! !END!
CW585T69 !SRCNAM  = CW585T69!
CW585T69 !X =   248.345,  -1333.008,  7.62195, 4.80,  0.91463,  0.00305,
299.66667,  0.0,  0.0019988519!
CW585T69 !SIGYZI = 0.,0.!
CW585T69 !FMFAC = 1.! !END!
VEQ11H32 !SRCNAM  = VEQ11H32!
VEQ11H32 !X =   252.690,  -1333.370,  25.91463, 9.89,  2.12195,  4.29573,
598.00000,  0.0,  0.0019857587!
VEQ11H32 !SIGYZI = 0.,0.!
VEQ11H32 !FMFAC = 1.! !END!
CE313    !SRCNAM  = CE313   !
CE313    !X =   255.385,  -1333.034,  35.06098, 8.00,  0.99085,  6.55488,
435.77778,  0.0,  0.0019567896!
CE313    !SIGYZI = 0.,0.!
CE313    !FMFAC = 1.! !END!
CE312    !SRCNAM  = CE312   !
CE312    !X =   255.385,  -1333.034,  35.06098, 8.00,  0.99085,  6.55488,
435.77778,  0.0,  0.0019520122!
CE312    !SIGYZI = 0.,0.!
CE312    !FMFAC = 1.! !END!
VW20F    !SRCNAM  = VW20F   !
```

```
VW20F    !X =   249.802,  -1332.806,  0.91463, 6.93,  0.01000,  0.01000,
294.00000,  0.0,  0.0019074615!
VW20F    !SIGYZI = 0.,0.!
VW20F    !FMFAC = 1.! !END!
VWLPGSTG !SRCNAM  = VWLPGSTG!
VWLPGSTG !X =   249.658,  -1332.623,  4.57317, 5.47,  0.01000,  0.01000,
294.00000,  0.0,  0.0018594458!
VWLPGSTG !SIGYZI = 0.,0.!
VWLPGSTG !FMFAC = 1.! !END!
CW585T62 !SRCNAM  = CW585T62!
CW585T62 !X =   249.234,  -1333.229,  14.63415, 7.47,  0.91463,  0.00305,
417.44444,  0.0,  0.0018573353!
CW585T62 !SIGYZI = 0.,0.!
CW585T62 !FMFAC = 1.! !END!
VETK84   !SRCNAM  = VETK84  !
VETK84   !X =   253.985,  -1333.297,  14.63415, 11.54,  0.91463,  0.00305,
295.22222,  0.0,  0.0018502269!
VETK84   !SIGYZI = 0.,0.!
VETK84   !FMFAC = 1.! !END!
ELUTAIR  !SRCNAM  = ELUTAIR !
ELUTAIR  !X =   254.740,  -1332.711,  2.13415, 7.63,  0.15244,  21.34146,
533.00000,  0.0,  0.0018421210!
ELUTAIR  !SIGYZI = 0.,0.!
ELUTAIR  !FMFAC = 1.! !END!
VETK336  !SRCNAM  = VETK336 !
VETK336  !X =   252.435,  -1333.160,  14.63415, 7.57,  0.91463,  0.00305,
295.22222,  0.0,  0.0018253948!
VETK336  !SIGYZI = 0.,0.!
VETK336  !FMFAC = 1.! !END!
VETK206  !SRCNAM  = VETK206 !
VETK206  !X =   254.575,  -1332.748,  9.14634, 8.91,  0.91463,  0.00305,
295.22222,  0.0,  0.0018232004!
VETK206  !SIGYZI = 0.,0.!
VETK206  !FMFAC = 1.! !END!
CE462    !SRCNAM  = CE462   !
CE462    !X =   255.991,  -1332.983,  1.82927, 7.16,  0.91463,  0.00305,
298.55556,  0.0,  0.0018226124!
CE462    !SIGYZI = 0.,0.!
CE462    !FMFAC = 1.! !END!
VW49H90  !SRCNAM  = VW49H90 !
VW49H90  !X =   249.748,  -1332.900,  30.48780, 7.90,  1.52439,  8.95122,
505.22222,  0.0,  0.0017743762!
VW49H90  !SIGYZI = 0.,0.!
VW49H90  !FMFAC = 1.! !END!
VL66     !SRCNAM  = VL66    !
VL66     !X =   248.865,  -1332.897,  14.63415, 4.57,  0.91463,  0.00305,
302.44444,  0.0,  0.0017536810!
VL66     !SIGYZI = 0.,0.!
VL66     !FMFAC = 1.! !END!
BD3      !SRCNAM  = BD3     !
BD3      !X =   267.888,  -1355.952,  9.75610, 4.00,  0.91463,  0.00305,
294.66667,  0.0,  0.0017446617!
BD3      !SIGYZI = 0.,0.!
BD3      !FMFAC = 1.! !END!
VW151    !SRCNAM  = VW151   !
VW151    !X =   249.807,  -1332.962,  24.39024, 8.00,  0.91463,  6.70732,
553.55556,  0.0,  0.0017297939!
VW151    !SIGYZI = 0.,0.!
VW151    !FMFAC = 1.! !END!
VW124    !SRCNAM  = VW124   !
VW124    !X =   249.735,  -1332.464,  0.30488, 4.25,  0.01000,  0.01000,
294.00000,  0.0,  0.0017258775!
```

```
VW124    !SIGYZI = 0.,0.!
VW124    !FMFAC = 1.! !END!
VWENG727 !SRCNAM  = VWENG727!
VWENG727 !X =   249.487,  -1332.472,  9.14634, 4.12,  0.15244,  3.04878,
588.55556,  0.0,  0.0017029878!
VWENG727 !SIGYZI = 0.,0.!
VWENG727 !FMFAC = 1.! !END!
FE80     !SRCNAM  = FE80    !
FE80     !X =   255.717,  -1333.929,  28.96341, 9.00,  1.05488,  7.28659,
683.00000,  0.0,  0.0016905665!
FE80     !SIGYZI = 0.,0.!
FE80     !FMFAC = 1.! !END!
CW572T1B !SRCNAM  = CW572T1B!
CW572T1B !X =   248.345,  -1333.008,  4.57317, 4.80,  0.91463,  0.00305,
298.55556,  0.0,  0.0016804447!
CW572T1B !SIGYZI = 0.,0.!
CW572T1B !FMFAC = 1.! !END!
CW572T1A !SRCNAM  = CW572T1A!
CW572T1A !X =   248.346,  -1333.040,  4.57317, 4.96,  0.91463,  0.00305,
298.55556,  0.0,  0.0016804447!
CW572T1A !SIGYZI = 0.,0.!
CW572T1A !FMFAC = 1.! !END!
FW14FA11 !SRCNAM  = FW14FA11!
FW14FA11 !X =   245.610,  -1331.188,  7.22561, 15.00,  0.91463,  0.00305,
298.27778,  0.0,  0.0016742603!
FW14FA11 !SIGYZI = 0.,0.!
FW14FA11 !FMFAC = 1.! !END!
CD9899   !SRCNAM  = CD9899  !
CD9899   !X =   254.165,  -1333.728,  17.07317, 12.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0016450708!
CD9899   !SIGYZI = 0.,0.!
CD9899   !FMFAC = 1.! !END!
CE722    !SRCNAM  = CE722   !
CE722    !X =   255.735,  -1333.616,  12.80488, 8.77,  0.91463,  0.00305,
298.55556,  0.0,  0.0015902302!
CE722    !SIGYZI = 0.,0.!
CE722    !FMFAC = 1.! !END!
VEQL10   !SRCNAM  = VEQL10  !
VEQL10   !X =   252.635,  -1333.371,  32.31707, 9.88,  1.60061,  5.70732,
572.44444,  0.0,  0.0015871013!
VEQL10   !SIGYZI = 0.,0.!
VEQL10   !FMFAC = 1.! !END!
FWM4     !SRCNAM  = FWM4    !
FWM4     !X =   245.638,  -1331.187,  30.48780, 15.00,  1.21951,  15.24390,
602.44444,  0.0,  0.0031258508!
FWM4     !SIGYZI = 0.,0.!
FWM4     !FMFAC = 1.! !END!
CE465    !SRCNAM  = CE465   !
CE465    !X =   255.884,  -1333.082,  3.04878, 8.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0015716770!
CE465    !SIGYZI = 0.,0.!
CE465    !FMFAC = 1.! !END!
FWFB153  !SRCNAM  = FWFB153 !
FWFB153  !X =   245.169,  -1330.329,  12.19512, 9.99,  0.91463,  0.00305,
296.36111,  0.0,  0.0015625527!
FWFB153  !SIGYZI = 0.,0.!
FWFB153  !FMFAC = 1.! !END!
FWO3     !SRCNAM  = FWO3    !
FWO3     !X =   245.526,  -1331.130,  9.14634, 15.00,  0.15244,  4.57317,
310.77778,  0.0,  0.0015559798!
FWO3     !SIGYZI = 0.,0.!
FWO3     !FMFAC = 1.! !END!
```

```
VWENG723 !SRCNAM  = VWENG723!
VWENG723 !X =   249.357,  -1332.726,  3.04878, 4.00,  0.30488,  3.04878,
588.55556,  0.0,  0.0015460364!
VWENG723 !SIGYZI = 0.,0.!
VWENG723 !FMFAC = 1.! !END!
FEE10TK1 !SRCNAM  = FEE10TK1!
FEE10TK1 !X =   255.554,  -1333.996,  7.31707, 9.00,  0.91463,  0.00305,
296.88889,  0.0,  0.0015422985!
FEE10TK1 !SIGYZI = 0.,0.!
FEE10TK1 !FMFAC = 1.! !END!
CE362    !SRCNAM  = CE362   !
CE362    !X =   255.276,  -1333.069,  33.53659, 8.00,  1.37195,  5.40854,
396.88889,  0.0,  0.0026345009!
CE362    !SIGYZI = 0.,0.!
CE362    !FMFAC = 1.! !END!
FWGG2    !SRCNAM  = FWGG2   !
FWGG2    !X =   245.833,  -1331.245,  28.96341, 13.41,  1.21951,  5.94512,
588.55556,  0.0,  0.0015298772!
FWGG2    !SIGYZI = 0.,0.!
FWGG2    !FMFAC = 1.! !END!
TPV2835  !SRCNAM  = TPV2835 !
TPV2835  !X =   217.355,  -1361.675,  6.70732, 16.06,  0.91463,  0.00305,
296.88889,  0.0,  0.0015257298!
TPV2835  !SIGYZI = 0.,0.!
TPV2835  !FMFAC = 1.! !END!
VW52F    !SRCNAM  = VW52F   !
VW52F    !X =   250.510,  -1334.282,  1.52439, 13.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0015240708!
VW52F    !SIGYZI = 0.,0.!
VW52F    !FMFAC = 1.! !END!
CW585T61 !SRCNAM  = CW585T61!
CW585T61 !X =   248.933,  -1333.270,  14.63415, 7.57,  0.91463,  0.00305,
414.11111,  0.0,  0.0015212463!
CW585T61 !SIGYZI = 0.,0.!
CW585T61 !FMFAC = 1.! !END!
VWENG738 !SRCNAM  = VWENG738!
VWENG738 !X =   249.003,  -1332.893,  12.19512, 4.58,  0.38110,  16.03659,
644.11111,  0.0,  0.0015096125!
VWENG738 !SIGYZI = 0.,0.!
VWENG738 !FMFAC = 1.! !END!
EQ6      !SRCNAM  = EQ6     !
EQ6      !X =   239.067,  -1333.886,  36.28049, 18.00,  1.82927,  1.74085,
560.77778,  0.0,  0.0014938418!
EQ6      !SIGYZI = 0.,0.!
EQ6      !FMFAC = 1.! !END!
CE723    !SRCNAM  = CE723   !
CE723    !X =   255.762,  -1333.615,  12.80488, 8.62,  0.91463,  0.00305,
298.55556,  0.0,  0.0014876364!
CE723    !SIGYZI = 0.,0.!
CE723    !FMFAC = 1.! !END!
DP231    !SRCNAM  = DP231   !
DP231    !X =   273.389,  -1325.101,  19.81707, 4.00,  0.76220,  3.35366,
559.66667,  0.0,  0.0014651983!
DP231    !SIGYZI = 0.,0.!
DP231    !FMFAC = 1.! !END!
VW187    !SRCNAM  = VW187   !
VW187    !X =   249.707,  -1332.465,  15.24390, 4.25,  0.91463,  0.00305,
296.33333,  0.0,  0.0014614708!
VW187    !SIGYZI = 0.,0.!
VW187    !FMFAC = 1.! !END!
FE9091   !SRCNAM  = FE9091  !
```

```
FE9091   !X =   256.653,  -1332.962,  0.91463, 1.50,  0.01000,  0.01000,
294.00000,  0.0,  0.0014488395!
FE9091   !SIGYZI = 0.,0.!
FE9091   !FMFAC = 1.! !END!
CE765    !SRCNAM  = CE765   !
CE765    !X =   255.457,  -1333.594,  12.19512, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0014487240!
CE765    !SIGYZI = 0.,0.!
CE765    !FMFAC = 1.! !END!
VEQH125  !SRCNAM  = VEQH125 !
VEQH125  !X =   252.607,  -1333.372,  54.26829, 9.89,  2.89634,  3.08537,
546.33333,  0.0,  0.0035391135!
VEQH125  !SIGYZI = 0.,0.!
VEQH125  !FMFAC = 1.! !END!
CEF208   !SRCNAM  = CEF208  !
CEF208   !X =   255.347,  -1333.566,  11.89024, 9.00,  3.35366,  4.87805,
306.88889,  0.0,  0.0014107252!
CEF208   !SIGYZI = 0.,0.!
CEF208   !FMFAC = 1.! !END!
FEE18TK5 !SRCNAM  = FEE18TK5!
FEE18TK5 !X =   256.800,  -1333.238,  10.97561, 7.00,  0.91463,  0.00305,
298.22222,  0.0,  0.0014021993!
FEE18TK5 !SIGYZI = 0.,0.!
FEE18TK5 !FMFAC = 1.! !END!
VWENG722 !SRCNAM  = VWENG722!
VWENG722 !X =   249.309,  -1332.947,  9.14634, 5.30,  0.30488,  3.04878,
588.55556,  0.0,  0.0013938310!
VWENG722 !SIGYZI = 0.,0.!
VWENG722 !FMFAC = 1.! !END!
CW572BAA !SRCNAM  = CW572BAA!
CW572BAA !X =   248.345,  -1333.008,  2.74390, 4.80,  0.01000,  0.01000,
294.00000,  0.0,  0.0013907335!
CW572BAA !SIGYZI = 0.,0.!
CW572BAA !FMFAC = 1.! !END!
CW572BA  !SRCNAM  = CW572BA !
CW572BA  !X =   248.371,  -1332.976,  2.74390, 4.39,  0.01000,  0.01000,
294.00000,  0.0,  0.0013907335!
CW572BA  !SIGYZI = 0.,0.!
CW572BA  !FMFAC = 1.! !END!
VWENG739 !SRCNAM  = VWENG739!
VWENG739 !X =   249.003,  -1332.893,  12.19512, 4.58,  0.38110,  16.03659,
644.11111,  0.0,  0.0013700908!
VWENG739 !SIGYZI = 0.,0.!
VWENG739 !FMFAC = 1.! !END!
TRSTACK1 !SRCNAM  = TRSTACK1!
TRSTACK1 !X =   249.109,  -1332.734,  18.59756, 4.00,  0.91463,  7.98780,
533.00000,  0.0,  0.0013554331!
TRSTACK1 !SIGYZI = 0.,0.!
TRSTACK1 !FMFAC = 1.! !END!
CE663    !SRCNAM  = CE663   !
CE663    !X =   255.832,  -1333.208,  9.14634, 8.17,  0.91463,  0.00305,
298.55556,  0.0,  0.0013443558!
CE663    !SIGYZI = 0.,0.!
CE663    !FMFAC = 1.! !END!
CD9813   !SRCNAM  = CD9813  !
CD9813   !X =   254.413,  -1333.690,  14.32927, 12.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0013443558!
CD9813   !SIGYZI = 0.,0.!
CD9813   !FMFAC = 1.! !END!
VE8H5    !SRCNAM  = VE8H5   !
VE8H5    !X =   253.733,  -1333.180,  30.48780, 11.00,  1.52439,  6.34146,
598.00000,  0.0,  0.0013418778!
```

```
VE8H5    !SIGYZI = 0.,0.!
VE8H5    !FMFAC = 1.! !END!
TP117T34 !SRCNAM  = TP117T34!
TP117T34 !X =   216.992,  -1361.561,  16.46341, 17.00,  0.91463,  0.00305,
302.44444,  0.0,  0.0013135073!
TP117T34 !SIGYZI = 0.,0.!
TP117T34 !FMFAC = 1.! !END!
VETK201  !SRCNAM  = VETK201 !
VETK201  !X =   254.517,  -1332.657,  12.19512, 8.75,  0.91463,  0.00305,
295.22222,  0.0,  0.0013056219!
VETK201  !SIGYZI = 0.,0.!
VETK201  !FMFAC = 1.! !END!
VETK80   !SRCNAM  = VETK80  !
VETK80   !X =   254.119,  -1333.167,  12.19512, 11.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0013040259!
VETK80   !SIGYZI = 0.,0.!
VETK80   !FMFAC = 1.! !END!
FE67     !SRCNAM  = FE67    !
FE67     !X =   255.851,  -1333.799,  15.24390, 9.00,  1.04268,  4.77439,
477.44444,  0.0,  0.0012991120!
FE67     !SIGYZI = 0.,0.!
FE67     !FMFAC = 1.! !END!
FE68     !SRCNAM  = FE68    !
FE68     !X =   255.851,  -1333.799,  15.24390, 9.00,  1.04268,  4.77439,
477.44444,  0.0,  0.0012991120!
FE68     !SIGYZI = 0.,0.!
FE68     !FMFAC = 1.! !END!
CD9815   !SRCNAM  = CD9815  !
CD9815   !X =   254.429,  -1333.345,  14.63415, 11.35,  0.91463,  0.00305,
298.55556,  0.0,  0.0012735974!
CD9815   !SIGYZI = 0.,0.!
CD9815   !FMFAC = 1.! !END!
CE767    !SRCNAM  = CE767   !
CE767    !X =   255.382,  -1333.784,  6.09756, 9.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0012311466!
CE767    !SIGYZI = 0.,0.!
CE767    !FMFAC = 1.! !END!
VE12H1   !SRCNAM  = VE12H1  !
VE12H1   !X =   254.392,  -1333.035,  26.21951, 10.00,  2.28659,  3.91768,
591.33333,  0.0,  0.0012152604!
VE12H1   !SIGYZI = 0.,0.!
VE12H1   !FMFAC = 1.! !END!
TP117T31 !SRCNAM  = TP117T31!
TP117T31 !X =   217.612,  -1361.981,  16.46341, 16.00,  0.91463,  0.00305,
321.88889,  0.0,  0.0012151974!
TP117T31 !SIGYZI = 0.,0.!
TP117T31 !FMFAC = 1.! !END!
VWTK114  !SRCNAM  = VWTK114 !
VWTK114  !X =   249.730,  -1332.308,  19.81707, 4.00,  0.30488,  0.00305,
298.00000,  0.0,  0.0011851889!
VWTK114  !SIGYZI = 0.,0.!
VWTK114  !FMFAC = 1.! !END!
FWEE1    !SRCNAM  = FWEE1   !
FWEE1    !X =   245.849,  -1330.870,  30.48780, 14.86,  1.21951,  5.21341,
584.66667,  0.0,  0.0011682002!
FWEE1    !SIGYZI = 0.,0.!
FWEE1    !FMFAC = 1.! !END!
FE77     !SRCNAM  = FE77    !
FE77     !X =   255.796,  -1333.801,  36.89024, 9.00,  0.97561,  4.72561,
449.66667,  0.0,  0.0011576584!
FE77     !SIGYZI = 0.,0.!
FE77     !FMFAC = 1.! !END!
```

```
VWENG721 !SRCNAM  = VWENG721!
VWENG721 !X =   249.541,  -1332.440,  9.14634, 4.00,  0.15244,  3.04878,
588.55556,  0.0,  0.0011498465!
VWENG721 !SIGYZI = 0.,0.!
VWENG721 !FMFAC = 1.! !END!
VETK360  !SRCNAM  = VETK360 !
VETK360  !X =   252.879,  -1333.239,  14.63415, 8.62,  0.91463,  0.00305,
295.22222,  0.0,  0.0011465600!
VETK360  !SIGYZI = 0.,0.!
VETK360  !FMFAC = 1.! !END!
FWFB15   !SRCNAM  = FWFB15  !
FWFB15   !X =   245.959,  -1330.866,  9.14634, 13.57,  0.91463,  0.00305,
299.52222,  0.0,  0.0011334563!
FWFB15   !SIGYZI = 0.,0.!
FWFB15   !FMFAC = 1.! !END!
VW72     !SRCNAM  = VW72    !
VW72     !X =   249.537,  -1332.314,  17.07317, 4.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0011145776!
VW72     !SIGYZI = 0.,0.!
VW72     !FMFAC = 1.! !END!
VETK20   !SRCNAM  = VETK20  !
VETK20   !X =   254.184,  -1333.447,  9.75610, 12.00,  0.30488,  0.03049,
296.88889,  0.0,  0.0010917194!
VETK20   !SIGYZI = 0.,0.!
VETK20   !FMFAC = 1.! !END!
VE44H3   !SRCNAM  = VE44H3  !
VE44H3   !X =   253.709,  -1333.306,  23.17073, 11.55,  1.06707,  5.03049,
544.11111,  0.0,  0.0010809046!
VE44H3   !SIGYZI = 0.,0.!
VE44H3   !FMFAC = 1.! !END!
TRSTACK3 !SRCNAM  = TRSTACK3!
TRSTACK3 !X =   249.109,  -1332.734,  30.48780, 4.00,  2.16463,  5.30488,
555.22222,  0.0,  0.0010786157!
TRSTACK3 !SIGYZI = 0.,0.!
TRSTACK3 !FMFAC = 1.! !END!
TP324COO !SRCNAM  = TP324COO!
TP324COO !X =   216.139,  -1361.771,  3.96341, 17.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0010598840!
TP324COO !SIGYZI = 0.,0.!
TP324COO !FMFAC = 1.! !END!
TP99COOL !SRCNAM  = TP99COOL!
TP99COOL !X =   216.236,  -1362.300,  12.19512, 16.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0010598840!
TP99COOL !SIGYZI = 0.,0.!
TP99COOL !FMFAC = 1.! !END!
FWII7    !SRCNAM  = FWII7   !
FWII7    !X =   245.646,  -1331.438,  30.48780, 15.00,  2.43902,  9.20732,
421.88889,  0.0,  0.0015556018!
FWII7    !SIGYZI = 0.,0.!
FWII7    !FMFAC = 1.! !END!
COAB1    !SRCNAM  = COAB1   !
COAB1    !X =   255.350,  -1332.786,  54.87805, 7.00,  1.82927,  17.66463,
444.11111,  0.0,  0.0010499826!
COAB1    !SIGYZI = 0.,0.!
COAB1    !FMFAC = 1.! !END!
EQAC123  !SRCNAM  = EQAC123 !
EQAC123  !X =   238.921,  -1333.546,  1.52439, 18.00,  0.07622,  30.48780,
644.11111,  0.0,  0.0010321329!
EQAC123  !SIGYZI = 0.,0.!
EQAC123  !FMFAC = 1.! !END!
TRTK316  !SRCNAM  = TRTK316 !
```

```
TRTK316  !X =   249.056,  -1332.798,  14.63415, 4.00,  0.91463,  0.00305,
449.66667,  0.0,  0.0010132332!
TRTK316  !SIGYZI = 0.,0.!
TRTK316  !FMFAC = 1.! !END!
FWO1     !SRCNAM  = FWO1    !
FWO1     !X =   245.499,  -1331.131,  28.65854, 15.00,  1.82927,  1.06707,
605.22222,  0.0,  0.0010132332!
FWO1     !SIGYZI = 0.,0.!
FWO1     !FMFAC = 1.! !END!
FWFB26   !SRCNAM  = FWFB26  !
FWFB26   !X =   245.982,  -1330.709,  4.57317, 14.19,  0.91463,  0.00305,
298.61111,  0.0,  0.0010006335!
FWFB26   !SIGYZI = 0.,0.!
FWFB26   !FMFAC = 1.! !END!
VETK21   !SRCNAM  = VETK21  !
VETK21   !X =   254.183,  -1333.417,  14.63415, 11.91,  0.91463,  0.00305,
295.22222,  0.0,  0.0009964335!
VETK21   !SIGYZI = 0.,0.!
VETK21   !FMFAC = 1.! !END!
VESRU1IN !SRCNAM  = VESRU1IN!
VESRU1IN !X =   253.593,  -1333.123,  77.74390, 11.00,  1.21951,  10.08232,
634.11111,  0.0,  0.0009964335!
VESRU1IN !SIGYZI = 0.,0.!
VESRU1IN !FMFAC = 1.! !END!
VEQ3H3   !SRCNAM  = VEQ3H3  !
VEQ3H3   !X =   252.552,  -1333.374,  24.39024, 9.89,  1.77744,  2.77439,
598.00000,  0.0,  0.0026176067!
VEQ3H3   !SIGYZI = 0.,0.!
VEQ3H3   !FMFAC = 1.! !END!
VWENG724 !SRCNAM  = VWENG724!
VWENG724 !X =   249.513,  -1332.441,  9.14634, 4.00,  0.15244,  3.04878,
588.55556,  0.0,  0.0009838337!
VWENG724 !SIGYZI = 0.,0.!
VWENG724 !FMFAC = 1.! !END!
TPTF1    !SRCNAM  = TPTF1   !
TPTF1    !X =   216.702,  -1362.069,  12.80488, 16.23,  0.91463,  0.00305,
296.88889,  0.0,  0.0014941253!
TPTF1    !SIGYZI = 0.,0.!
TPTF1    !FMFAC = 1.! !END!
TP130T52 !SRCNAM  = TP130T52!
TP130T52 !X =   216.587,  -1361.946,  14.02439, 17.00,  0.30488,  0.00305,
306.33333,  0.0,  0.0009439344!
TP130T52 !SIGYZI = 0.,0.!
TP130T52 !FMFAC = 1.! !END!
FWFB402  !SRCNAM  = FWFB402 !
FWFB402  !X =   254.053,  -1333.701,  12.19512, 12.00,  0.91463,  0.00305,
296.49444,  0.0,  0.0009355345!
FWFB402  !SIGYZI = 0.,0.!
FWFB402  !FMFAC = 1.! !END!
CE085    !SRCNAM  = CE085   !
CE085    !X =   256.121,  -1333.604,  25.91463, 8.00,  0.99085,  5.18293,
580.77778,  0.0,  0.0009166348!
CE085    !SIGYZI = 0.,0.!
CE085    !FMFAC = 1.! !END!
VW126    !SRCNAM  = VW126   !
VW126    !X =   249.584,  -1332.906,  83.84146, 7.44,  0.10000,  0.01000,
810.77778,  0.0,  0.0023509111!
VW126    !SIGYZI = 0.,0.!
VW126    !FMFAC = 1.! !END!
CE665A   !SRCNAM  = CE665A  !
CE665A   !X =   255.972,  -1333.265,  14.32927, 8.45,  0.91463,  0.00305,
298.55556,  0.0,  0.0009092850!
```

```
CE665A   !SIGYZI = 0.,0.!
CE665A   !FMFAC = 1.! !END!
FWFB405  !SRCNAM  = FWFB405 !
FWFB405  !X =   254.055,  -1333.763,  12.19512, 12.00,  0.91463,  0.00305,
298.03333,  0.0,  0.0009092850!
FWFB405  !SIGYZI = 0.,0.!
FWFB405  !FMFAC = 1.! !END!
TRTK313  !SRCNAM  = TRTK313 !
TRTK313  !X =   249.111,  -1332.796,  12.19512, 4.00,  0.91463,  0.00305,
449.66667,  0.0,  0.0009008851!
TRTK313  !SIGYZI = 0.,0.!
TRTK313  !FMFAC = 1.! !END!
VEEPFLAR !SRCNAM  = VEEPFLAR!
VEEPFLAR !X =   254.514,  -1332.563,  30.48780, 7.76,  0.10000,  0.01000,
810.77778,  0.0,  0.0011602308!
VEEPFLAR !SIGYZI = 0.,0.!
VEEPFLAR !FMFAC = 1.! !END!
FWFB124  !SRCNAM  = FWFB124 !
FWFB124  !X =   245.728,  -1330.530,  12.19512, 11.71,  0.91463,  0.00305,
298.62222,  0.0,  0.0008966852!
FWFB124  !SIGYZI = 0.,0.!
FWFB124  !FMFAC = 1.! !END!
FWFB403  !SRCNAM  = FWFB403 !
FWFB403  !X =   254.082,  -1333.730,  12.19512, 12.00,  0.91463,  0.00305,
296.83889,  0.0,  0.0008735856!
FWFB403  !SIGYZI = 0.,0.!
FWFB403  !FMFAC = 1.! !END!
VWENG5O1 !SRCNAM  = VWENG5O1!
VWENG5O1 !X =   249.356,  -1332.695,  12.19512, 4.00,  0.30488,  8.35366,
588.55556,  0.0,  0.0008641357!
VWENG5O1 !SIGYZI = 0.,0.!
VWENG5O1 !FMFAC = 1.! !END!
FES84    !SRCNAM  = FES84   !
FES84    !X =   255.748,  -1334.021,  76.21951, 9.00,  1.67683,  9.66463,
807.44444,  0.0,  0.0008557359!
FES84    !SIGYZI = 0.,0.!
FES84    !FMFAC = 1.! !END!
FWGG1    !SRCNAM  = FWGG1   !
FWGG1    !X =   245.833,  -1331.245,  23.17073, 13.41,  1.21951,  4.60366,
588.55556,  0.0,  0.0008457610!
FWGG1    !SIGYZI = 0.,0.!
FWGG1    !FMFAC = 1.! !END!
TRTK312  !SRCNAM  = TRTK312 !
TRTK312  !X =   249.084,  -1332.829,  12.19512, 4.00,  0.91463,  0.00305,
449.66667,  0.0,  0.0008452360!
TRTK312  !SIGYZI = 0.,0.!
TRTK312  !FMFAC = 1.! !END!
NAFWFSU4 !SRCNAM  = NAFWFSU4!
NAFWFSU4 !X =   271.096,  -1345.223,  0.91463, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0008420861!
NAFWFSU4 !SIGYZI = 0.,0.!
NAFWFSU4 !FMFAC = 1.! !END!
VEBLRHSE !SRCNAM  = VEBLRHSE!
VEBLRHSE !X =   254.308,  -1333.005,  0.91463, 10.28,  0.01000,  0.01000,
294.00000,  0.0,  0.0008242364!
VEBLRHSE !SIGYZI = 0.,0.!
VEBLRHSE !FMFAC = 1.! !END!
FWSURFCL !SRCNAM  = FWSURFCL!
FWSURFCL !X =   245.704,  -1330.655,  1.00030, 13.62,  0.01000,  0.01000,
294.00000,  0.0,  0.0008231864!
FWSURFCL !SIGYZI = 0.,0.!
FWSURFCL !FMFAC = 1.! !END!
```

```
COAB2    !SRCNAM  = COAB2   !
COAB2    !X =   255.350,  -1332.786,  54.87805, 7.00,  1.82927,  17.66463,
444.11111,  0.0,  0.0008210864!
COAB2    !SIGYZI = 0.,0.!
COAB2    !FMFAC = 1.! !END!
TP117T35 !SRCNAM  = TP117T35!
TP117T35 !X =   217.612,  -1361.981,  16.46341, 16.00,  0.91463,  0.00305,
302.44444,  0.0,  0.0008032367!
TP117T35 !SIGYZI = 0.,0.!
TP117T35 !FMFAC = 1.! !END!
VW38F    !SRCNAM  = VW38F   !
VW38F    !X =   250.301,  -1332.883,  6.09756, 7.90,  0.01000,  0.01000,
294.00000,  0.0,  0.0008032367!
VW38F    !SIGYZI = 0.,0.!
VW38F    !FMFAC = 1.! !END!
CE734    !SRCNAM  = CE734   !
CE734    !X =   255.368,  -1333.347,  6.09756, 8.93,  0.91463,  0.00305,
298.55556,  0.0,  0.0007958868!
CE734    !SIGYZI = 0.,0.!
CE734    !FMFAC = 1.! !END!
FWWTAB   !SRCNAM  = FWWTAB  !
FWWTAB   !X =   246.336,  -1330.573,  0.91463, 5.68,  0.01000,  0.01000,
294.00000,  0.0,  0.0007874870!
FWWTAB   !SIGYZI = 0.,0.!
FWWTAB   !FMFAC = 1.! !END!
FWWT3    !SRCNAM  = FWWT3   !
FWWT3    !X =   246.371,  -1330.791,  0.91463, 5.03,  0.01000,  0.01000,
294.00000,  0.0,  0.0007874870!
FWWT3    !SIGYZI = 0.,0.!
FWWT3    !FMFAC = 1.! !END!
FE81     !SRCNAM  = FE81    !
FE81     !X =   255.717,  -1333.929,  27.43902, 9.00,  1.12805,  3.62805,
583.00000,  0.0,  0.0007864370!
FE81     !SIGYZI = 0.,0.!
FE81     !FMFAC = 1.! !END!
VE37H1   !SRCNAM  = VE37H1  !
VE37H1   !X =   253.704,  -1333.119,  30.48780, 11.45,  1.06707,  4.72866,
598.00000,  0.0,  0.0007780371!
VE37H1   !SIGYZI = 0.,0.!
VE37H1   !FMFAC = 1.! !END!
VEPMAFE  !SRCNAM  = VEPMAFE !
VEPMAFE  !X =   253.977,  -1333.048,  6.09756, 10.46,  0.01000,  0.01000,
294.00000,  0.0,  0.0007717372!
VEPMAFE  !SIGYZI = 0.,0.!
VEPMAFE  !FMFAC = 1.! !END!
CE103    !SRCNAM  = CE103   !
CE103    !X =   256.093,  -1333.604,  20.12195, 8.00,  0.76220,  7.28659,
580.77778,  0.0,  0.0007633374!
CE103    !SIGYZI = 0.,0.!
CE103    !FMFAC = 1.! !END!
TRTK314  !SRCNAM  = TRTK314 !
TRTK314  !X =   249.057,  -1332.830,  14.63415, 4.00,  0.91463,  0.00305,
449.66667,  0.0,  0.0007601874!
TRTK314  !SIGYZI = 0.,0.!
TRTK314  !FMFAC = 1.! !END!
TP117T53 !SRCNAM  = TP117T53!
TP117T53 !X =   217.211,  -1361.461,  42.68293, 17.00,  0.10000,  0.01000,
1255.22222,  0.0,  0.0007559875!
TP117T53 !SIGYZI = 0.,0.!
TP117T53 !FMFAC = 1.! !END!
TPS15    !SRCNAM  = TPS15   !
```

```
TPS15    !X =   216.346,  -1362.234,  25.91463, 16.00,  0.91463,  0.00305,
316.33333,  0.0,  0.0007559875!
TPS15    !SIGYZI = 0.,0.!
TPS15    !FMFAC = 1.! !END!
VETK356  !SRCNAM  = VETK356 !
VETK356  !X =   252.491,  -1333.190,  14.63415, 7.91,  0.91463,  0.00305,
295.22222,  0.0,  0.0007528376!
VETK356  !SIGYZI = 0.,0.!
VETK356  !FMFAC = 1.! !END!
FEF79    !SRCNAM  = FEF79   !
FEF79    !X =   255.744,  -1333.897,  3.04878, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0007517876!
FEF79    !SIGYZI = 0.,0.!
FEF79    !FMFAC = 1.! !END!
VEQCT4   !SRCNAM  = VEQCT4  !
VEQCT4   !X =   253.828,  -1333.553,  12.19512, 12.00,  6.09756,  9.14634,
294.11111,  0.0,  0.0007486376!
VEQCT4   !SIGYZI = 0.,0.!
VEQCT4   !FMFAC = 1.! !END!
CE292    !SRCNAM  = CE292   !
CE292    !X =   255.494,  -1333.000,  34.45122, 7.88,  2.59146,  17.07317,
460.77778,  0.0,  0.0010216331!
CE292    !SIGYZI = 0.,0.!
CE292    !FMFAC = 1.! !END!
CE412    !SRCNAM  = CE412   !
CE412    !X =   255.249,  -1333.102,  76.21951, 8.00,  1.21951,  13.90244,
634.11111,  0.0,  0.0007444377!
CE412    !SIGYZI = 0.,0.!
CE412    !FMFAC = 1.! !END!
VEQCT5   !SRCNAM  = VEQCT5  !
VEQCT5   !X =   252.661,  -1333.309,  12.19512, 9.23,  6.09756,  9.14634,
294.11111,  0.0,  0.0007423377!
VEQCT5   !SIGYZI = 0.,0.!
VEQCT5   !FMFAC = 1.! !END!
VW123    !SRCNAM  = VW123   !
VW123    !X =   250.264,  -1332.604,  45.73171, 5.10,  1.29573,  9.14634,
310.77778,  0.0,  0.0007307879!
VW123    !SIGYZI = 0.,0.!
VW123    !FMFAC = 1.! !END!
CW572T7  !SRCNAM  = CW572T7 !
CW572T7  !X =   248.372,  -1333.007,  2.98780, 4.66,  0.91463,  0.00305,
305.22222,  0.0,  0.0007265880!
CW572T7  !SIGYZI = 0.,0.!
CW572T7  !FMFAC = 1.! !END!
VE17H1   !SRCNAM  = VE17H1  !
VE17H1   !X =   254.528,  -1332.998,  18.90244, 9.46,  1.21951,  3.70732,
588.55556,  0.0,  0.0011129816!
VE17H1   !SIGYZI = 0.,0.!
VE17H1   !FMFAC = 1.! !END!
VE84CT2  !SRCNAM  = VE84CT2 !
VE84CT2  !X =   254.497,  -1332.906,  12.19512, 9.10,  6.09756,  9.14634,
294.11111,  0.0,  0.0007244880!
VE84CT2  !SIGYZI = 0.,0.!
VE84CT2  !FMFAC = 1.! !END!
VEQ11H31 !SRCNAM  = VEQ11H31!
VEQ11H31 !X =   252.773,  -1333.367,  25.60976, 9.89,  1.21951,  4.43598,
563.00000,  0.0,  0.0007139882!
VEQ11H31 !SIGYZI = 0.,0.!
VEQ11H31 !FMFAC = 1.! !END!
VE38H1   !SRCNAM  = VE38H1  !
VE38H1   !X =   253.731,  -1333.119,  30.48780, 11.44,  1.06707,  4.60366,
598.00000,  0.0,  0.0007139882!
```

```
VE38H1   !SIGYZI = 0.,0.!
VE38H1   !FMFAC = 1.! !END!
FWEE5    !SRCNAM  = FWEE5   !
FWEE5    !X =   245.796,  -1330.902,  18.29268, 14.50,  0.60976,  4.51220,
580.77778,  0.0,  0.0007124132!
FWEE5    !SIGYZI = 0.,0.!
FWEE5    !FMFAC = 1.! !END!
GRHTR1A  !SRCNAM  = GRHTR1A !
GRHTR1A  !X =   271.368,  -1318.431,  11.58537, 7.00,  0.91463,  4.26829,
559.66667,  0.0,  0.0006877386!
GRHTR1A  !SIGYZI = 0.,0.!
GRHTR1A  !FMFAC = 1.! !END!
GRHTR1B  !SRCNAM  = GRHTR1B !
GRHTR1B  !X =   271.368,  -1318.431,  11.58537, 7.00,  0.91463,  4.26829,
559.66667,  0.0,  0.0006877386!
GRHTR1B  !SIGYZI = 0.,0.!
GRHTR1B  !FMFAC = 1.! !END!
VW7      !SRCNAM  = VW7     !
VW7      !X =   249.492,  -1332.628,  17.07317, 4.96,  0.91463,  0.00305,
298.55556,  0.0,  0.0006782888!
VW7      !SIGYZI = 0.,0.!
VW7      !FMFAC = 1.! !END!
FE33     !SRCNAM  = FE33    !
FE33     !X =   255.823,  -1333.770,  22.86585, 9.00,  0.90244,  13.59756,
505.22222,  0.0,  0.0006698889!
FE33     !SIGYZI = 0.,0.!
FE33     !FMFAC = 1.! !END!
FE34     !SRCNAM  = FE34    !
FE34     !X =   255.823,  -1333.770,  22.86585, 9.00,  0.90244,  13.59756,
505.22222,  0.0,  0.0006698889!
FE34     !SIGYZI = 0.,0.!
FE34     !FMFAC = 1.! !END!
VW37F    !SRCNAM  = VW37F   !
VW37F    !X =   250.244,  -1332.854,  6.09756, 7.57,  0.01000,  0.01000,
294.00000,  0.0,  0.0006614891!
VW37F    !SIGYZI = 0.,0.!
VW37F    !FMFAC = 1.! !END!
FWF37    !SRCNAM  = FWF37   !
FWF37    !X =   244.693,  -1330.998,  0.91463, 14.81,  0.01000,  0.01000,
294.00000,  0.0,  0.0006520392!
FWF37    !SIGYZI = 0.,0.!
FWF37    !FMFAC = 1.! !END!
CEF371   !SRCNAM  = CEF371  !
CEF371   !X =   255.279,  -1333.163,  6.09756, 8.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0006488893!
CEF371   !SIGYZI = 0.,0.!
CEF371   !FMFAC = 1.! !END!
VW94     !SRCNAM  = VW94    !
VW94     !X =   249.565,  -1332.283,  17.07317, 4.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0006488893!
VW94     !SIGYZI = 0.,0.!
VW94     !FMFAC = 1.! !END!
EQ8      !SRCNAM  = EQ8     !
EQ8      !X =   239.125,  -1333.945,  18.90244, 18.00,  1.06707,  1.58537,
699.66667,  0.0,  0.0006488893!
EQ8      !SIGYZI = 0.,0.!
EQ8      !FMFAC = 1.! !END!
VL68     !SRCNAM  = VL68    !
VL68     !X =   248.978,  -1332.957,  14.63415, 5.25,  0.91463,  0.00305,
298.00000,  0.0,  0.0006425894!
VL68     !SIGYZI = 0.,0.!
VL68     !FMFAC = 1.! !END!
```

```
TPS14    !SRCNAM  = TPS14   !
TPS14    !X =   216.372,  -1362.203,  57.92683, 16.00,  0.10000,  0.01000,
977.44444,  0.0,  0.0006415394!
TPS14    !SIGYZI = 0.,0.!
TPS14    !FMFAC = 1.! !END!
FWEE2    !SRCNAM  = FWEE2   !
FWEE2    !X =   245.822,  -1330.901,  30.48780, 14.64,  1.21951,  2.46951,
555.22222,  0.0,  0.0006383894!
FWEE2    !SIGYZI = 0.,0.!
FWEE2    !FMFAC = 1.! !END!
FEF97    !SRCNAM  = FEF97   !
FEF97    !X =   256.158,  -1333.041,  1.82927, 7.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0006354495!
FEF97    !SIGYZI = 0.,0.!
FEF97    !FMFAC = 1.! !END!
FELOADFU !SRCNAM  = FELOADFU!
FELOADFU !X =   256.653,  -1332.962,  3.04878, 1.50,  0.01000,  0.01000,
294.00000,  0.0,  0.0006331395!
FELOADFU !SIGYZI = 0.,0.!
FELOADFU !FMFAC = 1.! !END!
FEE20V22 !SRCNAM  = FEE20V22!
FEE20V22 !X =   255.875,  -1333.673,  4.87805, 9.00,  0.91463,  0.00305,
299.24444,  0.0,  0.0005963901!
FEE20V22 !SIGYZI = 0.,0.!
FEE20V22 !FMFAC = 1.! !END!
CW572LS1 !SRCNAM  = CW572LS1!
CW572LS1 !X =   248.290,  -1333.041,  1.00000, 5.17,  0.01000,  0.01000,
294.00000,  0.0,  0.0005879903!
CW572LS1 !SIGYZI = 0.,0.!
CW572LS1 !FMFAC = 1.! !END!
FWFB14   !SRCNAM  = FWFB14  !
FWFB14   !X =   245.929,  -1330.805,  14.17683, 14.57,  0.91463,  0.00305,
296.61667,  0.0,  0.0005522909!
FWFB14   !SIGYZI = 0.,0.!
FWFB14   !FMFAC = 1.! !END!
VW93     !SRCNAM  = VW93    !
VW93     !X =   249.536,  -1332.284,  17.07317, 4.00,  0.91463,  0.00305,
298.55556,  0.0,  0.0005428410!
VW93     !SIGYZI = 0.,0.!
VW93     !FMFAC = 1.! !END!
TP117T36 !SRCNAM  = TP117T36!
TP117T36 !X =   217.612,  -1361.981,  16.46341, 16.00,  0.91463,  0.00305,
302.44444,  0.0,  0.0005365411!
TP117T36 !SIGYZI = 0.,0.!
TP117T36 !FMFAC = 1.! !END!
FW14FA12 !SRCNAM  = FW14FA12!
FW14FA12 !X =   245.610,  -1331.188,  7.31707, 15.00,  0.91463,  0.00305,
298.27778,  0.0,  0.0005354911!
FW14FA12 !SIGYZI = 0.,0.!
FW14FA12 !FMFAC = 1.! !END!
VE8H3    !SRCNAM  = VE8H3   !
VE8H3    !X =   253.733,  -1333.180,  30.48780, 11.00,  1.82927,  3.35976,
598.00000,  0.0,  0.0005323412!
VE8H3    !SIGYZI = 0.,0.!
VE8H3    !FMFAC = 1.! !END!
TRTK315  !SRCNAM  = TRTK315 !
TRTK315  !X =   249.029,  -1332.831,  14.63415, 4.00,  0.91463,  0.00305,
449.66667,  0.0,  0.0005312912!
TRTK315  !SIGYZI = 0.,0.!
TRTK315  !FMFAC = 1.! !END!
CW572DAF !SRCNAM  = CW572DAF!
```

```
CW572DAF !X =   248.316,  -1332.978,  3.96341, 4.89,  0.01000,  0.01000,
294.00000,  0.0,  0.0005176414!
CW572DAF !SIGYZI = 0.,0.!
CW572DAF !FMFAC = 1.! !END!
FW28FB22 !SRCNAM  = FW28FB22!
FW28FB22 !X =   245.549,  -1330.972,  4.87805, 14.97,  0.91463,  0.00305,
324.21667,  0.0,  0.0005144915!
FW28FB22 !SIGYZI = 0.,0.!
FW28FB22 !FMFAC = 1.! !END!
DPGRPRD  !SRCNAM  = DPGRPRD !
DPGRPRD  !X =   273.466,  -1324.942,  3.04878, 4.06,  0.91463,  0.00305,
299.66667,  0.0,  0.0005071416!
DPGRPRD  !SIGYZI = 0.,0.!
DPGRPRD  !FMFAC = 1.! !END!
VE37H2   !SRCNAM  = VE37H2  !
VE37H2   !X =   253.731,  -1333.119,  30.48780, 11.44,  1.06707,  2.93902,
593.55556,  0.0,  0.0005029417!
VE37H2   !SIGYZI = 0.,0.!
VE37H2   !FMFAC = 1.! !END!
TP310B11 !SRCNAM  = TP310B11!
TP310B11 !X =   217.080,  -1361.715,  21.34146, 16.86,  0.91463,  15.54878,
394.11111,  0.0,  0.0014626258!
TP310B11 !SIGYZI = 0.,0.!
TP310B11 !FMFAC = 1.! !END!
CEF069   !SRCNAM  = CEF069  !
CEF069   !X =   255.674,  -1333.430,  14.02439, 8.47,  4.87805,  6.40244,
310.77778,  0.0,  0.0004819420!
CEF069   !SIGYZI = 0.,0.!
CEF069   !FMFAC = 1.! !END!
VETK87   !SRCNAM  = VETK87  !
VETK87   !X =   253.819,  -1333.272,  9.14634, 11.60,  0.91463,  0.00305,
295.22222,  0.0,  0.0004798421!
VETK87   !SIGYZI = 0.,0.!
VETK87   !FMFAC = 1.! !END!
GRPLTFU2 !SRCNAM  = GRPLTFU2!
GRPLTFU2 !X =   271.341,  -1318.463,  7.62195, 7.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0004787921!
GRPLTFU2 !SIGYZI = 0.,0.!
GRPLTFU2 !FMFAC = 1.! !END!
FWTMPENG !SRCNAM  = FWTMPENG!
FWTMPENG !X =   245.639,  -1330.314,  1.82927, 10.27,  0.04878,  2.92683,
644.11111,  0.0,  0.0004724922!
FWTMPENG !SIGYZI = 0.,0.!
FWTMPENG !FMFAC = 1.! !END!
TPFTF26  !SRCNAM  = TPFTF26 !
TPFTF26  !X =   216.561,  -1362.010,  1.52439, 17.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0004661923!
TPFTF26  !SIGYZI = 0.,0.!
TPFTF26  !FMFAC = 1.! !END!
CE1710   !SRCNAM  = CE1710  !
CE1710   !X =   255.430,  -1333.563,  12.19512, 9.00,  0.70122,  13.71951,
671.88889,  0.0,  0.0004556925!
CE1710   !SIGYZI = 0.,0.!
CE1710   !FMFAC = 1.! !END!
FW31FB2  !SRCNAM  = FW31FB2 !
FW31FB2  !X =   245.890,  -1331.304,  11.43293, 12.52,  0.91463,  0.00305,
297.63333,  0.0,  0.0004546425!
FW31FB2  !SIGYZI = 0.,0.!
FW31FB2  !FMFAC = 1.! !END!
TPFT27   !SRCNAM  = TPFT27  !
TPFT27   !X =   216.512,  -1362.261,  1.00610, 16.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0004525425!
```

```
TPFT27   !SIGYZI = 0.,0.!
TPFT27   !FMFAC = 1.! !END!
NAFUGGR4 !SRCNAM  = NAFUGGR4!
NAFUGGR4 !X =   271.159,  -1345.470,  0.91463, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0004504426!
NAFUGGR4 !SIGYZI = 0.,0.!
NAFUGGR4 !FMFAC = 1.! !END!
FEFFGS   !SRCNAM  = FEFFGS  !
FEFFGS   !X =   255.930,  -1333.671,  1.82927, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0004472926!
FEFFGS   !SIGYZI = 0.,0.!
FEFFGS   !FMFAC = 1.! !END!
TPFRACTK !SRCNAM  = TPFRACTK!
TPFRACTK !X =   217.355,  -1361.675,  3.04878, 16.06,  0.91463,  0.00305,
296.88889,  0.0,  0.0004462426!
TPFRACTK !SIGYZI = 0.,0.!
TPFRACTK !FMFAC = 1.! !END!
VL67     !SRCNAM  = VL67    !
VL67     !X =   248.949,  -1332.926,  14.63415, 4.91,  0.91463,  0.00305,
298.00000,  0.0,  0.0004420427!
VL67     !SIGYZI = 0.,0.!
VL67     !FMFAC = 1.! !END!
CEF110   !SRCNAM  = CEF110  !
CEF110   !X =   256.092,  -1333.573,  6.09756, 8.00,  4.26829,  7.01220,
300.22222,  0.0,  0.0004420427!
CEF110   !SIGYZI = 0.,0.!
CEF110   !FMFAC = 1.! !END!
VW195    !SRCNAM  = VW195   !
VW195    !X =   249.673,  -1333.090,  1.00000, 8.90,  0.10000,  0.01000,
294.00000,  0.0,  0.0004315429!
VW195    !SIGYZI = 0.,0.!
VW195    !FMFAC = 1.! !END!
VEQTBABT !SRCNAM  = VEQTBABT!
VEQTBABT !X =   254.610,  -1332.996,  12.19512, 9.00,  6.09756,  9.14634,
294.11111,  0.0,  0.0004304929!
VEQTBABT !SIGYZI = 0.,0.!
VEQTBABT !FMFAC = 1.! !END!
TP126V89 !SRCNAM  = TP126V89!
TP126V89 !X =   216.643,  -1361.977,  3.65854, 17.00,  0.91463,  0.00305,
416.33333,  0.0,  0.0004262930!
TP126V89 !SIGYZI = 0.,0.!
TP126V89 !FMFAC = 1.! !END!
VEALKY1F !SRCNAM  = VEALKY1F!
VEALKY1F !X =   254.555,  -1332.968,  0.91463, 9.12,  0.01000,  0.01000,
294.00000,  0.0,  0.0004241930!
VEALKY1F !SIGYZI = 0.,0.!
VEALKY1F !FMFAC = 1.! !END!
TP99V830 !SRCNAM  = TP99V830!
TP99V830 !X =   216.892,  -1361.970,  6.40244, 16.06,  0.91463,  0.00305,
299.66667,  0.0,  0.0004178931!
TP99V830 !SIGYZI = 0.,0.!
TP99V830 !FMFAC = 1.! !END!
CE766A   !SRCNAM  = CE766A  !
CE766A   !X =   255.989,  -1332.922,  3.65854, 7.04,  0.91463,  0.00305,
298.55556,  0.0,  0.0004084432!
CE766A   !SIGYZI = 0.,0.!
CE766A   !FMFAC = 1.! !END!
VL65     !SRCNAM  = VL65    !
VL65     !X =   248.921,  -1332.896,  14.63415, 4.58,  0.91463,  0.00305,
302.44444,  0.0,  0.0003905935!
VL65     !SIGYZI = 0.,0.!
VL65     !FMFAC = 1.! !END!
```

```
EQJ2019A !SRCNAM  = EQJ2019A!
EQJ2019A !X =   239.418,  -1333.563,  1.52439, 18.00,  0.07622,  30.48780,
644.11111,  0.0,  0.0003874436!
EQJ2019A !SIGYZI = 0.,0.!
EQJ2019A !FMFAC = 1.! !END!
VW133F   !SRCNAM  = VW133F  !
VW133F   !X =   250.156,  -1332.670,  1.82927, 6.58,  0.01000,  0.01000,
294.00000,  0.0,  0.0003706439!
VW133F   !SIGYZI = 0.,0.!
VW133F   !FMFAC = 1.! !END!
TPF112MR !SRCNAM  = TPF112MR!
TPF112MR !X =   217.159,  -1361.619,  1.52439, 17.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0003632940!
TPF112MR !SIGYZI = 0.,0.!
TPF112MR !FMFAC = 1.! !END!
A2TKVNT  !SRCNAM  = A2TKVNT !
A2TKVNT  !X =   252.741,  -1302.956,  4.57317, 13.00,  0.91463,  0.00305,
299.66667,  0.0,  0.0003590941!
A2TKVNT  !SIGYZI = 0.,0.!
A2TKVNT  !FMFAC = 1.! !END!
TPV8507  !SRCNAM  = TPV8507 !
TPV8507  !X =   216.892,  -1361.970,  12.19512, 16.06,  0.91463,  0.00305,
343.00000,  0.0,  0.0007171381!
TPV8507  !SIGYZI = 0.,0.!
TPV8507  !FMFAC = 1.! !END!
TP324WWT !SRCNAM  = TP324WWT!
TP324WWT !X =   216.029,  -1361.807,  0.91463, -999.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0003569941!
TP324WWT !SIGYZI = 0.,0.!
TP324WWT !FMFAC = 1.! !END!
CW572T2  !SRCNAM  = CW572T2 !
CW572T2  !X =   248.372,  -1333.007,  1.28049, 4.66,  1.52439,  0.00305,
305.22222,  0.0,  0.0003538441!
CW572T2  !SIGYZI = 0.,0.!
CW572T2  !FMFAC = 1.! !END!
TP130V16 !SRCNAM  = TP130V16!
TP130V16 !X =   216.587,  -1361.946,  44.51220, 17.00,  0.10366,  0.03049,
377.44444,  0.0,  0.0003485942!
TP130V16 !SIGYZI = 0.,0.!
TP130V16 !FMFAC = 1.! !END!
CEF391   !SRCNAM  = CEF391  !
CEF391   !X =   255.278,  -1333.130,  6.09756, 8.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0003328445!
CEF391   !SIGYZI = 0.,0.!
CEF391   !FMFAC = 1.! !END!
VETK109  !SRCNAM  = VETK109 !
VETK109  !X =   253.245,  -1333.447,  14.63415, 10.95,  0.91463,  0.00305,
295.22222,  0.0,  0.0003275946!
VETK109  !SIGYZI = 0.,0.!
VETK109  !FMFAC = 1.! !END!
FWFB4005 !SRCNAM  = FWFB4005!
FWFB4005 !X =   244.059,  -1330.986,  15.24390, 16.60,  0.91463,  0.00305,
293.77222,  0.0,  0.0003233947!
FWFB4005 !SIGYZI = 0.,0.!
FWFB4005 !FMFAC = 1.! !END!
CE472    !SRCNAM  = CE472   !
CE472    !X =   255.937,  -1333.048,  3.04878, 7.93,  0.01000,  0.01000,
294.00000,  0.0,  0.0003191947!
CE472    !SIGYZI = 0.,0.!
CE472    !FMFAC = 1.! !END!
CE662    !SRCNAM  = CE662   !
```

```
CE662    !X =   255.806,  -1333.238,  9.14634, 8.25,  0.91463,  0.00305,
298.55556,  0.0,  0.0003181447!
CE662    !SIGYZI = 0.,0.!
CE662    !FMFAC = 1.! !END!
FWFB18   !SRCNAM  = FWFB18  !
FWFB18   !X =   245.902,  -1330.806,  11.89024, 14.76,  0.91463,  0.00305,
297.09444,  0.0,  0.0003170948!
FWFB18   !SIGYZI = 0.,0.!
FWFB18   !FMFAC = 1.! !END!
CW572T8  !SRCNAM  = CW572T8 !
CW572T8  !X =   248.344,  -1332.977,  2.98780, 4.64,  0.91463,  0.00305,
305.22222,  0.0,  0.0003139448!
CW572T8  !SIGYZI = 0.,0.!
CW572T8  !FMFAC = 1.! !END!
CEF089   !SRCNAM  = CEF089  !
CEF089   !X =   255.702,  -1333.461,  12.19512, 8.11,  4.57317,  4.57317,
309.66667,  0.0,  0.0003139448!
CEF089   !SIGYZI = 0.,0.!
CEF089   !FMFAC = 1.! !END!
SH18     !SRCNAM  = SH18    !
SH18     !X =   241.866,  -1335.111,  8.53659, 18.00,  0.60976,  4.63415,
569.11111,  0.0,  0.0003118448!
SH18     !SIGYZI = 0.,0.!
SH18     !FMFAC = 1.! !END!
TP129V26 !SRCNAM  = TP129V26!
TP129V26 !X =   216.811,  -1362.035,  12.19512, 16.00,  0.91463,  0.30488,
321.88889,  0.0,  0.0003118448!
TP129V26 !SIGYZI = 0.,0.!
TP129V26 !FMFAC = 1.! !END!
EQWWC1   !SRCNAM  = EQWWC1  !
EQWWC1   !X =   239.060,  -1333.635,  0.91463, 18.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0003055449!
EQWWC1   !SIGYZI = 0.,0.!
EQWWC1   !FMFAC = 1.! !END!
CE475    !SRCNAM  = CE475   !
CE475    !X =   256.022,  -1333.077,  4.57317, 7.74,  0.91463,  0.00305,
298.55556,  0.0,  0.0003023950!
CE475    !SIGYZI = 0.,0.!
CE475    !FMFAC = 1.! !END!
CE476    !SRCNAM  = CE476   !
CE476    !X =   255.994,  -1333.078,  4.57317, 7.90,  0.91463,  0.00305,
298.55556,  0.0,  0.0003023950!
CE476    !SIGYZI = 0.,0.!
CE476    !FMFAC = 1.! !END!
CE477    !SRCNAM  = CE477   !
CE477    !X =   256.022,  -1333.077,  4.87805, 7.74,  0.91463,  0.00101,
298.55556,  0.0,  0.0003023950!
CE477    !SIGYZI = 0.,0.!
CE477    !FMFAC = 1.! !END!
CE676    !SRCNAM  = CE676   !
CE676    !X =   255.807,  -1333.270,  10.67073, 8.42,  0.91463,  0.00305,
298.55556,  0.0,  0.0003002950!
CE676    !SIGYZI = 0.,0.!
CE676    !FMFAC = 1.! !END!
CE222    !SRCNAM  = CE222   !
CE222    !X =   255.479,  -1333.405,  13.10976, 8.62,  0.91463,  1.71037,
533.00000,  0.0,  0.0003002950!
CE222    !SIGYZI = 0.,0.!
CE222    !FMFAC = 1.! !END!
EQ31     !SRCNAM  = EQ31    !
EQ31     !X =   239.041,  -1333.886,  34.75610, 18.00,  0.91463,  1.42988,
534.11111,  0.0,  0.0002960951!
```

```
EQ31     !SIGYZI = 0.,0.!
EQ31     !FMFAC = 1.! !END!
FETMPENG !SRCNAM  = FETMPENG!
FETMPENG !X =   255.963,  -1333.859,  1.82927, 9.00,  0.04878,  2.92683,
644.11111,  0.0,  0.0002939951!
FETMPENG !SIGYZI = 0.,0.!
FETMPENG !FMFAC = 1.! !END!
TP111EFF !SRCNAM  = TP111EFF!
TP111EFF !X =   216.938,  -1361.625,  0.91463, 17.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0002866453!
TP111EFF !SIGYZI = 0.,0.!
TP111EFF !FMFAC = 1.! !END!
TP111T35 !SRCNAM  = TP111T35!
TP111T35 !X =   217.612,  -1361.981,  16.46341, 16.00,  0.91463,  0.00305,
321.88889,  0.0,  0.0002834953!
TP111T35 !SIGYZI = 0.,0.!
TP111T35 !FMFAC = 1.! !END!
EQ7      !SRCNAM  = EQ7     !
EQ7      !X =   239.125,  -1333.945,  25.60976, 18.00,  0.60976,  1.74085,
505.22222,  0.0,  0.0002813953!
EQ7      !SIGYZI = 0.,0.!
EQ7      !FMFAC = 1.! !END!
FW10FA10 !SRCNAM  = FW10FA10!
FW10FA10 !X =   245.925,  -1330.680,  7.31707, 14.81,  0.91463,  0.00305,
298.22222,  0.0,  0.0002803454!
FW10FA10 !SIGYZI = 0.,0.!
FW10FA10 !FMFAC = 1.! !END!
CEF4600  !SRCNAM  = CEF4600 !
CEF4600  !X =   255.898,  -1333.517,  4.57317, 8.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0002782454!
CEF4600  !SIGYZI = 0.,0.!
CEF4600  !FMFAC = 1.! !END!
VEQ11H30 !SRCNAM  = VEQ11H30!
VEQ11H30 !X =   252.745,  -1333.368,  24.08537, 9.89,  1.21951,  4.14329,
513.55556,  0.0,  0.0002750955!
VEQ11H30 !SIGYZI = 0.,0.!
VEQ11H30 !FMFAC = 1.! !END!
FE25     !SRCNAM  = FE25    !
FE25     !X =   255.931,  -1333.703,  22.86585, 9.00,  0.75610,  5.97561,
577.44444,  0.0,  0.0002677456!
FE25     !SIGYZI = 0.,0.!
FE25     !FMFAC = 1.! !END!
CW573ME1 !SRCNAM  = CW573ME1!
CW573ME1 !X =   248.385,  -1333.443,  68.59756, 9.24,  0.10000,  0.01000,
810.77778,  0.0,  0.0002677456!
CW573ME1 !SIGYZI = 0.,0.!
CW573ME1 !FMFAC = 1.! !END!
TP124V60 !SRCNAM  = TP124V60!
TP124V60 !X =   216.832,  -1361.785,  5.18293, 17.00,  0.91463,  0.00305,
299.66667,  0.0,  0.0002645956!
TP124V60 !SIGYZI = 0.,0.!
TP124V60 !FMFAC = 1.! !END!
TP99IBUF !SRCNAM  = TP99IBUF!
TP99IBUF !X =   216.798,  -1361.566,  1.52439, 17.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0002614457!
TP99IBUF !SIGYZI = 0.,0.!
TP99IBUF !FMFAC = 1.! !END!
VWTK51   !SRCNAM  = VWTK51  !
VWTK51   !X =   249.679,  -1332.436,  14.32927, 4.00,  0.30488,  0.00305,
298.00000,  0.0,  0.0002572457!
VWTK51   !SIGYZI = 0.,0.!
VWTK51   !FMFAC = 1.! !END!
```

```
SH23     !SRCNAM  = SH23    !
SH23     !X =   241.892,  -1335.079,  6.09756, 18.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0002509459!
SH23     !SIGYZI = 0.,0.!
SH23     !FMFAC = 1.! !END!
VWENG726 !SRCNAM  = VWENG726!
VWENG726 !X =   249.541,  -1332.440,  9.14634, 4.00,  0.15244,  3.04878,
588.55556,  0.0,  0.0002509459!
VWENG726 !SIGYZI = 0.,0.!
VWENG726 !FMFAC = 1.! !END!
TP121T36 !SRCNAM  = TP121T36!
TP121T36 !X =   216.457,  -1355.140,  36.58537, 22.00,  1.82927,  9.87805,
305.22222,  0.0,  0.0002477959!
TP121T36 !SIGYZI = 0.,0.!
TP121T36 !FMFAC = 1.! !END!
CD9811   !SRCNAM  = CD9811  !
CD9811   !X =   254.095,  -1334.136,  10.67073, 12.00,  0.91463,  0.00305,
296.88889,  0.0,  0.0002477959!
CD9811   !SIGYZI = 0.,0.!
CD9811   !FMFAC = 1.! !END!
VETK210  !SRCNAM  = VETK210 !
VETK210  !X =   254.604,  -1332.810,  7.31707, 8.86,  0.91463,  0.00305,
295.22222,  0.0,  0.0002414960!
VETK210  !SIGYZI = 0.,0.!
VETK210  !FMFAC = 1.! !END!
MIL1     !SRCNAM  = MIL1    !
MIL1     !X =   281.474,  -1337.648,  3.04878, 4.00,  2.13415,  0.00305,
295.22222,  0.0,  0.0002404460!
MIL1     !SIGYZI = 0.,0.!
MIL1     !FMFAC = 1.! !END!
SA54     !SRCNAM  = SA54    !
SA54     !X =   271.868,  -1324.155,  19.81707, 6.00,  0.91463,  11.28049,
377.44444,  0.0,  0.0002393960!
SA54     !SIGYZI = 0.,0.!
SA54     !FMFAC = 1.! !END!
VETK211  !SRCNAM  = VETK211 !
VETK211  !X =   254.604,  -1332.810,  7.31707, 8.86,  0.91463,  0.00305,
295.22222,  0.0,  0.0002383461!
VETK211  !SIGYZI = 0.,0.!
VETK211  !FMFAC = 1.! !END!
VW41FSCO !SRCNAM  = VW41FSCO!
VW41FSCO !X =   249.882,  -1332.740,  6.09756, 7.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0002330961!
VW41FSCO !SIGYZI = 0.,0.!
VW41FSCO !FMFAC = 1.! !END!
SH6      !SRCNAM  = SH6     !
SH6      !X =   241.921,  -1335.109,  15.85366, 18.00,  0.76220,  2.83537,
535.77778,  0.0,  0.0002267963!
SH6      !SIGYZI = 0.,0.!
SH6      !FMFAC = 1.! !END!
FWF31    !SRCNAM  = FWF31   !
FWF31    !X =   245.890,  -1331.304,  0.91463, 12.52,  0.01000,  0.01000,
294.00000,  0.0,  0.0002194464!
FWF31    !SIGYZI = 0.,0.!
FWF31    !FMFAC = 1.! !END!
SH13     !SRCNAM  = SH13    !
SH13     !X =   241.921,  -1335.109,  23.78049, 18.00,  1.60061,  23.01829,
616.33333,  0.0,  0.0002157714!
SH13     !SIGYZI = 0.,0.!
SH13     !FMFAC = 1.! !END!
EQ8A     !SRCNAM  = EQ8A    !
```

```
EQ8A     !X =   239.125,  -1333.945,  19.51220, 18.00,  1.06707,  2.28049,
534.11111,  0.0,  0.0002152464!
EQ8A     !SIGYZI = 0.,0.!
EQ8A     !FMFAC = 1.! !END!
TP129T51 !SRCNAM  = TP129T51!
TP129T51 !X =   216.784,  -1362.036,  17.07317, 16.07,  0.07622,  25.00000,
377.44444,  0.0,  0.0002141965!
TP129T51 !SIGYZI = 0.,0.!
TP129T51 !FMFAC = 1.! !END!
FEF72    !SRCNAM  = FEF72   !
FEF72    !X =   255.769,  -1333.833,  3.04878, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0002120965!
FEF72    !SIGYZI = 0.,0.!
FEF72    !FMFAC = 1.! !END!
TP111T31 !SRCNAM  = TP111T31!
TP111T31 !X =   217.612,  -1361.981,  16.76829, 16.00,  0.91463,  0.00305,
321.88889,  0.0,  0.0002099965!
TP111T31 !SIGYZI = 0.,0.!
TP111T31 !FMFAC = 1.! !END!
CEGRPROU !SRCNAM  = CEGRPROU!
CEGRPROU !X =   255.678,  -1333.555,  0.91463, 8.86,  0.01000,  0.01000,
294.00000,  0.0,  0.0002078966!
CEGRPROU !SIGYZI = 0.,0.!
CEGRPROU !FMFAC = 1.! !END!
DP237    !SRCNAM  = DP237   !
DP237    !X =   273.333,  -1325.072,  23.47561, 4.00,  0.60976,  5.12195,
573.00000,  0.0,  0.0002068466!
DP237    !SIGYZI = 0.,0.!
DP237    !FMFAC = 1.! !END!
TP111T36 !SRCNAM  = TP111T36!
TP111T36 !X =   217.612,  -1361.981,  9.14634, 16.00,  0.91463,  0.00305,
321.88889,  0.0,  0.0002068466!
TP111T36 !SIGYZI = 0.,0.!
TP111T36 !FMFAC = 1.! !END!
VETK113  !SRCNAM  = VETK113 !
VETK113  !X =   254.443,  -1332.939,  10.97561, 9.75,  0.91463,  0.00305,
295.22222,  0.0,  0.0002057966!
VETK113  !SIGYZI = 0.,0.!
VETK113  !FMFAC = 1.! !END!
VE27H1   !SRCNAM  = VE27H1  !
VE27H1   !X =   254.334,  -1333.004,  22.56098, 10.11,  0.99085,  3.84146,
533.00000,  0.0,  0.0002052716!
VE27H1   !SIGYZI = 0.,0.!
VE27H1   !FMFAC = 1.! !END!
CEGRP909 !SRCNAM  = CEGRP909!
CEGRP909 !X =   249.959,  -1333.424,  0.91463, 13.57,  0.01000,  0.01000,
294.00000,  0.0,  0.0002036966!
CEGRP909 !SIGYZI = 0.,0.!
CEGRP909 !FMFAC = 1.! !END!
VWENG725 !SRCNAM  = VWENG725!
VWENG725 !X =   249.513,  -1332.441,  9.14634, 4.00,  0.15244,  3.04878,
588.55556,  0.0,  0.0002026466!
VWENG725 !SIGYZI = 0.,0.!
VWENG725 !FMFAC = 1.! !END!
CW572LS3 !SRCNAM  = CW572LS3!
CW572LS3 !X =   248.289,  -1333.010,  1.00000, 5.11,  0.01000,  0.01000,
294.00000,  0.0,  0.0002005467!
CW572LS3 !SIGYZI = 0.,0.!
CW572LS3 !FMFAC = 1.! !END!
SH19     !SRCNAM  = SH19    !
SH19     !X =   241.921,  -1335.109,  6.70732, 18.00,  0.30488,  3.01829,
666.33333,  0.0,  0.0001994967!
```

```
SH19     !SIGYZI = 0.,0.!
SH19     !FMFAC = 1.! !END!
EQ54     !SRCNAM  = EQ54    !
EQ54     !X =   239.055,  -1333.479,  7.31707, 18.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0001994967!
EQ54     !SIGYZI = 0.,0.!
EQ54     !FMFAC = 1.! !END!
TP126ACH !SRCNAM  = TP126ACH!
TP126ACH !X =   217.355,  -1361.675,  9.14634, 16.06,  0.91463,  0.00305,
296.88889,  0.0,  0.0001984467!
TP126ACH !SIGYZI = 0.,0.!
TP126ACH !FMFAC = 1.! !END!
WT116    !SRCNAM  = WT116   !
WT116    !X =   254.522,  -1333.686,  12.80488, 12.00,  0.91463,  0.00305,
310.77778,  0.0,  0.0001973967!
WT116    !SIGYZI = 0.,0.!
WT116    !FMFAC = 1.! !END!
FEF76    !SRCNAM  = FEF76   !
FEF76    !X =   255.796,  -1333.801,  3.04878, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001963468!
FEF76    !SIGYZI = 0.,0.!
FEF76    !FMFAC = 1.! !END!
CEF451   !SRCNAM  = CEF451  !
CEF451   !X =   255.935,  -1332.985,  3.04878, 7.74,  0.01000,  0.01000,
294.00000,  0.0,  0.0001900469!
CEF451   !SIGYZI = 0.,0.!
CEF451   !FMFAC = 1.! !END!
VETK114  !SRCNAM  = VETK114 !
VETK114  !X =   254.443,  -1332.939,  10.97561, 9.75,  0.91463,  0.00305,
295.22222,  0.0,  0.0001847969!
VETK114  !SIGYZI = 0.,0.!
VETK114  !FMFAC = 1.! !END!
TPFS12A  !SRCNAM  = TPFS12A !
TPFS12A  !X =   216.538,  -1362.198,  3.04878, 16.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001837470!
TPFS12A  !SIGYZI = 0.,0.!
TPFS12A  !FMFAC = 1.! !END!
VW13F    !SRCNAM  = VW13F   !
VW13F    !X =   249.826,  -1332.711,  6.09756, 6.40,  0.01000,  0.01000,
294.00000,  0.0,  0.0001805970!
VW13F    !SIGYZI = 0.,0.!
VW13F    !FMFAC = 1.! !END!
FBFUG    !SRCNAM  = FBFUG   !
FBFUG    !X =   270.343,  -1349.933,  0.91463, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001795470!
FBFUG    !SIGYZI = 0.,0.!
FBFUG    !FMFAC = 1.! !END!
FTFUG1   !SRCNAM  = FTFUG1  !
FTFUG1   !X =   277.825,  -1331.250,  6.09756, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001784970!
FTFUG1   !SIGYZI = 0.,0.!
FTFUG1   !FMFAC = 1.! !END!
MIFUG    !SRCNAM  = MIFUG   !
MIFUG    !X =   281.474,  -1337.648,  4.57317, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001774471!
MIFUG    !SIGYZI = 0.,0.!
MIFUG    !FMFAC = 1.! !END!
FES85    !SRCNAM  = FES85   !
FES85    !X =   255.984,  -1333.639,  60.67073, 8.45,  0.46037,  22.86585,
644.11111,  0.0,  0.0001774471!
FES85    !SIGYZI = 0.,0.!
FES85    !FMFAC = 1.! !END!
```

```
TPFT101  !SRCNAM  = TPFT101 !
TPFT101  !X =   216.512,  -1362.261,  3.04878, 16.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001763971!
TPFT101  !SIGYZI = 0.,0.!
TPFT101  !FMFAC = 1.! !END!
CEGRPFIR !SRCNAM  = CEGRPFIR!
CEGRPFIR !X =   255.678,  -1333.555,  0.91463, 8.86,  0.01000,  0.01000,
294.00000,  0.0,  0.0001742971!
CEGRPFIR !SIGYZI = 0.,0.!
CEGRPFIR !FMFAC = 1.! !END!
TP129V30 !SRCNAM  = TP129V30!
TP129V30 !X =   216.755,  -1362.005,  12.19512, 16.38,  0.91463,  0.30488,
321.88889,  0.0,  0.0001721972!
TP129V30 !SIGYZI = 0.,0.!
TP129V30 !FMFAC = 1.! !END!
FW21FB21 !SRCNAM  = FW21FB21!
FW21FB21 !X =   245.743,  -1331.027,  4.87805, 15.00,  0.91463,  0.00305,
325.83889,  0.0,  0.0001721972!
FW21FB21 !SIGYZI = 0.,0.!
FW21FB21 !FMFAC = 1.! !END!
VETK334  !SRCNAM  = VETK334 !
VETK334  !X =   252.604,  -1333.279,  14.63415, 8.89,  0.91463,  0.00305,
295.22222,  0.0,  0.0001637973!
VETK334  !SIGYZI = 0.,0.!
VETK334  !FMFAC = 1.! !END!
VEQ3H4   !SRCNAM  = VEQ3H4  !
VEQ3H4   !X =   252.552,  -1333.374,  15.24390, 9.89,  1.50000,  6.48780,
598.00000,  0.0,  0.0001553974!
VEQ3H4   !SIGYZI = 0.,0.!
VEQ3H4   !FMFAC = 1.! !END!
TP125V30 !SRCNAM  = TP125V30!
TP125V30 !X =   216.863,  -1361.938,  3.04878, 16.41,  0.05183,  0.00305,
310.77778,  0.0,  0.0001522475!
TP125V30 !SIGYZI = 0.,0.!
TP125V30 !FMFAC = 1.! !END!
NAFWFSU5 !SRCNAM  = NAFWFSU5!
NAFWFSU5 !X =   271.440,  -1345.617,  1.21951, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001501475!
NAFWFSU5 !SIGYZI = 0.,0.!
NAFWFSU5 !FMFAC = 1.! !END!
TP127FUG !SRCNAM  = TP127FUG!
TP127FUG !X =   216.699,  -1361.975,  1.52439, 17.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001490975!
TP127FUG !SIGYZI = 0.,0.!
TP127FUG !FMFAC = 1.! !END!
TP130MS7 !SRCNAM  = TP130MS7!
TP130MS7 !X =   216.784,  -1362.036,  67.07317, 16.07,  0.58841,  25.30488,
333.00000,  0.0,  0.0001417477!
TP130MS7 !SIGYZI = 0.,0.!
TP130MS7 !FMFAC = 1.! !END!
FWEDENCN !SRCNAM  = FWEDENCN!
FWEDENCN !X =   245.788,  -1330.653,  3.04878, 13.93,  0.07622,  0.00305,
299.66667,  0.0,  0.0001406977!
FWEDENCN !SIGYZI = 0.,0.!
FWEDENCN !FMFAC = 1.! !END!
OCVCM6   !SRCNAM  = OCVCM6  !
OCVCM6   !X =   273.643,  -1324.469,  12.80488, 5.00,  0.25305,  13.71951,
373.00000,  0.0,  0.0001396477!
OCVCM6   !SIGYZI = 0.,0.!
OCVCM6   !FMFAC = 1.! !END!
OCVCM22  !SRCNAM  = OCVCM22 !
```

```
OCVCM22  !X =   273.743,  -1324.153,  12.80488, 5.00,  0.25305,  13.71951,
373.00000,  0.0,  0.0001396477!
OCVCM22  !SIGYZI = 0.,0.!
OCVCM22  !FMFAC = 1.! !END!
FEE12TK1 !SRCNAM  = FEE12TK1!
FEE12TK1 !X =   256.493,  -1333.155,  9.14634, 7.00,  0.91463,  0.00305,
295.22222,  0.0,  0.0001364977!
FEE12TK1 !SIGYZI = 0.,0.!
FEE12TK1 !FMFAC = 1.! !END!
FW28FB21 !SRCNAM  = FW28FB21!
FW28FB21 !X =   245.550,  -1331.004,  4.87805, 15.00,  0.91463,  0.00305,
298.21667,  0.0,  0.0001364977!
FW28FB21 !SIGYZI = 0.,0.!
FW28FB21 !FMFAC = 1.! !END!
FWFB4    !SRCNAM  = FWFB4   !
FWFB4    !X =   245.984,  -1330.772,  5.48780, 14.18,  0.91463,  0.00305,
297.68889,  0.0,  0.0001364977!
FWFB4    !SIGYZI = 0.,0.!
FWFB4    !FMFAC = 1.! !END!
TP250T32 !SRCNAM  = TP250T32!
TP250T32 !X =   216.557,  -1361.854,  6.09756, 17.00,  0.15244,  0.30488,
299.66667,  0.0,  0.0001364977!
TP250T32 !SIGYZI = 0.,0.!
TP250T32 !FMFAC = 1.! !END!
FWF61    !SRCNAM  = FWF61   !
FWF61    !X =   245.723,  -1331.279,  0.91463, 14.87,  0.01000,  0.01000,
294.00000,  0.0,  0.0001322978!
FWF61    !SIGYZI = 0.,0.!
FWF61    !FMFAC = 1.! !END!
NASET003 !SRCNAM  = NASET003!
NASET003 !X =   271.165,  -1345.657,  15.24390, 4.00,  1.06707,  15.24390,
644.11111,  0.0,  0.0001312478!
NASET003 !SIGYZI = 0.,0.!
NASET003 !FMFAC = 1.! !END!
NASET004 !SRCNAM  = NASET004!
NASET004 !X =   271.165,  -1345.657,  15.24390, 4.00,  1.06707,  15.24390,
644.11111,  0.0,  0.0001312478!
NASET004 !SIGYZI = 0.,0.!
NASET004 !FMFAC = 1.! !END!
NASET014 !SRCNAM  = NASET014!
NASET014 !X =   271.440,  -1345.617,  15.24390, 4.00,  1.06707,  15.24390,
644.11111,  0.0,  0.0001312478!
NASET014 !SIGYZI = 0.,0.!
NASET014 !FMFAC = 1.! !END!
NASET013 !SRCNAM  = NASET013!
NASET013 !X =   271.440,  -1345.617,  15.24390, 4.00,  1.06707,  15.24390,
644.11111,  0.0,  0.0001312478!
NASET013 !SIGYZI = 0.,0.!
NASET013 !FMFAC = 1.! !END!
TP111T32 !SRCNAM  = TP111T32!
TP111T32 !X =   217.612,  -1361.981,  9.14634, 16.00,  0.91463,  0.00305,
321.88889,  0.0,  0.0001312478!
TP111T32 !SIGYZI = 0.,0.!
TP111T32 !FMFAC = 1.! !END!
FESURFCL !SRCNAM  = FESURFCL!
FESURFCL !X =   255.882,  -1333.893,  1.00030, 9.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001291479!
FESURFCL !SIGYZI = 0.,0.!
FESURFCL !FMFAC = 1.! !END!
CE223    !SRCNAM  = CE223   !
CE223    !X =   255.479,  -1333.405,  12.80488, 8.62,  0.60976,  1.19207,
533.00000,  0.0,  0.0001291479!
```

```
CE223    !SIGYZI = 0.,0.!
CE223    !FMFAC = 1.! !END!
CEF441   !SRCNAM  = CEF441  !
CEF441   !X =   255.905,  -1332.893,  1.00000, 6.13,  0.10000,  0.01000,
294.00000,  0.0,  0.0001270479!
CEF441   !SIGYZI = 0.,0.!
CEF441   !FMFAC = 1.! !END!
EQPBRENG !SRCNAM  = EQPBRENG!
EQPBRENG !X =   239.261,  -1333.880,  0.91463, 18.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001259979!
EQPBRENG !SIGYZI = 0.,0.!
EQPBRENG !FMFAC = 1.! !END!
TPFT28   !SRCNAM  = TPFT28  !
TPFT28   !X =   216.620,  -1362.165,  3.04878, 16.07,  0.01000,  0.01000,
294.00000,  0.0,  0.0001217980!
TPFT28   !SIGYZI = 0.,0.!
TPFT28   !FMFAC = 1.! !END!
TPS17    !SRCNAM  = TPS17   !
TPS17    !X =   216.348,  -1362.297,  0.30488, 16.00,  0.91463,  0.00305,
321.88889,  0.0,  0.0001196980!
TPS17    !SIGYZI = 0.,0.!
TPS17    !FMFAC = 1.! !END!
CEF445   !SRCNAM  = CEF445  !
CEF445   !X =   255.902,  -1332.800,  1.00000, 1.50,  0.10000,  0.01000,
294.00000,  0.0,  0.0001196980!
CEF445   !SIGYZI = 0.,0.!
CEF445   !FMFAC = 1.! !END!
FTSURFPR !SRCNAM  = FTSURFPR!
FTSURFPR !X =   277.825,  -1331.250,  1.00030, 4.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001165481!
FTSURFPR !SIGYZI = 0.,0.!
FTSURFPR !FMFAC = 1.! !END!
TP129V16 !SRCNAM  = TP129V16!
TP129V16 !X =   216.726,  -1362.006,  6.09756, 16.63,  0.91463,  0.00305,
388.55556,  0.0,  0.0001154981!
TP129V16 !SIGYZI = 0.,0.!
TP129V16 !FMFAC = 1.! !END!
VWENG5OP !SRCNAM  = VWENG5OP!
VWENG5OP !X =   249.356,  -1332.695,  12.19512, 4.00,  0.30488,  8.35366,
588.55556,  0.0,  0.0001112982!
VWENG5OP !SIGYZI = 0.,0.!
VWENG5OP !FMFAC = 1.! !END!
TP129T52 !SRCNAM  = TP129T52!
TP129T52 !X =   216.811,  -1362.035,  17.07317, 16.00,  0.07622,  19.51220,
377.44444,  0.0,  0.0001091982!
TP129T52 !SIGYZI = 0.,0.!
TP129T52 !FMFAC = 1.! !END!
FEE11TKH !SRCNAM  = FEE11TKH!
FEE11TKH !X =   255.493,  -1333.842,  14.63415, 9.00,  0.91463,  0.00305,
302.69444,  0.0,  0.0001081482!
FEE11TKH !SIGYZI = 0.,0.!
FEE11TKH !FMFAC = 1.! !END!
FWF38    !SRCNAM  = FWF38   !
FWF38    !X =   245.718,  -1331.124,  0.91463, 15.00,  0.01000,  0.01000,
294.00000,  0.0,  0.0001081482!
FWF38    !SIGYZI = 0.,0.!
FWF38    !FMFAC = 1.! !END!
EQ18     !SRCNAM  = EQ18    !
EQ18     !X =   238.918,  -1333.453,  7.31707, 18.00,  0.91463,  0.00305,
298.00000,  0.0,  0.0001081482!
EQ18     !SIGYZI = 0.,0.!
EQ18     !FMFAC = 1.! !END!
```

```
VE83CT1  !SRCNAM  = VE83CT1 !
VE83CT1  !X =   254.385,  -1332.817,  12.19512, 9.00,  6.09756,  9.14634,
294.11111,  0.0,  0.0001081482!
VE83CT1  !SIGYZI = 0.,0.!
VE83CT1  !FMFAC = 1.! !END!
OCEGEN3  !SRCNAM  = OCEGEN3 !
OCEGEN3  !X =   273.543,  -1324.753,  4.26829, 5.00,  0.21646,  76.21951,
755.22222,  0.0,  0.0001060482!
OCEGEN3  !SIGYZI = 0.,0.!
OCEGEN3  !FMFAC = 1.! !END!
GP104    !SRCNAM  = GP104   !
GP104    !X =   271.888,  -1323.936,  60.67073, 6.00,  1.82927,  23.17073,
425.22222,  0.0,  0.0000796937!
GP104    !SIGYZI = 0.,0.!
GP104    !FMFAC = 1.! !END!
GP103    !SRCNAM  = GP103   !
GP103    !X =   271.916,  -1323.966,  60.67073, 6.00,  1.82927,  20.12195,
425.22222,  0.0,  0.0000136498!
GP103    !SIGYZI = 0.,0.!
GP103    !FMFAC = 1.! !END!
BD10     !SRCNAM  = BD10    !
BD10     !X =   267.839,  -1356.110,  7.62195, 4.00,  0.91463,  0.00305,
294.66667,  0.0,  0.0000012390!
BD10     !SIGYZI = 0.,0.!
BD10     !FMFAC = 1.! !END!
BD11     !SRCNAM  = BD11    !
BD11     !X =   267.839,  -1356.110,  2.13415, 4.00,  0.91463,  0.00305,
294.66667,  0.0,  0.0000005302!
BD11     !SIGYZI = 0.,0.!
BD11     !FMFAC = 1.! !END!
```

---

a

Data for each source are treated as a separate input subgroup and therefore must end with an input group terminator.

SRCNAM is a 12-character name for a source
(No default)

X is an array holding the source data listed by the column headings
(No default)

SIGYZI is an array holding the initial sigma-y and sigma-z (m)
(Default: 0.,0.)

FMFAC is a vertical momentum flux factor (0. or 1.0) used to represent the effect of rain-caps or other physical configurations that reduce momentum rise associated with the actual exit velocity.
(Default: 1.0 -- full momentum used)

ZPLTFM is the platform height (m) for sources influenced by an isolated structure that has a significant open area between the surface and the bulk of the structure, such as an offshore oil platform. The Base Elevation is that of the surface (ground or ocean), and the Stack Height is the release height above the Base (not above the platform). Building heights entered in Subgroup 13c must be those of the buildings on the platform, measured from the platform deck. ZPLTFM is used only with MBDW=1 (ISC downwash method) for sources with building downwash.
(Default: 0.0)

b

```
     0. = No building downwash modeled
     1. = Downwash modeled for buildings resting on the surface
     2. = Downwash modeled for buildings raised above the surface (ZPLTFM >
0.)
     NOTE: must be entered as a REAL number (i.e., with decimal point)

    c
     An emission rate must be entered for every pollutant modeled.
     Enter emission rate of zero for secondary pollutants that are
     modeled, but not emitted.  Units are specified by IPTU
     (e.g. 1 for g/s).

---------------
Subgroup (13c)
---------------

           BUILDING DIMENSION DATA FOR SOURCES SUBJECT TO DOWNWASH
           -------------------------------------------------------
Source                                                                    a
 No.       Effective building height, width, length and X/Y offset (in
meters)
           every 10 degrees.  LENGTH, XBADJ, and YBADJ are only needed for
           MBDW=2 (PRIME downwash option)
------     ---------------------------------------------------------------
--


--------

    a
     Building height, width, length, and X/Y offset from the source are
treated
     as a separate input subgroup for each source and therefore must end with
     an input group terminator.  The X/Y offset is the position, relative to
the
     stack, of the center of the upwind face of the projected building, with
the
     x-axis pointing along the flow direction.

---------------
Subgroup (13d)
---------------
                                                  a
          POINT SOURCE: VARIABLE EMISSIONS DATA
          -------------------------------------

     Use this subgroup to describe temporal variations in the emission
     rates given in 13b.  Factors entered multiply the rates in 13b.
     Skip sources here that have constant emissions.  For more elaborate
     variation in source parameters, use PTEMARB.DAT and NPT2 > 0.

     IVARY determines the type of variation, and is source-specific:
     (IVARY)                                Default: 0
           0 =       Constant
           1 =       Diurnal cycle (24 scaling factors: hours 1-24)
           2 =       Monthly cycle (12 scaling factors: months 1-12)
           3 =       Hour & Season (4 groups of 24 hourly scaling factors,
                                    where first group is DEC-JAN-FEB)
           4 =       Speed & Stab. (6 groups of 6 scaling factors, where
                                    first group is Stability Class A,
                                    and the speed classes have upper
                                    bounds (m/s) defined in Group 12
```

```
           5 =       Temperature   (12 scaling factors, where temperature
                                    classes have upper bounds (C) of:
                                    0, 5, 10, 15, 20, 25, 30, 35, 40,
                                    45, 50, 50+)



--------
    a
     Data for each species are treated as a separate input subgroup
     and therefore must end with an input group terminator.


-------------------------------------------------------------------------------
--


INPUT GROUPS: 14a, 14b, 14c, 14d -- Area source parameters
--------------------------------

---------------
Subgroup (14a)
---------------

     Number of polygon area sources with
     parameters specified below (NAR1)       No default  !  NAR1 =  0   !

     Units used for area source
     emissions below            (IARU)       Default: 1  !  IARU =   1  !
           1 =        g/m**2/s
           2 =       kg/m**2/hr
           3 =       lb/m**2/hr
           4 =     tons/m**2/yr
           5 =     Odour Unit * m/s  (vol. flux/m**2 of odour compound)
           6 =     Odour Unit * m/min
           7 =     metric tons/m**2/yr

     Number of source-species
     combinations with variable
     emissions scaling factors
     provided below in (14d)        (NSAR1) Default: 0  !  NSAR1 =  0  !

     Number of buoyant polygon area sources
     with variable location and emission
     parameters (NAR2)                      No default  !  NAR2 =  0   !
     (If NAR2 > 0, ALL parameter data for
     these sources are read from the file: BAEMARB.DAT)

!END!

---------------
Subgroup (14b)
---------------
                                      a
          AREA SOURCE: CONSTANT DATA
          ----------------------------
                                                          b
Source           Effect.    Base      Initial    Emission
 No.             Height   Elevation   Sigma z     Rates
                   (m)       (m)        (m)
-------          ------    ------     --------   ---------
```

```
--------
    a
     Data for each source are treated as a separate input subgroup
     and therefore must end with an input group terminator.
    b
     An emission rate must be entered for every pollutant modeled.
     Enter emission rate of zero for secondary pollutants that are
     modeled, but not emitted.  Units are specified by IARU
     (e.g. 1 for g/m**2/s).

---------------
Subgroup (14c)
---------------

           COORDINATES (km) FOR EACH VERTEX(4) OF EACH POLYGON
           -----------------------------------------------------------
Source                                                                a
 No.       Ordered list of X followed by list of Y, grouped by source
------     -------------------------------------------------------------


--------
    a
     Data for each source are treated as a separate input subgroup
     and therefore must end with an input group terminator.


---------------
Subgroup (14d)
---------------
                                                a
          AREA SOURCE: VARIABLE EMISSIONS DATA
          ------------------------------------

     Use this subgroup to describe temporal variations in the emission
     rates given in 14b.  Factors entered multiply the rates in 14b.
     Skip sources here that have constant emissions.  For more elaborate
     variation in source parameters, use BAEMARB.DAT and NAR2 > 0.

     IVARY determines the type of variation, and is source-specific:
     (IVARY)                                Default: 0
           0 =       Constant
           1 =       Diurnal cycle (24 scaling factors: hours 1-24)
           2 =       Monthly cycle (12 scaling factors: months 1-12)
           3 =       Hour & Season (4 groups of 24 hourly scaling factors,
                                    where first group is DEC-JAN-FEB)
           4 =       Speed & Stab. (6 groups of 6 scaling factors, where
                                    first group is Stability Class A,
                                    and the speed classes have upper
                                    bounds (m/s) defined in Group 12
           5 =       Temperature   (12 scaling factors, where temperature
                                    classes have upper bounds (C) of:
                                    0, 5, 10, 15, 20, 25, 30, 35, 40,
                                    45, 50, 50+)



--------
    a
     Data for each species are treated as a separate input subgroup
     and therefore must end with an input group terminator.
```

```
-------------------------------------------------------------------------------
--

INPUT GROUPS: 15a, 15b, 15c -- Line source parameters
---------------------------

---------------
Subgroup (15a)
---------------

     Number of buoyant line sources
     with variable location and emission
     parameters (NLN2)                              No default  !  NLN2 =  0
!

     (If NLN2 > 0, ALL parameter data for
      these sources are read from the file: LNEMARB.DAT)

     Number of buoyant line sources (NLINES)        No default   ! NLINES =
0  !

     Units used for line source
     emissions below                (ILNU)          Default: 1  !  ILNU =   1
!
           1 =        g/s
           2 =       kg/hr
           3 =       lb/hr
           4 =     tons/yr
           5 =     Odour Unit * m**3/s  (vol. flux of odour compound)
           6 =     Odour Unit * m**3/min
           7 =     metric tons/yr

     Number of source-species
     combinations with variable
     emissions scaling factors
     provided below in (15c)        (NSLN1) Default: 0  !  NSLN1 =  0  !

     Maximum number of segments used to model
     each line (MXNSEG)                             Default: 7   ! MXNSEG =
7  !

     The following variables are required only if NLINES > 0.  They are
     used in the buoyant line source plume rise calculations.

        Number of distances at which                Default: 6   ! NLRISE =
6  !
        transitional rise is computed

        Average building length (XL)                No default   ! XL = .0 !
                                                    (in meters)

        Average building height (HBL)               No default   ! HBL = .0 !
                                                    (in meters)

        Average building width (WBL)                No default   ! WBL = .0 !
                                                    (in meters)

        Average line source width (WML)             No default   ! WML = .0 !
                                                    (in meters)
```

```
        Average separation between buildings (DXL)  No default   ! DXL = .0 !
                                                    (in meters)

        Average buoyancy parameter (FPRIMEL)        No default   ! FPRIMEL =
.0 !
                                                    (in m**4/s**3)

!END!

---------------
Subgroup (15b)
---------------

          BUOYANT LINE SOURCE: CONSTANT DATA
          ----------------------------------

a
Source     Beg. X      Beg. Y      End. X    End. Y     Release    Base
Emission
 No.     Coordinate  Coordinate  Coordinate Coordinate  Height    Elevation
Rates
            (km)        (km)        (km)       (km)       (m)       (m)
------   ----------  ----------  ---------  ----------  -------   ---------
---------

--------

    a
     Data for each source are treated as a separate input subgroup
     and therefore must end with an input group terminator.

    b
     An emission rate must be entered for every pollutant modeled.
     Enter emission rate of zero for secondary pollutants that are
     modeled, but not emitted.  Units are specified by ILNTU
     (e.g. 1 for g/s).

---------------
Subgroup (15c)
---------------
                                                        a
          BUOYANT LINE SOURCE: VARIABLE EMISSIONS DATA
          --------------------------------------------

     Use this subgroup to describe temporal variations in the emission
     rates given in 15b.  Factors entered multiply the rates in 15b.
     Skip sources here that have constant emissions.

     IVARY determines the type of variation, and is source-specific:
     (IVARY)                                Default: 0
           0 =       Constant
           1 =       Diurnal cycle (24 scaling factors: hours 1-24)
           2 =       Monthly cycle (12 scaling factors: months 1-12)
           3 =       Hour & Season (4 groups of 24 hourly scaling factors,
                                    where first group is DEC-JAN-FEB)
           4 =       Speed & Stab. (6 groups of 6 scaling factors, where
                                    first group is Stability Class A,
                                    and the speed classes have upper
                                    bounds (m/s) defined in Group 12
           5 =       Temperature   (12 scaling factors, where temperature
                                    classes have upper bounds (C) of:
                                    0, 5, 10, 15, 20, 25, 30, 35, 40,
```

```
                                   45, 50, 50+)


--------
    a
     Data for each species are treated as a separate input subgroup
     and therefore must end with an input group terminator.


-------------------------------------------------------------------------------
--


INPUT GROUPS: 16a, 16b, 16c -- Volume source parameters
---------------------------

---------------
Subgroup (16a)
---------------

     Number of volume sources with
     parameters provided in 16b,c (NVL1)     No default  !  NVL1 =  0   !

     Units used for volume source
     emissions below in 16b       (IVLU)     Default: 1  !  IVLU =   1  !
           1 =        g/s
           2 =       kg/hr
           3 =       lb/hr
           4 =     tons/yr
           5 =     Odour Unit * m**3/s  (vol. flux of odour compound)
           6 =     Odour Unit * m**3/min
           7 =     metric tons/yr

     Number of source-species
     combinations with variable
     emissions scaling factors
     provided below in (16c)      (NSVL1)    Default: 0  !  NSVL1 =  0  !

     Number of volume sources with
     variable location and emission
     parameters                   (NVL2)     No default  !  NVL2 =   0   !

     (If NVL2 > 0, ALL parameter data for
      these sources are read from the VOLEMARB.DAT file(s) )

!END!

---------------
Subgroup (16b)
---------------
                                         a
           VOLUME SOURCE: CONSTANT DATA
           ------------------------------

b
         X           Y        Effect.    Base     Initial    Initial
Emission
     Coordinate  Coordinate   Height   Elevation  Sigma y    Sigma z
Rates
        (km)       (km)         (m)       (m)        (m)       (m)
```

```
     ----------  ----------   ------    ------    --------   --------   -----
---


--------
    a
     Data for each source are treated as a separate input subgroup
     and therefore must end with an input group terminator.

    b
     An emission rate must be entered for every pollutant modeled.
     Enter emission rate of zero for secondary pollutants that are
     modeled, but not emitted.  Units are specified by IVLU
     (e.g. 1 for g/s).

---------------
Subgroup (16c)
---------------
                                                  a
          VOLUME SOURCE: VARIABLE EMISSIONS DATA
          --------------------------------------

     Use this subgroup to describe temporal variations in the emission
     rates given in 16b.  Factors entered multiply the rates in 16b.
     Skip sources here that have constant emissions.  For more elaborate
     variation in source parameters, use VOLEMARB.DAT and NVL2 > 0.

     IVARY determines the type of variation, and is source-specific:
     (IVARY)                                Default: 0
           0 =       Constant
           1 =       Diurnal cycle (24 scaling factors: hours 1-24)
           2 =       Monthly cycle (12 scaling factors: months 1-12)
           3 =       Hour & Season (4 groups of 24 hourly scaling factors,
                                    where first group is DEC-JAN-FEB)
           4 =       Speed & Stab. (6 groups of 6 scaling factors, where
                                    first group is Stability Class A,
                                    and the speed classes have upper
                                    bounds (m/s) defined in Group 12
           5 =       Temperature   (12 scaling factors, where temperature
                                    classes have upper bounds (C) of:
                                    0, 5, 10, 15, 20, 25, 30, 35, 40,
                                    45, 50, 50+)



--------
    a
     Data for each species are treated as a separate input subgroup
     and therefore must end with an input group terminator.


-------------------------------------------------------------------------------
--

INPUT GROUPS: 17a & 17b -- Non-gridded (discrete) receptor information
-----------------------

---------------
Subgroup (17a)
---------------

     Number of non-gridded receptors (NREC)  No default  !  NREC =  141  !
```

!END!

Subgroup (17b)

NON-GRIDDED (DISCRETE) RECEPTOR DATA[a]

Receptor No.		X Coordinate (km)	Y Coordinate (km)	Ground Elevation (m)	Height Above Ground[b] (m)		
1	! X =	262.135,	-1346.022,	5.4,	1.6!	!END!	pop
2	! X =	256.014,	-1338.352,	9,	1.6!	!END!	pop
3	! X =	255.256,	-1339.500,	9,	1.6!	!END!	pop
4	! X =	256.742,	-1339.340,	9,	1.6!	!END!	pop
5	! X =	257.301,	-1341.233,	8.1,	1.6!	!END!	pop
6	! X =	264.440,	-1322.571,	12,	1.6!	!END!	pop
7	! X =	261.011,	-1351.231,	4,	1.6!	!END!	pop
8	! X =	276.647,	-1322.492,	4,	1.6!	!END!	pop
9	! X =	257.506,	-1344.487,	6.7,	1.6!	!END!	pop
10	! X =	265.841,	-1325.894,	8.5,	1.6!	!END!	pop
11	! X =	218.938,	-1359.605,	17.5,	1.6!	!END!	clinics
12	! X =	261.856,	-1347.968,	4.9,	1.6!	!END!	clinics
13	! X =	256.842,	-1345.370,	6,	1.6!	!END!	clinics
14	! X =	259.421,	-1339.546,	7.9,	1.6!	!END!	clinics
15	! X =	257.018,	-1336.737,	9.2,	1.6!	!END!	clinics
16	! X =	232.008,	-1336.351,	21,	1.6!	!END!	clinics
17	! X =	291.875,	-1328.829,	0,	1.6!	!END!	clinics
18	! X =	266.201,	-1322.879,	9.8,	1.6!	!END!	clinics
19	! X =	281.504,	-1320.767,	6,	1.6!	!END!	clinics
20	! X =	255.834,	-1336.704,	11.9,	1.6!	!END!	schools
21	! X =	258.218,	-1334.410,	7.7,	1.6!	!END!	schools
22	! X =	227.549,	-1339.435,	21,	1.6!	!END!	schools
23	! X =	256.753,	-1334.363,	8.9,	1.6!	!END!	schools
24	! X =	262.965,	-1343.528,	5,	1.6!	!END!	schools
25	! X =	255.716,	-1339.891,	9,	1.6!	!END!	schools
26	! X =	258.667,	-1344.823,	6.1,	1.6!	!END!	schools
27	! X =	231.185,	-1336.210,	21,	1.6!	!END!	schools
28	! X =	259.785,	-1342.663,	6.4,	1.6!	!END!	schools
29	! X =	258.931,	-1341.068,	7.9,	1.6!	!END!	schools
30	! X =	258.377,	-1343.552,	6.7,	1.6!	!END!	schools
31	! X =	258.392,	-1340.617,	8.1,	1.6!	!END!	schools
32	! X =	258.649,	-1334.927,	7.7,	1.6!	!END!	schools
33	! X =	258.366,	-1342.398,	7.4,	1.6!	!END!	schools
34	! X =	255.571,	-1339.678,	9,	1.6!	!END!	schools
35	! X =	258.117,	-1341.531,	7.9,	1.6!	!END!	schools
36	! X =	255.298,	-1335.503,	11.3,	1.6!	!END!	schools
37	! X =	266.667,	-1325.329,	8.1,	1.6!	!END!	schools
38	! X =	257.858,	-1335.202,	9,	1.6!	!END!	schools
39	! X =	282.118,	-1321.582,	4.3,	1.6!	!END!	schools
40	! X =	257.047,	-1340.879,	8.4,	1.6!	!END!	schools
41	! X =	259.438,	-1339.646,	7.9,	1.6!	!END!	schools
42	! X =	262.445,	-1344.543,	5.2,	1.6!	!END!	schools
43	! X =	258.066,	-1336.537,	6.9,	1.6!	!END!	schools
44	! X =	265.832,	-1322.643,	10.8,	1.6!	!END!	schools
45	! X =	265.812,	-1323.705,	10.2,	1.6!	!END!	schools
46	! X =	263.739,	-1345.189,	4,	1.6!	!END!	schools
47	! X =	260.189,	-1341.495,	6,	1.6!	!END!	schools

```
 48 ! X =       215.181,    -1303.068,       38.5,        1.6!  !END!  schools
 49 ! X =       257.993,    -1334.292,        8.5,        1.6!  !END!  schools
 50 ! X =       257.673,    -1339.766,        8.6,        1.6!  !END!  schools
 51 ! X =       230.346,    -1335.859,       21.7,        1.6!  !END!  schools
 52 ! X =       253.213,    -1339.378,         10,        1.6!  !END!  schools
 53 ! X =       282.338,    -1321.542,        4.3,        1.6!  !END!  schools
 54 ! X =       261.547,    -1343.293,          6,        1.6!  !END!  schools
 55 ! X =       257.737,    -1343.418,        7.5,        1.6!  !END!  schools
 56 ! X =       231.636,    -1335.572,         21,        1.6!  !END!  schools
 57 ! X =       261.774,    -1343.473,          6,        1.6!  !END!  schools
 58 ! X =       258.668,    -1338.048,        8.9,        1.6!  !END!  schools
 59 ! X =       256.976,    -1336.136,       10.9,        1.6!  !END!  schools
 60 ! X =       256.856,    -1341.853,        8.4,        1.6!  !END!  schools
 61 ! X =       250.943,    -1347.163,        9.8,        1.6!  !END!  schools
 62 ! X =       254.041,    -1342.818,        8.1,        1.6!  !END!  schools
 63 ! X =       230.633,    -1337.162,         21,        1.6!  !END!  schools
 64 ! X =       255.714,    -1337.269,       10.5,        1.6!  !END!  schools
 65 ! X =       256.083,    -1334.978,        8.9,        1.6!  !END!  schools
 66 ! X =       254.484,    -1339.400,        9.1,        1.6!  !END!  schools
 67 ! X =       263.358,    -1342.890,          4,        1.6!  !END!  schools
 68 ! X =       255.136,    -1340.753,          9,        1.6!  !END!  schools
 69 ! X =       261.211,    -1344.835,          6,        1.6!  !END!  schools
 70 ! X =       255.134,    -1334.696,        9.1,        1.6!  !END!  schools
 71 ! X =       260.387,    -1343.332,          6,        1.6!  !END!  schools
 72 ! X =       255.561,    -1340.240,          9,        1.6!  !END!  schools
 73 ! X =       259.026,    -1339.723,        7.9,        1.6!  !END!  schools
 74 ! X =       231.055,    -1336.463,         21,        1.6!  !END!  schools
 75 ! X =       255.824,    -1334.674,        9.1,        1.6!  !END!  schools
 76 ! X =       212.251,    -1340.608,          0,        1.6!  !END!  schools
 77 ! X =       214.952,    -1303.728,          0,        1.6!  !END!  schools
 78 ! X =       233.989,    -1333.911,         21,        1.6!  !END!  schools
 79 ! X =       257.424,    -1342.304,        8.1,        1.6!  !END!  schools
 80 ! X =       253.591,    -1333.903,       11.3,        1.6!  !END!  schools
 81 ! X =       259.082,    -1344.841,          6,        1.6!  !END!  schools
 82 ! X =       255.427,    -1337.778,       10.5,        1.6!  !END!  schools
 83 ! X =       254.097,    -1339.381,        9.1,        1.6!  !END!  schools
 84 ! X =       257.082,    -1341.971,        8.1,        1.6!  !END!  schools
 85 ! X =       257.088,    -1335.320,          9,        1.6!  !END!  schools
 86 ! X =       262.414,    -1345.263,        5.3,        1.6!  !END!  schools
 87 ! X =       242.687,    -1331.248,       17.3,        1.6!  !END!  schools
 88 ! X =       245.901,    -1332.554,         16,        1.6!  !END!  schools
 89 ! X =       215.072,    -1303.102,       38.5,        1.6!  !END!  schools
 90 ! X =       243.971,    -1343.445,       12.3,        1.6!  !END!  schools
 91 ! X =       218.486,    -1359.459,       17.5,        1.6!  !END!  schools
 92 ! X =       235.286,    -1328.287,       23.2,        1.6!  !END!  schools
 93 ! X =       261.713,    -1342.475,          6,        1.6!  !END!  schools
 94 ! X =       263.646,    -1344.879,          4,        1.6!  !END!  schools
 95 ! X =       258.101,    -1337.629,        8.7,        1.6!  !END!  schools
 96 ! X =       232.162,    -1335.650,         21,        1.6!  !END!  schools
 97 ! X =       258.943,    -1343.971,        6.7,        1.6!  !END!  schools
 98 ! X =       243.160,    -1331.738,       17.8,        1.6!  !END!  schools
 99 ! X =       280.640,    -1322.429,          6,        1.6!  !END!  schools
100 ! X =       220.145,    -1359.945,       16.7,        1.6!  !END!  schools
101 ! X =       262.291,    -1348.772,          4,        1.6!  !END!  schools
102 ! X =       261.154,    -1345.498,          6,        1.6!  !END!  schools
103 ! X =       261.837,    -1345.202,          6,        1.6!  !END!  schools
104 ! X =       262.120,    -1343.274,          5,        1.6!  !END!  schools
105 ! X =       255.686,    -1344.787,          7,        1.6!  !END!  schools
106 ! X =       260.530,    -1342.385,          6,        1.6!  !END!  schools
107 ! X =       256.908,    -1345.403,          6,        1.6!  !END!  schools
108 ! X =       259.395,    -1346.678,          6,        1.6!  !END!  schools
109 ! X =       259.684,    -1341.114,        6.6,        1.6!  !END!  schools
```

```
   110 ! X =       255.450,    -1344.667,          7,        1.6!  !END!  schools
   111 ! X =       259.749,    -1339.698,        7.9,        1.6!  !END!  schools
   112 ! X =       257.975,    -1335.106,          9,        1.6!  !END!  schools
   113 ! X =       260.196,    -1338.336,        4.6,        1.6!  !END!  schools
   114 ! X =       255.998,    -1338.347,        9.1,        1.6!  !END!  schools
   115 ! X =       258.237,    -1338.250,        8.9,        1.6!  !END!  schools
   116 ! X =       257.150,    -1338.692,          9,        1.6!  !END!  schools
   117 ! X =       258.588,    -1335.859,        7.3,        1.6!  !END!  schools
   118 ! X =       259.869,    -1340.131,        7.1,        1.6!  !END!  hospitals
   119 ! X =       259.249,    -1342.338,        6.4,        1.6!  !END!  hospitals
   120 ! X =       234.753,    -1328.927,         23,        1.6!  !END!  hospitals
   121 ! X =       258.005,    -1337.195,        8.7,        1.6!  !END!  hospitals
   122 ! X =       258.938,    -1337.040,        8.7,        1.6!  !END!  hospitals
   123 ! X =       259.810,    -1340.040,        7.1,        1.6!  !END!  hospitals
   124 ! X =       258.911,    -1337.019,        8.7,        1.6!  !END!  hospitals
   125 ! X =       261.035,    -1347.455,        4.9,        1.6!  !END!  hospitals
   126 ! X =       256.756,    -1336.676,       10.9,        1.6!  !END!  hospitals
   127 ! X =       258.716,    -1336.809,        6.9,        1.6!  !END!  hospitals
   128 ! X =       262.767,    -1347.511,        4.1,        1.6!  !END!  hospitals
   129 ! X =       257.001,    -1336.654,        9.2,        1.6!  !END!  hospitals
   130 ! X =       281.958,    -1320.835,          6,        1.6!  !END!  hospitals
   131 ! X =       263.915,    -1346.280,          4,        1.6!  !END!  hospitals
   132 ! X =       259.921,    -1339.982,        7.9,        1.6!  !END!  hospitals
   133 ! X =       257.732,    -1338.172,          9,        1.6!  !END!
universities
   134 ! X =       266.097,    -1343.767,          4,        1.6!  !END!
universities
   135 ! X =       292.706,    -1329.031,          0,        1.6!  !END!
universities
   136 ! X =       266.056,    -1343.563,          4,        1.6!  !END!
universities
   137 ! X =       255.450,    -1344.667,          7,        1.6!  !END!
universities
   138 ! X =       251.348,    -1333.693,       10.4,        1.6!  !END!
universities
   139 ! X =       259.153,    -1338.531,        7.4,        1.6!  !END!
universities
   140 ! X =       281.940,    -1320.888,          6,        1.6!  !END!
universities
   141 ! X =       262.292,    -1348.680,          4,        1.6!  !END!
universities

-------------
    a
     Data for each receptor are treated as a separate input subgroup
     and therefore must end with an input group terminator.

    b
     Receptor height above ground is optional.  If no value is entered,
     the receptor is placed on the ground.


IEOF
date
../code/calpuff.linux calpuff.inp
mv calpuff.inp $RUN/calpuff.$DATE.inp

@ DATE ++
date
end
end
```

APPENDIX C
AERMAP Input Runstream File

```
CO STARTING
   TITLEONE  Using 30m NAD27 DEM Data Files
   TITLETWO  With NAD83-Equivalent Anchor Point
   DATATYPE  DEM7

** Use 30m NAD27 DEM Files for Corpus Christi area
   DATAFILE  agua-dulce.dem
   DATAFILE  annaville.dem
   DATAFILE  aransas-pass.dem
   DATAFILE  banquete.dem
   DATAFILE  bayside.dem
   DATAFILE  bullshead-creek.dem
   DATAFILE  chapman-ranch.dem
   DATAFILE  concordia.dem
   DATAFILE  corpus-christi.dem
   DATAFILE  crane-islands-nw.dem
   DATAFILE  crane-islands-sw.dem
   DATAFILE  cranell.dem
   DATAFILE  driscoll-east.dem
   DATAFILE  driscoll-west.dem
   DATAFILE  edroy.dem
   DATAFILE  gregory.dem
   DATAFILE  kingsville-east.dem
   DATAFILE  kingsville-nw.dem
   DATAFILE  kingsville-west.dem
   DATAFILE  laureles-ranch.dem
   DATAFILE  mathis.dem
   DATAFILE  mission-bay.dem
   DATAFILE  odem.dem
   DATAFILE  orange-grove.dem
   DATAFILE  oso-creek-ne.dem
   DATAFILE  oso-creek-nw.dem
   DATAFILE  papalote.dem
   DATAFILE  petronila-ne.dem
   DATAFILE  pita-island.dem
   DATAFILE  port-ingleside.dem
   DATAFILE  port-aransas.dem
   DATAFILE  portland.dem
   DATAFILE  ricardo.dem
   DATAFILE  rincon-bend.dem
   DATAFILE  riviera-beach-ne.dem
   DATAFILE  riviera-beach-nw.dem
   DATAFILE  robstown.dem
   DATAFILE  sandia.dem
   DATAFILE  san-patricio.dem
   DATAFILE  sinton-east.dem
   DATAFILE  sinton-west.dem
   DATAFILE  south-bird-island.dem
   DATAFILE  south-bird-island-nw.dem
   DATAFILE  taft.dem
   DATAFILE  tynan.dem
   DATAFILE  west-sinton.dem
   DATAFILE  woodsboro.dem

** Request ALL Debug Output Files
   DEBUGOPT  ALL

   DOMAINXY  612000.0 3043000.0 14  684000.0 3115000.0 14
```

```
** Use NAD83 Anchor Point
   ANCHORXY  612000.0 3043000.0    612000.0 3043000.0  14  4

   RUNORNOT  RUN
CO FINISHED

** Source locations in UTM NAD83
SO STARTING
   LOCATION 1 POINT 654588.3595 3077479.421
   LOCATION 2 POINT 654620.2638 3077141.858
   LOCATION 3 POINT 654647.4657 3077172.125
   LOCATION 4 POINT 654650.2142 3076957.189
   LOCATION 5 POINT 654652.9626 3076742.253
   LOCATION 6 POINT 654652.9626 3076742.253
   LOCATION 7 POINT 654653.3592 3076711.231
   LOCATION 8 POINT 654655.7249 3076526.209
   LOCATION 9 POINT 654656.9006 3076434.252
   LOCATION 10 POINT 654674.6533 3077203.499
   LOCATION 11 POINT 654675.0501 3077172.478
   LOCATION 12 POINT 654675.4327 3077142.564
   LOCATION 13 POINT 654675.8295 3077111.542
   LOCATION 14 POINT 654704.5903 3077019.938
   LOCATION 15 POINT 654729.6164 3077143.257
   LOCATION 16 POINT 654735.1303 3076712.277
   LOCATION 17 POINT 654738.2767 3076466.319
   LOCATION 18 POINT 654739.0704 3076404.276
   LOCATION 19 POINT 654757.2009 3077143.61
   LOCATION 20 POINT 654759.9655 3076927.566
   LOCATION 21 POINT 654759.9655 3076927.566
   LOCATION 22 POINT 654762.3188 3076743.652
   LOCATION 23 POINT 654762.3188 3076743.652
   LOCATION 24 POINT 654762.3188 3076743.652
   LOCATION 25 POINT 654764.6862 3076558.629
   LOCATION 26 POINT 654765.48 3076496.586
   LOCATION 27 POINT 654783.6083 3077235.92
   LOCATION 28 POINT 654783.6083 3077235.92
   LOCATION 29 POINT 654791.4922 3076619.918
   LOCATION 30 POINT 654792.272 3076558.982
   LOCATION 31 POINT 654793.4487 3076467.025
   LOCATION 32 POINT 654811.5897 3077205.252
   LOCATION 33 POINT 654817.8866 3076713.336
   LOCATION 34 POINT 654818.6807 3076651.292
   LOCATION 35 POINT 654819.4607 3076590.357
   LOCATION 36 POINT 654820.2548 3076528.314
   LOCATION 37 POINT 654839.3662 3077113.635
   LOCATION 38 POINT 654844.884 3076682.655
   LOCATION 39 POINT 654866.1704 3077174.924
   LOCATION 40 POINT 654868.9228 3076959.987
   LOCATION 41 POINT 654869.7173 3076897.944
   LOCATION 42 POINT 654870.1003 3076868.03
   LOCATION 43 POINT 654870.1003 3076868.03
   LOCATION 44 POINT 654871.292 3076774.965
   LOCATION 45 POINT 654872.0723 3076714.03
   LOCATION 46 POINT 654873.2639 3076620.964
   LOCATION 47 POINT 654892.5628 3077268.342
   LOCATION 48 POINT 654898.48 3076806.34
   LOCATION 49 POINT 654899.2604 3076745.405
   LOCATION 50 POINT 654924.49 3076929.672
   LOCATION 51 POINT 654927.2431 3076714.736
   LOCATION 52 POINT 654952.4724 3076899.004
   LOCATION 53 POINT 654953.253 3076838.068
```

```
LOCATION 54 POINT 654977.0988 3077053.345
LOCATION 55 POINT 654979.4555 3076869.431
LOCATION 56 POINT 654982.2238 3076653.387
LOCATION 57 POINT 655004.2858 3077084.721
LOCATION 58 POINT 655006.6572 3076899.698
LOCATION 59 POINT 655031.0751 3077147.118
LOCATION 60 POINT 655032.2681 3077054.053
LOCATION 61 POINT 655036.5997 3076716.137
LOCATION 62 POINT 655037.7926 3076623.072
LOCATION 63 POINT 655057.8782 3077208.407
LOCATION 64 POINT 655059.455 3077085.428
LOCATION 65 POINT 655059.8528 3077054.406
LOCATION 66 POINT 655060.2363 3077024.492
LOCATION 67 POINT 655060.6341 3076993.471
LOCATION 68 POINT 655062.6085 3076839.47
LOCATION 69 POINT 655063.4039 3076777.427
LOCATION 70 POINT 655064.1852 3076716.491
LOCATION 71 POINT 655064.1852 3076716.491
LOCATION 72 POINT 655085.6567 3077116.791
LOCATION 73 POINT 655086.0545 3077085.769
LOCATION 74 POINT 655087.2337 3076993.812
LOCATION 75 POINT 655087.2337 3076993.812
LOCATION 76 POINT 655088.8107 3076870.833
LOCATION 77 POINT 655089.2085 3076839.811
LOCATION 78 POINT 655089.2085 3076839.811
LOCATION 79 POINT 655089.2085 3076839.811
LOCATION 80 POINT 655089.6063 3076808.789
LOCATION 81 POINT 655089.6063 3076808.789
LOCATION 82 POINT 655092.3623 3076593.853
LOCATION 83 POINT 655119.1666 3076655.142
LOCATION 84 POINT 655140.044 3077178.434
LOCATION 85 POINT 655146.7521 3076655.496
LOCATION 86 POINT 655169.9882 3076994.873
LOCATION 87 POINT 655197.1749 3077026.249
LOCATION 88 POINT 655197.573 3076995.227
LOCATION 89 POINT 655197.9711 3076964.205
LOCATION 90 POINT 655223.3906 3077056.504
LOCATION 91 POINT 655252.1557 3076964.901
LOCATION 92 POINT 655276.9809 3077180.191
LOCATION 93 POINT 655278.944 3077027.299
LOCATION 94 POINT 655282.5002 3076750.319
LOCATION 95 POINT 655301.0081 3077457.526
LOCATION 96 POINT 655301.0081 3077457.526
LOCATION 97 POINT 655302.1891 3077365.568
LOCATION 98 POINT 655303.7685 3077242.589
LOCATION 99 POINT 655303.7685 3077242.589
LOCATION 100 POINT 655303.7685 3077242.589
LOCATION 101 POINT 655307.7239 3076934.588
LOCATION 102 POINT 655329.9692 3077273.953
LOCATION 103 POINT 655330.3677 3077242.931
LOCATION 104 POINT 655330.7661 3077211.909
LOCATION 105 POINT 655358.3505 3077212.263
LOCATION 106 POINT 655358.3505 3077212.263
LOCATION 107 POINT 655361.1117 3076997.327
LOCATION 108 POINT 655380.7953 3077612.577
LOCATION 109 POINT 655384.3546 3077335.597
LOCATION 110 POINT 655385.1376 3077274.661
LOCATION 111 POINT 655386.3334 3077181.596
LOCATION 112 POINT 655393.0522 3076658.658
LOCATION 113 POINT 655393.0522 3076658.658
LOCATION 114 POINT 655393.0522 3076658.658
```

```
LOCATION 115 POINT 655413.9179 3077181.951
LOCATION 116 POINT 655413.9179 3077181.951
LOCATION 117 POINT 655418.2603 3076844.035
LOCATION 118 POINT 655420.6378 3076659.012
LOCATION 119 POINT 655447.0274 3076752.432
LOCATION 120 POINT 655471.2634 3076936.689
LOCATION 121 POINT 655474.4251 3076690.73
LOCATION 122 POINT 655474.4251 3076690.73
LOCATION 123 POINT 655474.8239 3076659.709
LOCATION 124 POINT 655501.213 3076753.129
LOCATION 125 POINT 655502.0107 3076691.085
LOCATION 126 POINT 655502.0107 3076691.085
LOCATION 127 POINT 655502.4095 3076660.063
LOCATION 128 POINT 655502.8083 3076629.042
LOCATION 129 POINT 655528.4138 3076783.397
LOCATION 130 POINT 655529.9951 3076660.418
LOCATION 131 POINT 655547.292 3077460.691
LOCATION 132 POINT 655581.8012 3076846.138
LOCATION 133 POINT 655855.683 3076849.664
LOCATION 134 POINT 655881.6832 3076972.999
LOCATION 135 POINT 655367.0462 3076535.324
LOCATION 136 POINT 655312.4613 3076565.65
LOCATION 137 POINT 655203.8993 3076502.203
LOCATION 138 POINT 655203.8993 3076502.203
LOCATION 139 POINT 655203.8993 3076502.203
LOCATION 140 POINT 655203.8993 3076502.203
LOCATION 141 POINT 655176.3134 3076501.849
LOCATION 142 POINT 655176.3134 3076501.849
LOCATION 143 POINT 655230.884 3076472.631
LOCATION 144 POINT 655230.884 3076472.631
LOCATION 145 POINT 655230.884 3076472.631
LOCATION 146 POINT 655176.3134 3076501.849
LOCATION 147 POINT 655176.6971 3076471.935
LOCATION 148 POINT 655095.53 3076346.787
LOCATION 149 POINT 655095.53 3076346.787
LOCATION 150 POINT 656042.2335 3077283.123
LOCATION 151 POINT 655068.5313 3076377.468
LOCATION 152 POINT 655255.7112 3076687.921
LOCATION 153 POINT 655255.7112 3076687.921
LOCATION 154 POINT 655175.9154 3076532.871
LOCATION 155 POINT 655258.086 3076502.899
LOCATION 156 POINT 654932.7632 3076283.756
LOCATION 157 POINT 655232.8602 3076318.63
LOCATION 158 POINT 654822.6229 3076343.291
LOCATION 159 POINT 655097.1067 3076223.808
LOCATION 160 POINT 655042.5212 3076254.135
LOCATION 161 POINT 655042.9188 3076223.114
LOCATION 162 POINT 655371.0021 3076227.323
LOCATION 163 POINT 655315.6193 3076319.692
LOCATION 164 POINT 655232.8602 3076318.63
LOCATION 165 POINT 655066.9548 3076500.447
LOCATION 166 POINT 654933.1605 3076252.734
LOCATION 167 POINT 654959.9522 3076315.131
LOCATION 168 POINT 654875.6187 3076437.05
LOCATION 169 POINT 654958.7743 3076407.088
LOCATION 170 POINT 655012.5638 3076438.804
LOCATION 171 POINT 655234.0544 3076225.565
LOCATION 172 POINT 655290.0098 3076165.337
LOCATION 173 POINT 655153.4592 3076132.559
LOCATION 174 POINT 655880.098 3077095.978
LOCATION 175 POINT 655796.3452 3077248.925
```

```
LOCATION 176 POINT 655851.7138 3077157.666
LOCATION 177 POINT 655851.3283 3077187.58
LOCATION 178 POINT 656293.3039 3076916.257
LOCATION 179 POINT 656071.2204 3077098.443
LOCATION 180 POINT 656182.7468 3077007.91
LOCATION 181 POINT 656158.3375 3076761.595
LOCATION 182 POINT 656153.5739 3077130.533
LOCATION 183 POINT 655256.8915 3076595.964
LOCATION 184 POINT 655127.0515 3076040.248
LOCATION 185 POINT 655340.2429 3076474.035
LOCATION 186 POINT 655496.0706 3077153.088
LOCATION 187 POINT 655712.4082 3077339.817
LOCATION 188 POINT 655150.7026 3076347.495
LOCATION 189 POINT 655261.641 3076225.919
LOCATION 190 POINT 656127.9774 3076976.176
LOCATION 191 POINT 655284.8755 3076565.296
LOCATION 192 POINT 655203.5013 3076533.225
LOCATION 193 POINT 655230.5001 3076502.545
LOCATION 194 POINT 655149.509 3076440.56
LOCATION 195 POINT 655176.6971 3076471.935
LOCATION 196 POINT 655122.7185 3076378.163
LOCATION 197 POINT 655550.4558 3077214.733
LOCATION 198 POINT 655231.6801 3076410.587
LOCATION 199 POINT 655312.063 3076596.672
LOCATION 200 POINT 655712.0087 3077370.839
LOCATION 201 POINT 655631.8245 3077246.807
LOCATION 202 POINT 655632.623 3077184.763
LOCATION 203 POINT 655258.8681 3076441.963
LOCATION 204 POINT 656042.2335 3077283.123
LOCATION 205 POINT 655124.2955 3076255.184
LOCATION 206 POINT 655365.8651 3076627.282
LOCATION 207 POINT 655259.6645 3076379.92
LOCATION 208 POINT 655341.0396 3076411.991
LOCATION 209 POINT 643339.1904 3079927.01
LOCATION 210 POINT 643339.9266 3079864.968
LOCATION 211 POINT 643341.0176 3079773.013
LOCATION 212 POINT 643341.7538 3079710.972
LOCATION 213 POINT 643370.5419 3079526.27
LOCATION 214 POINT 643371.633 3079434.315
LOCATION 215 POINT 643394.0958 3079865.611
LOCATION 216 POINT 643394.464 3079834.59
LOCATION 217 POINT 643398.8429 3079465.663
LOCATION 218 POINT 643421.6729 3079865.938
LOCATION 219 POINT 643508.17 3079466.961
LOCATION 220 POINT 643533.1945 3079682.219
LOCATION 221 POINT 643533.9184 3079621.285
LOCATION 222 POINT 643534.287 3079590.265
LOCATION 223 POINT 643562.2333 3079559.571
LOCATION 224 POINT 643563.326 3079467.617
LOCATION 225 POINT 643590.5353 3079498.965
LOCATION 226 POINT 643590.904 3079467.944
LOCATION 227 POINT 643616.404 3079560.215
LOCATION 228 POINT 643616.404 3079560.215
LOCATION 229 POINT 643617.1283 3079499.281
LOCATION 230 POINT 643617.497 3079468.26
LOCATION 231 POINT 643672.653 3079468.916
LOCATION 232 POINT 643726.8241 3079469.56
LOCATION 233 POINT 643809.5582 3079470.545
LOCATION 234 POINT 644133.8653 3079782.447
LOCATION 235 POINT 644219.6592 3079444.408
LOCATION 236 POINT 644245.0284 3079629.755
```

```
LOCATION 237 POINT 644269.669 3079876.036
LOCATION 238 POINT 644270.0394 3079845.015
LOCATION 239 POINT 644297.2461 3079876.365
LOCATION 240 POINT 644297.6167 3079845.344
LOCATION 241 POINT 644330.6996 3079384.791
LOCATION 242 POINT 644356.5649 3079446.043
LOCATION 243 POINT 644412.4495 3079385.768
LOCATION 244 POINT 644412.8202 3079354.747
LOCATION 245 POINT 644412.8202 3079354.747
LOCATION 246 POINT 644466.6211 3079386.415
LOCATION 247 POINT 644520.3067 3079510.051
LOCATION 248 POINT 644520.6778 3079479.03
LOCATION 249 POINT 644523.6196 3079233.078
LOCATION 250 POINT 644580.9905 3079048.72
LOCATION 251 POINT 644660.5278 3079234.716
LOCATION 252 POINT 644663.1141 3079018.678
LOCATION 253 POINT 644681.1146 3079818.906
LOCATION 254 POINT 644682.9456 3079666.017
LOCATION 255 POINT 644686.6339 3079358.023
LOCATION 256 POINT 644689.579 3079112.071
LOCATION 257 POINT 644704.3892 3080096.197
LOCATION 258 POINT 644711.7544 3079481.317
LOCATION 259 POINT 644737.4877 3079635.644
LOCATION 260 POINT 644769.8574 3079236.026
LOCATION 261 POINT 644795.9624 3079359.332
LOCATION 262 POINT 644816.1702 3079974.543
LOCATION 263 POINT 644848.6599 3079482.958
LOCATION 264 POINT 644874.3914 3079637.285
LOCATION 265 POINT 644894.2217 3080283.518
LOCATION 266 POINT 644896.069 3080129.521
LOCATION 267 POINT 644897.9162 3079975.523
LOCATION 268 POINT 644907.5098 3079175.625
LOCATION 269 POINT 644930.6633 3079544.884
LOCATION 270 POINT 644934.3444 3079237.998
LOCATION 271 POINT 644984.0898 3079607.576
LOCATION 272 POINT 644988.1579 3079268.561
LOCATION 273 POINT 644988.5168 3079238.647
LOCATION 274 POINT 645011.2952 3079638.928
LOCATION 275 POINT 645015.3642 3079299.913
LOCATION 276 POINT 645035.9202 3079885.211
LOCATION 277 POINT 645042.1979 3079362.286
LOCATION 278 POINT 645042.9427 3079300.244
LOCATION 279 POINT 645067.5682 3079546.527
LOCATION 280 POINT 645068.6723 3079454.572
LOCATION 281 POINT 645069.0447 3079423.551
LOCATION 282 POINT 645074.578 3078962.667
LOCATION 283 POINT 645085.2859 3080285.811
LOCATION 284 POINT 645095.638 3079423.87
LOCATION 285 POINT 645096.7423 3079331.915
LOCATION 286 POINT 645098.219 3079208.939
LOCATION 287 POINT 645098.5915 3079177.918
LOCATION 288 POINT 645099.6957 3079085.963
LOCATION 289 POINT 645120.994 3079609.219
LOCATION 290 POINT 645123.2163 3079424.201
LOCATION 291 POINT 645124.3207 3079332.246
LOCATION 292 POINT 645125.0659 3079270.204
LOCATION 293 POINT 645125.4252 3079240.291
LOCATION 294 POINT 645125.4252 3079240.291
LOCATION 295 POINT 645141.9161 3080163.498
LOCATION 296 POINT 645142.6616 3080101.456
LOCATION 297 POINT 645144.1393 3079978.479
```

```
LOCATION 298 POINT 645153.0039 3079240.622
LOCATION 299 POINT 645153.0039 3079240.622
LOCATION 300 POINT 645154.8537 3079086.625
LOCATION 301 POINT 645155.9716 3078993.562
LOCATION 302 POINT 645170.2383 3080101.787
LOCATION 303 POINT 645204.5933 3079456.204
LOCATION 304 POINT 645228.4692 3079764.53
LOCATION 305 POINT 645231.0662 3079548.491
LOCATION 306 POINT 645232.9039 3079395.602
LOCATION 307 POINT 645233.2768 3079364.581
LOCATION 308 POINT 645233.6497 3079333.56
LOCATION 309 POINT 645234.0225 3079302.539
LOCATION 310 POINT 645234.7549 3079241.605
LOCATION 311 POINT 645234.7549 3079241.605
LOCATION 312 POINT 645235.8735 3079148.542
LOCATION 313 POINT 645238.8295 3078902.589
LOCATION 314 POINT 645238.8295 3078902.589
LOCATION 315 POINT 645249.3857 3080318.809
LOCATION 316 POINT 645249.3857 3080318.809
LOCATION 317 POINT 645251.2376 3080164.812
LOCATION 318 POINT 645252.3433 3080072.856
LOCATION 319 POINT 645254.568 3079887.838
LOCATION 320 POINT 645260.4823 3079395.933
LOCATION 321 POINT 645263.0795 3079179.894
LOCATION 322 POINT 645267.8872 3078779.945
LOCATION 323 POINT 645283.9972 3079734.172
LOCATION 324 POINT 645283.9972 3079734.172
LOCATION 325 POINT 645292.5099 3079026.229
LOCATION 326 POINT 645311.2017 3079765.525
LOCATION 327 POINT 645314.1599 3079519.573
LOCATION 328 POINT 645314.9061 3079457.531
LOCATION 329 POINT 645317.1312 3079272.512
LOCATION 330 POINT 645318.6102 3079149.536
LOCATION 331 POINT 645340.753 3079519.893
LOCATION 332 POINT 645341.4994 3079457.851
LOCATION 333 POINT 645344.831 3079180.877
LOCATION 334 POINT 645344.831 3079180.877
LOCATION 335 POINT 645345.5639 3079119.943
LOCATION 336 POINT 645359.4524 3080258.082
LOCATION 337 POINT 645360.559 3080166.127
LOCATION 338 POINT 645363.892 3079889.153
LOCATION 339 POINT 645367.9712 3079550.138
LOCATION 340 POINT 645393.3226 3079735.488
LOCATION 341 POINT 645398.1356 3079335.538
LOCATION 342 POINT 645400.7219 3079120.607
LOCATION 343 POINT 645400.7219 3079120.607
LOCATION 344 POINT 645420.9001 3079735.82
LOCATION 345 POINT 645422.007 3079643.864
LOCATION 346 POINT 645422.3804 3079612.843
LOCATION 347 POINT 645423.4872 3079520.888
LOCATION 348 POINT 645428.3008 3079120.938
LOCATION 349 POINT 645441.5568 3080229.153
LOCATION 350 POINT 645447.4928 3079736.14
LOCATION 351 POINT 645448.9733 3079613.163
LOCATION 352 POINT 645452.3076 3079336.19
LOCATION 353 POINT 645466.5447 3080444.417
LOCATION 354 POINT 645469.1333 3080229.485
LOCATION 355 POINT 645476.1776 3079644.517
LOCATION 356 POINT 645477.2982 3079551.453
LOCATION 357 POINT 645503.0216 3079705.783
LOCATION 358 POINT 645503.7554 3079644.849
```

```
LOCATION 359 POINT 645504.129 3079613.828
LOCATION 360 POINT 645531.3332 3079645.181
LOCATION 361 POINT 645553.7183 3080076.484
LOCATION 362 POINT 645609.3694 3079954.161
LOCATION 363 POINT 645854.4832 3080049.086
LOCATION 364 POINT 645857.0917 3079833.047
LOCATION 365 POINT 645887.2645 3079618.448
LOCATION 366 POINT 645913.3571 3079741.757
LOCATION 367 POINT 653798.0639 3077254.372
LOCATION 368 POINT 652049.9608 3076955.245
LOCATION 369 POINT 652049.9608 3076955.245
LOCATION 370 POINT 652050.3508 3076924.223
LOCATION 371 POINT 652049.9608 3076955.245
LOCATION 372 POINT 653934.6043 3077287.136
LOCATION 373 POINT 653742.5013 3077284.693
LOCATION 374 POINT 653114.1736 3077183.641
LOCATION 375 POINT 653141.7578 3077183.99
LOCATION 376 POINT 653141.7578 3077183.99
LOCATION 377 POINT 653033.5699 3077090.649
LOCATION 378 POINT 653033.5699 3077090.649
LOCATION 379 POINT 653033.5699 3077090.649
LOCATION 380 POINT 653033.5699 3077090.649
LOCATION 381 POINT 653033.5699 3077090.649
LOCATION 382 POINT 653033.5699 3077090.649
LOCATION 383 POINT 653143.7079 3077029.99
LOCATION 384 POINT 653116.1234 3077029.641
LOCATION 385 POINT 653116.5021 3076999.727
LOCATION 386 POINT 653032.0136 3077213.627
LOCATION 387 POINT 653795.3302 3077469.308
LOCATION 388 POINT 653905.8499 3077378.742
LOCATION 389 POINT 653141.3649 3077215.012
LOCATION 390 POINT 653142.5294 3077123.055
LOCATION 391 POINT 653142.1506 3077152.968
LOCATION 392 POINT 653142.5294 3077123.055
LOCATION 393 POINT 653169.7349 3077153.318
LOCATION 394 POINT 652786.119 3077179.492
LOCATION 395 POINT 652813.7032 3077179.84
LOCATION 396 POINT 652786.119 3077179.492
LOCATION 397 POINT 652732.3277 3077147.786
LOCATION 398 POINT 652841.2873 3077180.189
LOCATION 399 POINT 653961.8075 3077317.401
LOCATION 400 POINT 653715.9024 3077284.354
LOCATION 401 POINT 653741.7266 3077345.628
LOCATION 402 POINT 653279.4659 3077124.79
LOCATION 403 POINT 653251.5025 3077154.354
LOCATION 404 POINT 653059.5977 3077213.976
LOCATION 405 POINT 653142.1506 3077152.968
LOCATION 406 POINT 652049.9608 3076955.245
LOCATION 407 POINT 653141.7578 3077183.99
LOCATION 408 POINT 653837.7541 3078394
LOCATION 409 POINT 654361.7956 3078092.629
LOCATION 410 POINT 654332.6433 3078215.256
LOCATION 411 POINT 654085.2038 3078304.071
LOCATION 412 POINT 653929.1318 3077717.008
LOCATION 413 POINT 653825.2534 3077285.745
LOCATION 414 POINT 653116.1234 3077029.641
LOCATION 415 POINT 652132.1196 3076925.252
LOCATION 416 POINT 653769.3105 3077345.979
LOCATION 417 POINT 653742.121 3077314.606
LOCATION 418 POINT 653797.2889 3077315.308
LOCATION 419 POINT 653114.1736 3077183.641
```

```
LOCATION 420 POINT 653115.3379 3077091.684
LOCATION 421 POINT 652649.575 3077146.741
LOCATION 422 POINT 653115.3379 3077091.684
LOCATION 423 POINT 653838.5437 3078331.956
LOCATION 424 POINT 654361.7956 3078092.629
LOCATION 425 POINT 654332.6433 3078215.256
LOCATION 426 POINT 651769.1328 3077505.759
LOCATION 427 POINT 654085.2038 3078304.071
LOCATION 428 POINT 653387.2582 3077249.155
LOCATION 429 POINT 653390.3779 3077003.198
LOCATION 430 POINT 652105.5201 3076924.917
LOCATION 431 POINT 652159.314 3076956.62
LOCATION 432 POINT 652186.8986 3076956.967
LOCATION 433 POINT 652105.13 3076955.938
LOCATION 434 POINT 651968.1922 3076954.217
LOCATION 435 POINT 651968.1922 3076954.217
LOCATION 436 POINT 651940.2179 3076984.892
LOCATION 437 POINT 653229.9706 3076754.06
LOCATION 438 POINT 652076.7791 3077016.527
LOCATION 439 POINT 652022.3762 3076954.898
LOCATION 440 POINT 651967.8024 3076985.238
LOCATION 441 POINT 652049.9608 3076955.245
LOCATION 442 POINT 651968.1922 3076954.217
LOCATION 443 POINT 652049.9608 3076955.245
LOCATION 444 POINT 651940.2179 3076984.892
LOCATION 445 POINT 654016.3713 3077288.178
LOCATION 446 POINT 653907.0203 3077286.785
LOCATION 447 POINT 652076.7791 3077016.527
LOCATION 448 POINT 653061.1542 3077090.998
LOCATION 449 POINT 653004.822 3077182.257
LOCATION 450 POINT 653741.7266 3077345.628
LOCATION 451 POINT 653005.2145 3077151.235
LOCATION 452 POINT 652978.6154 3077150.899
LOCATION 453 POINT 652654.6233 3076746.785
LOCATION 454 POINT 653768.5215 3077408.022
LOCATION 455 POINT 652653.0711 3076869.763
LOCATION 456 POINT 652516.132 3076868.035
LOCATION 457 POINT 653824.4782 3077346.68
LOCATION 458 POINT 653824.0836 3077377.702
LOCATION 459 POINT 653851.077 3077347.019
LOCATION 460 POINT 653851.077 3077347.019
LOCATION 461 POINT 653609.8726 3076943.93
LOCATION 462 POINT 653931.0783 3077564.115
LOCATION 463 POINT 653474.3127 3076911.183
LOCATION 464 POINT 653986.4452 3077471.74
LOCATION 465 POINT 653986.0501 3077502.762
LOCATION 466 POINT 654013.6337 3077503.113
LOCATION 467 POINT 653473.1317 3077004.248
LOCATION 468 POINT 653557.2496 3076820.264
LOCATION 469 POINT 653584.4407 3076851.636
LOCATION 470 POINT 654013.2385 3077534.135
LOCATION 471 POINT 653930.3026 3077625.051
LOCATION 472 POINT 653957.0958 3077687.445
LOCATION 473 POINT 654012.8434 3077565.157
LOCATION 474 POINT 654039.6505 3077626.443
LOCATION 475 POINT 653443.6072 3077156.79
LOCATION 476 POINT 653985.6551 3077533.784
LOCATION 477 POINT 654011.6721 3077657.114
LOCATION 478 POINT 653584.0609 3076881.549
LOCATION 479 POINT 654014.0288 3077472.092
LOCATION 480 POINT 654014.0288 3077472.092
```

```
LOCATION 481 POINT 653986.0501 3077502.762
LOCATION 482 POINT 653610.2666 3076912.909
LOCATION 483 POINT 651911.868 3077045.48
LOCATION 484 POINT 651939.8421 3077014.805
LOCATION 485 POINT 651939.8421 3077014.805
LOCATION 486 POINT 651911.868 3077045.48
LOCATION 487 POINT 651939.4523 3077045.827
LOCATION 488 POINT 651939.4523 3077045.827
LOCATION 489 POINT 652020.4404 3077108.897
LOCATION 490 POINT 651994.2312 3077077.542
LOCATION 491 POINT 651994.6211 3077046.52
LOCATION 492 POINT 652048.4147 3077078.223
LOCATION 493 POINT 652021.2203 3077046.854
LOCATION 494 POINT 651856.1401 3077167.778
LOCATION 495 POINT 651828.9455 3077136.41
LOCATION 496 POINT 651856.5297 3077136.756
LOCATION 497 POINT 651966.6469 3077077.195
LOCATION 498 POINT 651882.7391 3077168.112
LOCATION 499 POINT 651910.7129 3077137.437
LOCATION 500 POINT 651938.6728 3077107.87
LOCATION 501 POINT 652240.5197 3077080.64
LOCATION 502 POINT 652294.7032 3077081.322
LOCATION 503 POINT 652213.7163 3077018.249
LOCATION 504 POINT 652267.9 3077018.931
LOCATION 505 POINT 653637.8514 3076913.259
LOCATION 506 POINT 653901.9296 3077686.743
LOCATION 507 POINT 653847.9475 3077592.976
LOCATION 508 POINT 653847.5528 3077623.998
LOCATION 509 POINT 653611.0405 3076851.974
LOCATION 510 POINT 653585.2286 3076789.593
LOCATION 511 POINT 653558.4171 3076728.307
LOCATION 512 POINT 653607.1426 3077158.866
LOCATION 513 POINT 653581.3173 3077097.593
LOCATION 514 POINT 653524.981 3077188.849
LOCATION 515 POINT 653498.9578 3077065.52
LOCATION 516 POINT 653473.5254 3076973.226
LOCATION 517 POINT 653446.7279 3076910.833
LOCATION 518 POINT 653447.8946 3076818.876
LOCATION 519 POINT 653526.9361 3077034.849
LOCATION 520 POINT 653338.1463 3076848.511
LOCATION 521 POINT 653525.7546 3077127.914
LOCATION 522 POINT 653470.7978 3077188.161
LOCATION 523 POINT 653363.9734 3076909.783
LOCATION 524 POINT 653498.1703 3077127.564
LOCATION 525 POINT 653390.3779 3077003.198
LOCATION 526 POINT 653281.8109 3076939.768
LOCATION 527 POINT 653200.0418 3076938.732
LOCATION 528 POINT 653226.4615 3077031.038
LOCATION 529 POINT 653230.7426 3076693.125
LOCATION 530 POINT 653201.2067 3076846.775
LOCATION 531 POINT 653229.9706 3076754.06
LOCATION 532 POINT 653308.23 3077032.075
LOCATION 533 POINT 653334.6345 3077125.489
LOCATION 534 POINT 652926.9493 3076873.223
LOCATION 535 POINT 652763.195 3076810.208
LOCATION 536 POINT 652817.2031 3076902.862
LOCATION 537 POINT 652928.112 3076781.266
LOCATION 538 POINT 652874.1041 3076688.612
LOCATION 539 POINT 652875.6584 3076565.634
LOCATION 540 POINT 652765.14 3076656.209
LOCATION 541 POINT 653418.7495 3076941.504
```

```
LOCATION 542 POINT 653961.8075 3077317.401
LOCATION 543 POINT 652048.4147 3077078.223
LOCATION 544 POINT 652735.8256 3076870.808
LOCATION 545 POINT 653931.8682 3077502.072
LOCATION 546 POINT 653822.1245 3077531.702
LOCATION 547 POINT 652786.8889 3077118.556
LOCATION 548 POINT 648674.9667 3077621.34
LOCATION 549 POINT 648865.5465 3077746.68
LOCATION 550 POINT 648974.1405 3077808.962
LOCATION 551 POINT 649002.0915 3077779.388
LOCATION 552 POINT 649249.8947 3077658.341
LOCATION 553 POINT 649223.064 3077597.066
LOCATION 554 POINT 648973.376 3077871.004
LOCATION 555 POINT 649357.7075 3077783.776
LOCATION 556 POINT 649576.3968 3077786.48
LOCATION 557 POINT 649713.7081 3077757.153
LOCATION 558 POINT 649191.6805 3077904.722
LOCATION 559 POINT 649033.4702 3077471.732
LOCATION 560 POINT 649414.5571 3077568.405
LOCATION 561 POINT 649000.5758 3077902.365
LOCATION 562 POINT 649633.0974 3077663.077
LOCATION 563 POINT 649605.1308 3077693.757
LOCATION 564 POINT 649277.4774 3077658.681
LOCATION 565 POINT 648729.3826 3077682.953
LOCATION 566 POINT 649082.3371 3077903.373
LOCATION 567 POINT 649415.6934 3077476.449
LOCATION 568 POINT 649252.9307 3077412.386
LOCATION 569 POINT 649197.3814 3077442.727
LOCATION 570 POINT 649577.9319 3077662.395
LOCATION 571 POINT 648784.166 3077714.653
LOCATION 572 POINT 649005.5048 3077502.413
LOCATION 573 POINT 649717.5218 3077449.156
LOCATION 574 POINT 649659.311 3077694.428
LOCATION 575 POINT 648756.2018 3077745.334
LOCATION 576 POINT 648729.001 3077713.974
LOCATION 577 POINT 649879.3718 3077666.128
LOCATION 578 POINT 648753.939 3077929.246
LOCATION 579 POINT 649109.5503 3077933.627
LOCATION 580 POINT 649196.6159 3077504.769
LOCATION 581 POINT 649135.6016 3078058.052
LOCATION 582 POINT 649080.4381 3078057.372
LOCATION 583 POINT 649251.7819 3077505.45
LOCATION 584 POINT 649356.5715 3077875.732
LOCATION 585 POINT 649164.0984 3077904.382
LOCATION 586 POINT 649743.1979 3077603.496
LOCATION 587 POINT 649117.516 3077287.72
LOCATION 588 POINT 648842.1374 3077407.323
LOCATION 589 POINT 648814.1723 3077438.005
LOCATION 590 POINT 648787.956 3077406.656
LOCATION 591 POINT 648920.1085 3077716.326
LOCATION 592 POINT 649251.0298 3077566.385
LOCATION 593 POINT 649495.4017 3077723.426
LOCATION 594 POINT 648920.1085 3077716.326
LOCATION 595 POINT 649468.9559 3077631.129
LOCATION 596 POINT 648974.8913 3077748.027
LOCATION 597 POINT 648974.5091 3077779.048
LOCATION 598 POINT 648974.8913 3077748.027
LOCATION 599 POINT 649002.4738 3077748.367
LOCATION 600 POINT 649689.1705 3077510.857
LOCATION 601 POINT 649744.7209 3077480.519
LOCATION 602 POINT 649332.0272 3077629.437
```

```
LOCATION 603 POINT 648892.747 3077778.041
LOCATION 604 POINT 649388.7121 3077507.141
LOCATION 605 POINT 649028.9227 3077840.663
LOCATION 606 POINT 649252.1649 3077474.429
LOCATION 607 POINT 649224.9646 3077443.067
LOCATION 608 POINT 649196.9986 3077473.748
LOCATION 609 POINT 649196.9986 3077473.748
LOCATION 610 POINT 649743.582 3077572.475
LOCATION 611 POINT 648919.3443 3077778.369
LOCATION 612 POINT 649925.4154 3076097.666
LOCATION 613 POINT 648946.5581 3077808.622
LOCATION 614 POINT 648890.8641 3077930.932
LOCATION 615 POINT 648834.9362 3077992.295
LOCATION 616 POINT 649245.7096 3077997.359
LOCATION 617 POINT 649136.7497 3077964.988
LOCATION 618 POINT 649162.9638 3077996.338
LOCATION 619 POINT 648403.6042 3077495.01
LOCATION 620 POINT 648947.3088 3077747.687
LOCATION 621 POINT 648998.6778 3078056.364
LOCATION 622 POINT 648893.8931 3077684.977
LOCATION 623 POINT 648946.9267 3077778.709
LOCATION 624 POINT 648517.8768 3077095.293
LOCATION 625 POINT 648836.4502 3077869.318
LOCATION 626 POINT 648864.4143 3077838.636
LOCATION 627 POINT 648946.176 3077839.643
LOCATION 628 POINT 648809.2498 3077837.957
LOCATION 629 POINT 648837.5822 3077777.362
LOCATION 630 POINT 648783.4025 3077776.695
LOCATION 631 POINT 648998.3091 3078086.277
LOCATION 632 POINT 649025.8908 3078086.617
LOCATION 633 POINT 648863.282 3077930.592
LOCATION 634 POINT 649410.7509 3077876.402
LOCATION 635 POINT 648811.1453 3077683.959
LOCATION 636 POINT 648811.1453 3077683.959
LOCATION 637 POINT 649000.2072 3077932.279
LOCATION 638 POINT 648759.9912 3077437.338
LOCATION 639 POINT 648811.5271 3077652.937
LOCATION 640 POINT 648972.6251 3077931.939
LOCATION 641 POINT 648972.6251 3077931.939
LOCATION 642 POINT 649000.2072 3077932.279
LOCATION 643 POINT 648945.4116 3077901.686
LOCATION 644 POINT 648972.6251 3077931.939
LOCATION 645 POINT 648485.3681 3077496.014
LOCATION 646 POINT 648457.7851 3077495.676
LOCATION 647 POINT 648457.7851 3077495.676
LOCATION 648 POINT 648864.7963 3077807.615
LOCATION 649 POINT 649111.8186 3077749.715
LOCATION 650 POINT 648838.7279 3077684.298
LOCATION 651 POINT 649410.3675 3077907.423
LOCATION 652 POINT 649028.5403 3077871.684
LOCATION 653 POINT 648514.0941 3077403.289
LOCATION 654 POINT 648863.6504 3077900.679
LOCATION 655 POINT 649189.7801 3078058.721
LOCATION 656 POINT 649137.1324 3077933.967
LOCATION 657 POINT 648786.8109 3077499.72
LOCATION 658 POINT 648838.7279 3077684.298
LOCATION 659 POINT 652682.0291 3109067.46
LOCATION 660 POINT 652682.0291 3109067.46
LOCATION 661 POINT 652682.0291 3109067.46
LOCATION 662 POINT 652734.9043 3107005.894
LOCATION 663 POINT 652734.9043 3107005.894
```

```
LOCATION 664 POINT 652735.3006 3106974.871
LOCATION 665 POINT 649910.9279 3077266.504
LOCATION 666 POINT 666699.6225 3054585.278
LOCATION 667 POINT 666676.6175 3054245.875
LOCATION 668 POINT 666676.6175 3054245.875
LOCATION 669 POINT 666725.8637 3054615.556
LOCATION 670 POINT 666728.8013 3054400.618
LOCATION 671 POINT 613425.4066 3069175.988
LOCATION 672 POINT 613343.8857 3069144.205
LOCATION 673 POINT 613399.3734 3069113.703
LOCATION 674 POINT 613399.3734 3069113.703
LOCATION 675 POINT 613344.1755 3069113.187
LOCATION 676 POINT 613341.2975 3069421.155
LOCATION 677 POINT 613341.5874 3069390.136
LOCATION 678 POINT 613341.5874 3069390.136
LOCATION 679 POINT 613341.5874 3069390.136
LOCATION 680 POINT 653483.6751 3076173.312
LOCATION 681 POINT 653806.292 3076607.35
LOCATION 682 POINT 653829.5657 3076946.723
LOCATION 683 POINT 653777.1289 3076731.086
LOCATION 684 POINT 653482.902 3076234.248
LOCATION 685 POINT 653561.1598 3076512.264
LOCATION 686 POINT 653560.3722 3076574.307
LOCATION 687 POINT 648281.8092 3078508.505
LOCATION 688 POINT 648956.0295 3077039.738
LOCATION 689 POINT 649122.0652 3076918.789
LOCATION 690 POINT 649145.8511 3077227.126
LOCATION 691 POINT 649148.133 3077042.106
LOCATION 692 POINT 649204.9813 3076826.734
LOCATION 693 POINT 649285.4513 3077012.774
LOCATION 694 POINT 649309.3829 3077229.144
LOCATION 695 POINT 649395.5555 3076953.19
LOCATION 696 POINT 649639.1847 3077171.168
LOCATION 697 POINT 649776.503 3077141.842
LOCATION 698 POINT 649776.503 3077141.842
LOCATION 699 POINT 649885.8536 3077143.197
LOCATION 700 POINT 655547.292 3077460.691
LOCATION 701 POINT 655355.1905 3077458.222
LOCATION 702 POINT 654752.8764 3077481.525
LOCATION 703 POINT 654752.8764 3077481.525
LOCATION 704 POINT 654809.6182 3077359.252
LOCATION 705 POINT 654863.8009 3077359.946
LOCATION 706 POINT 654754.0532 3077389.568
LOCATION 707 POINT 680083.8191 3082173.284
LOCATION 708 POINT 648190.7137 3076938.367
LOCATION 709 POINT 648188.08 3077153.299
LOCATION 710 POINT 648326.5219 3077032.001
LOCATION 711 POINT 648218.6781 3076907.684
LOCATION 712 POINT 648136.9104 3076906.682
LOCATION 713 POINT 648244.755 3077030.999
LOCATION 714 POINT 648409.2741 3077033.016
LOCATION 715 POINT 647829.0609 3077425.921
LOCATION 716 POINT 647802.8421 3077394.575
LOCATION 717 POINT 647774.8798 3077425.259
LOCATION 718 POINT 647748.0548 3077362.879
LOCATION 719 POINT 647747.6758 3077393.9
LOCATION 720 POINT 647803.2213 3077363.553
LOCATION 721 POINT 647802.8421 3077394.575
LOCATION 722 POINT 647829.4402 3077394.9
LOCATION 723 POINT 647692.8884 3077362.205
LOCATION 724 POINT 647693.6327 3077301.271
```

```
LOCATION 725 POINT 647829.4402 3077394.9
LOCATION 726 POINT 647802.4629 3077425.596
LOCATION 727 POINT 647802.8421 3077394.575
LOCATION 728 POINT 647834.7087 3076963.928
LOCATION 729 POINT 648380.5618 3077124.633
LOCATION 730 POINT 648680.6472 3077159.345
LOCATION 731 POINT 648546.5902 3077003.676
LOCATION 732 POINT 648546.5902 3077003.676
LOCATION 733 POINT 648326.9024 3077000.98
LOCATION 734 POINT 647747.6758 3077393.9
LOCATION 735 POINT 647775.259 3077394.237
LOCATION 736 POINT 647802.8421 3077394.575
LOCATION 737 POINT 647802.8421 3077394.575
LOCATION 738 POINT 648491.4219 3077002.999
LOCATION 739 POINT 647775.6381 3077363.216
LOCATION 740 POINT 648216.7908 3077061.682
LOCATION 741 POINT 648217.5512 3076999.639
LOCATION 742 POINT 672796.4953 3084714.286
LOCATION 743 POINT 672740.9126 3084744.52
LOCATION 744 POINT 672685.8864 3084804.683
LOCATION 745 POINT 672876.0103 3084869.468
LOCATION 746 POINT 654149.7753 3077566.902
LOCATION 747 POINT 638562.1836 3076547.216
LOCATION 748 POINT 638562.5389 3076516.196
LOCATION 749 POINT 638500.329 3077130.432
LOCATION 750 POINT 638500.6716 3077100.52
LOCATION 751 POINT 638446.1484 3077129.812
LOCATION 752 POINT 638337.2237 3077005.575
LOCATION 753 POINT 638502.0926 3076976.438
LOCATION 754 POINT 638502.4352 3076946.526
LOCATION 755 POINT 638502.4352 3076946.526
LOCATION 756 POINT 638502.4352 3076946.526
LOCATION 757 POINT 638502.4352 3076946.526
LOCATION 758 POINT 638502.7905 3076915.505
LOCATION 759 POINT 638503.1457 3076884.485
LOCATION 760 POINT 638503.501 3076853.464
LOCATION 761 POINT 638503.501 3076853.464
LOCATION 762 POINT 638503.8435 3076823.552
LOCATION 763 POINT 638561.4856 3076608.149
LOCATION 764 POINT 638503.8435 3076823.552
LOCATION 765 POINT 638476.6151 3076792.216
LOCATION 766 POINT 638719.7206 3077072.006
LOCATION 767 POINT 638336.1592 3077098.637
LOCATION 768 POINT 639349.9195 3077017.202
LOCATION 769 POINT 639350.979 3076925.249
LOCATION 770 POINT 639352.0386 3076833.295
LOCATION 771 POINT 638560.4321 3076700.102
LOCATION 772 POINT 638582.0924 3077131.369
LOCATION 773 POINT 638501.7374 3077007.458
LOCATION 774 POINT 638502.0926 3076976.438
LOCATION 775 POINT 638582.4352 3077101.456
LOCATION 776 POINT 638338.6304 3076882.602
LOCATION 777 POINT 638338.6304 3076882.602
LOCATION 778 POINT 638447.9113 3076975.818
LOCATION 779 POINT 638447.9113 3076975.818
LOCATION 780 POINT 638447.9113 3076975.818
LOCATION 781 POINT 638447.9113 3076975.818
LOCATION 782 POINT 638394.4945 3076822.3
LOCATION 783 POINT 638393.0873 3076945.274
LOCATION 784 POINT 638532.493 3076730.807
LOCATION 785 POINT 638610.0181 3077101.772
```

```
LOCATION 786 POINT 638582.4352 3077101.456
LOCATION 787 POINT 638448.2538 3076945.905
LOCATION 788 POINT 638448.6089 3076914.885
LOCATION 789 POINT 638587.0308 3076700.407
LOCATION 790 POINT 638642.897 3076640.106
LOCATION 791 POINT 638642.897 3076640.106
LOCATION 792 POINT 638642.897 3076640.106
LOCATION 793 POINT 638447.2011 3077037.858
LOCATION 794 POINT 638728.1961 3076333.056
LOCATION 795 POINT 638582.4352 3077101.456
LOCATION 796 POINT 638529.6758 3076976.754
LOCATION 797 POINT 638586.6754 3076731.427
LOCATION 798 POINT 638613.9036 3076762.764
LOCATION 799 POINT 638940.1123 3077012.487
LOCATION 800 POINT 638779.1326 3076702.61
LOCATION 801 POINT 638584.1999 3076947.462
LOCATION 802 POINT 669280.8882 3060222.529
LOCATION 803 POINT 669280.8882 3060222.529
LOCATION 804 POINT 669280.0253 3060284.574
LOCATION 805 POINT 669280.0253 3060284.574
LOCATION 806 POINT 669280.4568 3060253.552
LOCATION 807 POINT 677478.9451 3078778.964
LOCATION 808 POINT 677072.2856 3078558.003
LOCATION 809 POINT 677263.8565 3078529.78
LOCATION 810 POINT 677072.2856 3078558.003
LOCATION 811 POINT 677725.6807 3078751.559
LOCATION 812 POINT 677099.431 3078588.323
LOCATION 813 POINT 677181.1969 3078589.521
LOCATION 814 POINT 677315.8708 3078745.54
LOCATION 815 POINT 677367.7923 3078900.347
LOCATION 816 POINT 677421.1527 3079024.144
LOCATION 817 POINT 677454.1526 3078655.587
LOCATION 818 POINT 677532.7608 3078871.738
LOCATION 819 POINT 677585.2081 3079057.584
LOCATION 820 POINT 677695.9058 3078967.228
LOCATION 821 POINT 677748.7339 3079059.988
LOCATION 822 POINT 677473.0713 3079178.951
LOCATION 823 POINT 677558.9766 3078965.215
LOCATION 824 POINT 677262.9628 3078590.72
LOCATION 825 POINT 653312.9066 3076663.139
LOCATION 826 POINT 653339.3262 3076755.446
LOCATION 827 POINT 653341.6577 3076571.532
LOCATION 828 POINT 653395.071 3076633.155
LOCATION 829 POINT 653450.6355 3076602.833
LOCATION 830 POINT 653451.4085 3076541.898
LOCATION 831 POINT 653478.6006 3076573.269
LOCATION 832 POINT 671411.8097 3085894.712
LOCATION 833 POINT 671439.8172 3085864.081
LOCATION 834 POINT 671357.1181 3085862.905
LOCATION 835 POINT 671330.0953 3085893.55
LOCATION 836 POINT 670923.4765 3091367.872
LOCATION 837 POINT 671032.7073 3091369.425
LOCATION 838 POINT 671032.7073 3091369.425
LOCATION 839 POINT 671032.7073 3091369.425
LOCATION 840 POINT 671032.7073 3091369.425
LOCATION 841 POINT 670896.3636 3091336.457
LOCATION 842 POINT 671032.7073 3091369.425
LOCATION 843 POINT 671006.1377 3091369.047
LOCATION 844 POINT 671002.1995 3091646.045
LOCATION 845 POINT 670595.7843 3091363.22
LOCATION 846 POINT 671112.3106 3091585.551
```

```
LOCATION 847 POINT 671137.9969 3091647.976
LOCATION 848 POINT 670923.9174 3091336.849
LOCATION 849 POINT 670923.9174 3091336.849
LOCATION 850 POINT 670896.8043 3091305.433
LOCATION 851 POINT 670896.8043 3091305.433
LOCATION 852 POINT 670896.8043 3091305.433
LOCATION 853 POINT 666119.4539 3082865.112
LOCATION 854 POINT 679054.9535 3083266.228
LOCATION 855 POINT 679082.5267 3083266.638
LOCATION 856 POINT 652468.5741 3078529.568
LOCATION 857 POINT 652283.0796 3078004.212
LOCATION 858 POINT 680561.0569 3072175.129
LOCATION 859 POINT 680561.0569 3072175.129
LOCATION 860 POINT 680562.4273 3072083.166
LOCATION 861 POINT 680561.0569 3072175.129
LOCATION 862 POINT 680589.118 3072144.517
LOCATION 863 POINT 680561.0569 3072175.129
LOCATION 864 POINT 680561.0569 3072175.129
LOCATION 865 POINT 680561.0569 3072175.129
LOCATION 866 POINT 680561.0569 3072175.129
LOCATION 867 POINT 670177.8319 3064667.693
LOCATION 868 POINT 670120.1454 3064912.898
LOCATION 869 POINT 670454.1654 3064517.531
LOCATION 870 POINT 670179.9887 3064513.688
LOCATION 871 POINT 670180.4076 3064483.773
LOCATION 872 POINT 670180.4076 3064483.773
LOCATION 873 POINT 670154.2132 3064452.378
LOCATION 874 POINT 670454.1654 3064517.531
LOCATION 875 POINT 670454.1654 3064517.531
LOCATION 876 POINT 626419.5413 3083553.939
LOCATION 877 POINT 626419.5413 3083553.939
LOCATION 878 POINT 657407.8145 3077515.795
LOCATION 879 POINT 657429.5949 3077886.189
LOCATION 880 POINT 657156.3312 3077912.553
LOCATION 881 POINT 651737.1258 3077936.402
LOCATION 882 POINT 657210.1086 3077944.28
LOCATION 883 POINT 657182.929 3077912.899
LOCATION 884 POINT 657238.484 3077883.702
LOCATION 885 POINT 656910.8458 3077848.418
LOCATION 886 POINT 656718.7496 3077845.927
LOCATION 887 POINT 656527.6385 3077843.451
LOCATION 888 POINT 656335.5424 3077840.965
LOCATION 889 POINT 672955.0939 3085054.565
LOCATION 890 POINT 673166.2536 3085642.735
LOCATION 891 POINT 673061.3915 3085333.145
LOCATION 892 POINT 672925.4113 3085270.242
LOCATION 893 POINT 671415.7486 3085617.716
LOCATION 894 POINT 671443.3156 3085618.108
LOCATION 895 POINT 671360.1738 3085647.956
LOCATION 896 POINT 671305.5837 3085678.21
LOCATION 897 POINT 671522.8404 3085773.281
LOCATION 898 POINT 671522.8404 3085773.281
LOCATION 899 POINT 647657.1131 3075853.697
LOCATION 900 POINT 647657.1131 3075853.697
LOCATION 901 POINT 641447.1299 3075533.521
LOCATION 902 POINT 641421.6031 3075441.257
LOCATION 903 POINT 641394.0161 3075440.934
LOCATION 904 POINT 641421.6031 3075441.257
LOCATION 905 POINT 641421.6031 3075441.257
LOCATION 906 POINT 641338.8421 3075440.29
LOCATION 907 POINT 641394.0161 3075440.934
```

```
LOCATION 908 POINT 641366.0667 3075471.632
LOCATION 909 POINT 641447.1299 3075533.521
LOCATION 910 POINT 641447.1299 3075533.521
LOCATION 911 POINT 641394.0161 3075440.934
LOCATION 912 POINT 612847.6162 3069508.506
LOCATION 913 POINT 612710.3235 3069538.25
LOCATION 914 POINT 615075.7159 3062605.09
LOCATION 915 POINT 615103.3298 3062605.351
LOCATION 916 POINT 615105.6577 3062359.421
LOCATION 917 POINT 615078.6198 3062298.231
LOCATION 918 POINT 615104.7769 3062452.476
LOCATION 919 POINT 615051.415 3062358.908
LOCATION 920 POINT 615050.5346 3062451.962
LOCATION 921 POINT 616157.8057 3049751.713
LOCATION 922 POINT 616818.8436 3049389.091
LOCATION 923 POINT 616818.8436 3049389.091
LOCATION 924 POINT 616818.8436 3049389.091
LOCATION 925 POINT 616818.8436 3049389.091
LOCATION 926 POINT 616511.849 3050002.14
LOCATION 927 POINT 616818.8436 3049389.091
LOCATION 928 POINT 616211.5147 3049814.264
LOCATION 929 POINT 616818.8436 3049389.091
LOCATION 930 POINT 616818.8436 3049389.091
LOCATION 931 POINT 616429.808 3049908.296
LOCATION 932 POINT 616105.7296 3049413.316
LOCATION 933 POINT 615794.9611 3056149.598
LOCATION 934 POINT 615912.1587 3049626.406
LOCATION 935 POINT 615886.2591 3049442.253
LOCATION 936 POINT 616812.9557 3050005.015
LOCATION 937 POINT 616049.6829 3049596.691
LOCATION 938 POINT 616077.7911 3049444.071
LOCATION 939 POINT 616569.0848 3049694.696
LOCATION 940 POINT 615830.688 3049471.639
LOCATION 941 POINT 615858.9094 3049410.973
LOCATION 942 POINT 615914.1971 3049411.497
LOCATION 943 POINT 615996.7302 3049350.239
LOCATION 944 POINT 616024.3742 3049350.502
LOCATION 945 POINT 615941.1479 3049380.733
LOCATION 946 POINT 616024.3742 3049350.502
LOCATION 947 POINT 615968.7919 3049380.995
LOCATION 948 POINT 615996.7302 3049350.239
LOCATION 949 POINT 615804.315 3049441.476
LOCATION 950 POINT 615804.315 3049441.476
LOCATION 951 POINT 616569.0848 3049694.696
LOCATION 952 POINT 615775.8002 3049533.16
LOCATION 953 POINT 616405.1997 3049693.134
LOCATION 954 POINT 616295.9091 3049661.072
LOCATION 955 POINT 615363.2406 3049621.211
LOCATION 956 POINT 615473.1198 3049591.229
LOCATION 957 POINT 615253.947 3049589.16
LOCATION 958 POINT 615450.1225 3049099.116
LOCATION 959 POINT 616019.9885 3049812.444
LOCATION 960 POINT 616105.7296 3049413.316
LOCATION 961 POINT 616376.9762 3049753.798
LOCATION 962 POINT 616569.0848 3049694.696
LOCATION 963 POINT 615751.3671 3049193.919
LOCATION 964 POINT 615724.2996 3049132.729
LOCATION 965 POINT 615724.2996 3049132.729
LOCATION 966 POINT 615833.0189 3049225.713
LOCATION 967 POINT 615777.2589 3049379.179
LOCATION 968 POINT 615586.4884 3049192.358
```

```
LOCATION 969 POINT 615560.1141 3049162.196
LOCATION 970 POINT 615560.7007 3049100.161
LOCATION 971 POINT 615804.6089 3049410.458
LOCATION 972 POINT 615915.0797 3049318.444
LOCATION 973 POINT 615859.7915 3049317.92
LOCATION 974 POINT 616817.0752 3049574.089
LOCATION 975 POINT 616569.0848 3049694.696
LOCATION 976 POINT 616105.7296 3049413.316
LOCATION 977 POINT 648885.556 3078361.906
LOCATION 978 POINT 648565.2533 3077649.909
LOCATION 979 POINT 648565.2533 3077649.909
LOCATION 980 POINT 648647.2385 3077712.968
LOCATION 981 POINT 648673.4545 3077744.317
LOCATION 982 POINT 648700.2875 3077805.59
LOCATION 983 POINT 648647.2385 3077712.968
LOCATION 984 POINT 648699.9059 3077836.612
LOCATION 985 POINT 648727.1065 3077867.972
LOCATION 986 POINT 648539.7855 3077557.626
LOCATION 987 POINT 648566.0021 3077588.974
LOCATION 988 POINT 648512.2026 3077557.287
LOCATION 989 POINT 648484.6198 3077556.949
LOCATION 990 POINT 648511.8216 3077588.309
LOCATION 991 POINT 648954.1327 3077193.737
LOCATION 992 POINT 648620.4186 3077650.587
LOCATION 993 POINT 648486.8918 3077371.929
LOCATION 994 POINT 649027.4068 3077963.64
LOCATION 995 POINT 648735.4332 3077191.045
LOCATION 996 POINT 648763.7801 3077129.342
LOCATION 997 POINT 648487.6401 3077310.995
LOCATION 998 POINT 649081.2032 3077995.329
LOCATION 999 POINT 648376.7825 3077432.63
LOCATION 1000 POINT 648321.6163 3077431.953
LOCATION 1001 POINT 648377.5439 3077370.587
LOCATION 1002 POINT 648432.0925 3077341.339
LOCATION 1003 POINT 648943.1457 3078085.597
LOCATION 1004 POINT 648916.3147 3078024.323
LOCATION 1005 POINT 648915.564 3078085.258
LOCATION 1006 POINT 648889.3358 3078055.017
LOCATION 1007 POINT 648376.0212 3077494.672
LOCATION 1008 POINT 648320.8553 3077493.995
LOCATION 1009 POINT 648403.9849 3077463.989
LOCATION 1010 POINT 648430.9637 3077433.295
LOCATION 1011 POINT 648760.7544 3077375.295
LOCATION 1012 POINT 648706.3372 3077313.682
LOCATION 1013 POINT 648762.2673 3077252.319
LOCATION 1014 POINT 648839.8598 3077592.342
LOCATION 1015 POINT 648812.6588 3077560.982
LOCATION 1016 POINT 653859.6888 3076670.082
LOCATION 1017 POINT 653915.6491 3076608.741
LOCATION 1018 POINT 654134.7446 3076581.612
LOCATION 1019 POINT 653671.6859 3076421.696
LOCATION 1020 POINT 653999.3672 3076456.89
LOCATION 1021 POINT 654026.1772 3076518.176
LOCATION 1022 POINT 654053.3679 3076549.549
LOCATION 1023 POINT 654079.7822 3076641.857
LOCATION 1024 POINT 654078.9919 3076703.901
LOCATION 1025 POINT 653808.2361 3076454.458
LOCATION 1026 POINT 653754.2472 3076360.692
LOCATION 1027 POINT 653890.798 3076393.455
LOCATION 1028 POINT 653888.0635 3076608.39
LOCATION 1029 POINT 654612.0046 3077787.775
```

```
   LOCATION 1030 POINT 654639.1908 3077819.149
   LOCATION 1031 POINT 654665.9941 3077880.438
   LOCATION 1032 POINT 654638.794 3077850.171
SO FINISHED

** Receptor locations in UTM NAD83
RE STARTING
   GRIDCART GRD1 STA 0
   GRIDCART GRD1 XYINC  614000.0  18  4000.0  3045000.0  18  4000.0
   GRIDCART GRD1 END
   DISCCART 661220.199 3064485.993
   DISCCART 655302.323 3072165.826
   DISCCART 654528     3071047.797
   DISCCART 656005.053 3071177.53
   DISCCART 656522.187 3069300.362
   DISCCART 663964.85  3087573.033
   DISCCART 660005.152 3059372.47
   DISCCART 676077.307 3087411.508
   DISCCART 656662.233 3066088.578
   DISCCART 665290.068 3084266.511
   DISCCART 618171.577 3051893.608
   DISCCART 660906.207 3062572.486
   DISCCART 655987.833 3065229.963
   DISCCART 658656.277 3070923.822
   DISCCART 656328.858 3073739.289
   DISCCART 631539.434 3074583.696
   DISCCART 665706.213 3087234.475
   DISCCART 680931.037 3089017.326
   DISCCART 655155.279 3073795.117
   DISCCART 657562.825 3076011.477
   DISCCART 627063.337 3071621.852
   DISCCART 656111.327 3076085.746
   DISCCART 662092.112 3066928.899
   DISCCART 654976.656 3070653.489
   DISCCART 657806.915 3065734.387
   DISCCART 630725.803 3074737.76
   DISCCART 658956.912 3067842.67
   DISCCART 658141.401 3069432.178
   DISCCART 657544.019 3066993.144
   DISCCART 657615.883 3069887.433
   DISCCART 657980.506 3075493.875
   DISCCART 657555.871 3068131.357
   DISCCART 654836.901 3070866.681
   DISCCART 657325.824 3068990.505
   DISCCART 654647.223 3074989.835
   DISCCART 666119.697 3084807.635
   DISCCART 657190.533 3075237.579
   DISCCART 681524.214 3088200.561
   DISCCART 656277.055 3069654.021
   DISCCART 658671.381 3070824.286
   DISCCART 661556.977 3065937.72
   DISCCART 657371.293 3073916.798
   DISCCART 665344.54  3087474.421
   DISCCART 665303.765 3086427.708
   DISCCART 662826.295 3065276.473
   DISCCART 659379.718 3068986.286
   DISCCART 615437.373 3107729.589
   DISCCART 657342.484 3076132.723
   DISCCART 656919.642 3070739.43
   DISCCART 629901.104 3075098.958
   DISCCART 652505.094 3071207.234
```

```
DISCCART 681743.258 3088234.897
DISCCART 660691.266 3067187.317
DISCCART 656911.995 3067137.882
DISCCART 631185.158 3075358.788
DISCCART 660912.594 3067006.294
DISCCART 657938.867 3072414.887
DISCCART 656298.526 3074332.862
DISCCART 656069.501 3068697.245
DISCCART 650107.399 3063574.633
DISCCART 653259.888 3067799.314
DISCCART 630161.314 3073808.702
DISCCART 655025.396 3073239.386
DISCCART 655435.082 3075491.941
DISCCART 653765.518 3071161.103
DISCCART 662494.049 3067550.412
DISCCART 654384.983 3069814.846
DISCCART 660327.625 3065674.313
DISCCART 654500.049 3075788.029
DISCCART 659540.62  3067172.141
DISCCART 654816.376 3070312.354
DISCCART 658261.161 3070756.868
DISCCART 630592.489 3074490.342
DISCCART 655184.808 3075796.792
DISCCART 615197.966 3107081.317
DISCCART 633548.121 3076954.714
DISCCART 656623.596 3068242.292
DISCCART 652985.045 3076599.876
DISCCART 658217.535 3065708.701
DISCCART 654731.11  3072743.612
DISCCART 653381.713 3071187.268
DISCCART 656290.929 3068577.092
DISCCART 656425.144 3075135.686
DISCCART 661512.155 3065229.011
DISCCART 642222.682 3079422.68
DISCCART 645385.201 3078075.203
DISCCART 615328.612 3107697.515
DISCCART 643267.505 3067370.316
DISCCART 617725.883 3052045.52
DISCCART 634937.632 3082479.327
DISCCART 660871.931 3067990.908
DISCCART 662740.318 3065583.391
DISCCART 657385.301 3072838.752
DISCCART 631705.369 3075272.473
DISCCART 658096.857 3066569.263
DISCCART 642682.606 3078930.575
DISCCART 680039.712 3087393.6
DISCCART 619360.66  3051537.341
DISCCART 661321.299 3061772.358
DISCCART 660258.316 3065021.805
DISCCART 660941.119 3065300.112
DISCCART 661259.181 3067195.956
DISCCART 654852.893 3065827.127
DISCCART 659700.951 3068102.88
DISCCART 656052.372 3065196.44
DISCCART 658492.732 3063891.614
DISCCART 658886.592 3069372.103
DISCCART 654621.544 3065949.398
DISCCART 658978.728 3070767.364
DISCCART 657308.576 3075329.981
DISCCART 659448.183 3072102.209
DISCCART 655286.483 3072171.164
```

```
   DISCCART 657507.63  3072224.212
   DISCCART 656421.787 3071808.999
   DISCCART 657901.825 3074575.297
   DISCCART 659088.867 3070337.738
   DISCCART 658431.931 3068173.79
   DISCCART 634397.025 3081857.222
   DISCCART 657297.906 3073268.686
   DISCCART 658226.594 3073403.787
   DISCCART 659032.46  3070428.974
   DISCCART 658199.697 3073425.599
   DISCCART 660102.21  3063094.893
   DISCCART 656069.787 3073804.653
   DISCCART 658010.668 3073635.896
   DISCCART 661817.924 3063005.682
   DISCCART 656313.003 3073822.195
   DISCCART 681380.142 3088940.959
   DISCCART 662979.846 3064196.962
   DISCCART 659144.134 3070483.631
   DISCCART 657008.713 3072310.821
   DISCCART 665191.823 3066632.682
   DISCCART 665154.569 3066833.864
   DISCCART 654621.544 3065949.398
   DISCCART 650764.915 3076849.03
   DISCCART 658410.479 3071929.024
   DISCCART 681361.241 3088888.584
   DISCCART 661324.055 3061862.155
   DISCCART 657418.018 3061721.224
RE FINISHED


OU STARTING
   RECEPTOR  AERMAP_STAR.REC
   SOURCLOC  AERMAP_STAR.SRC
   DEBUGHIL  CALCHCDB_STAR.OUT
   DEBUGREC  REC1DB_STAR.OUT  REC2DB_STAR.OUT  REC3DB_STAR.OUT
OU FINISHED
```

APPENDIX D
AERMET Input Runstream File

```
JOB
REPORT TC_S1.RPT
MESSAGES TC_S1.MSG
UPPERAIR
DATA 12924.fsl FSL 1
EXTRACT TC_UA.IQA
QAOUT TC_UA.OQA
XDATES 06/10/1 TO 06/11/30
LOCATION 12924 27.773N 97.513W 6 13.4
AUDIT UATT UAWS UALR
SURFACE
DATA 129242006.3505 ISHD 1
EXTRACT TC_SF.IQA
QAOUT TC_SF.OQA
XDATES 06/10/1 TO 06/11/30
LOCATION 12924 27.773N 97.513W 6 13.4
** 725180 14735 ALBANY COUNTY AP US US NY KALB +42750 -073800 +00838
ONSITE
DATA C633_Met.txt
QAOUT TC_C633.OQA
XDATES 06/10/1 TO 06/11/30
LOCATION C633 27.8292N 97.5422W 0 20.0
READ 1 OSYR OSMO OSDY OSHR TT01 WS02 WD02 SA02 RH01
FORMAT 1 (4(I2,1X),4(F7.2,1X),F7.2)
OSHEIGHTS 3.0 10.0
RANGE TT -5 <= 42 -999
RANGE WS 0 <= 17 -999
RANGE WD 0 <= 360 -999
RANGE SA 0 <= 100 -999
RANGE RH 0 <= 100 -999
THRESHOLD 0.3
1
TC_S2.inp
JOB
REPORT TC_S2.RPT
MESSAGES TC_S2.MSG
UPPERAIR
QAOUT TC_UA.OQA
SURFACE
QAOUT TC_SF.OQA
ONSITE
QAOUT TC_C633.OQA
MERGE
OUTPUT TC_MR.MET
XDATES 06/10/01 06/11/30
1
TC_S3.INP
JOB
REPORT TC_S3.RPT
MESSAGES TC_S3.MSG
METPREP
DATA TC_MR.MET
OUTPUT TC_MP.SFC
PROFILE TC_MP.PFL
LOCATION C633 27.8292N 97.5422W 0 20.0
METHOD REFLEVEL SUBNWS
METHOD WIND_DIR RANDOM
NWS_HGT WIND 10.0
FREQ_SECT ANNUAL 1
SECTOR 1 0 360
SITE_CHAR 1 1 0.18 0.75 1.0
** Albedo and Bowen Ratio above set to defaults suggested by TCEQ for San Patricio
** in support of permit modeling. Surface roughness for now at 1.0
1
```

APPENDIX E
AERMOD Input Runstream File

```
** Corpus Christi Domain Test Case - Benzene

CO STARTING
CO TITLEONE The 72 km x 72 km Corpus Christi regional domain
CO TITLETWO Benzene STARS 2005 unique EPN
** Implement deposition algorithms by using TOXICS and DDEP and WDEP
secondary keywords
CO MODELOPT CONC DEPOS DDEP WDEP TOXICS
** Define seasonal categories for each calendar month
CO GDSEASON  3 3 5 5 5 1 1 1 2 2 2 3
** Define land use category for each of the 36 wind direction sectors
** Use category 5 (suburban areas, grassy) for all sectors
CO GDLANUSE  36*5
CO AVERTIME  1  8
CO POLLUTID  BENZENE
CO RUNORNOT  RUN
CO SAVEFILE
CO ERRORFIL  ERRORS.OUT
CO FINISHED

SO STARTING
** Use INCLUDED keyword to include source x, y, z from AERMAP
** SO INCLUDED  C:\TEST\AERMAP\AERMAP_TEST83.SRC
SO INCLUDED  AERMAP_STAR.SRC

** Point Source           QS       HS    TS     VS      DS
** Parameters:           ----     ----  ----   ----     ---
SO SRCPARAM 1 0.002794655 14.63 298.56 0.00305 0.91463
SO SRCPARAM 2 0.006108127 6.1 294 0.01 0.01
SO SRCPARAM 3 0.000744438 76.22 634.11 13.90244 1.21951
SO SRCPARAM 4 0.002429933 17.68 298.56 0.00305 0.91463
SO SRCPARAM 5 0.001295731 3.05 294 0.01 0.01
SO SRCPARAM 6 0.000122806 6.1 298.56 0.00305 0.91463
SO SRCPARAM 7 0.000154305 1.22 294 0.01 0.01
SO SRCPARAM 8 0.000415373 15.24 298.56 0.00305 0.91463
SO SRCPARAM 9 0.003580346 14.33 298.56 0.00305 0.91463
SO SRCPARAM 10 0.002634501 33.54 396.89 5.40854 1.37195
SO SRCPARAM 11 0.004441805 3.05 294 0.01 0.01
SO SRCPARAM 12 0.000332845 6.1 294 0.01 0.01
SO SRCPARAM 13 0.000648889 6.1 294 0.01 0.01
SO SRCPARAM 14 0.000498448 6.1 298.56 0.00305 0.91463
SO SRCPARAM 15 0.006561625 6.1 294 0.01 0.01
SO SRCPARAM 16 0.001410725 11.89 306.89 4.87805 3.35366
SO SRCPARAM 17 0.001470196 12.2 298.56 0.00305 0.91463
SO SRCPARAM 18 0.004238643 15.24 298.56 0.00305 0.91463
SO SRCPARAM 19 0.000116548 7.62 294 0.01 0.01
SO SRCPARAM 20 0.000896685 14.63 298.56 0.00305 0.91463
SO SRCPARAM 21 0.000795887 6.1 298.56 0.00305 0.91463
SO SRCPARAM 22 0.000110248 7.01 639.67 24.20732 0.20427
SO SRCPARAM 23 0.000110248 7.01 639.67 24.20732 0.20427
SO SRCPARAM 24 0.000110248 7.01 639.67 24.20732 0.20427
SO SRCPARAM 25 0.033189951 6.1 298.56 0.00305 0.91463
SO SRCPARAM 26 0.001231147 6.1 298.56 0.00305 0.91463
SO SRCPARAM 27 0.001952012 35.06 435.78 6.55488 0.99085
SO SRCPARAM 28 0.00195679 35.06 435.78 6.55488 0.99085
SO SRCPARAM 29 0.005682485 7.93 298.56 0.00305 0.91463
SO SRCPARAM 30 0.03900423 12.2 298.56 0.00305 0.91463
SO SRCPARAM 31 0.078407454 12.2 298.56 0.00305 0.91463
SO SRCPARAM 32 0.087911308 6.1 294 0.01 0.01
SO SRCPARAM 33 0.000455693 12.2 671.89 13.71951 0.70122
```

```
SO SRCPARAM 34 0.047296468 12.8 298.56 0.00305 0.91463
SO SRCPARAM 35 0.005716526 12.8 298.56 0.00305 0.91463
SO SRCPARAM 36 0.042382549 12.2 298.56 0.00305 0.91463
SO SRCPARAM 37 0.000425306 3.05 294 0.01 0.01
SO SRCPARAM 38 0.001448724 12.2 298.56 0.00305 0.91463
SO SRCPARAM 39 0.010991586 6.1 294 0.01 0.01
SO SRCPARAM 40 0.00424445 11.89 309.67 7.92683 7.92683
SO SRCPARAM 41 0.013439778 6.1 294 0.01 0.01
SO SRCPARAM 42 0.000300295 13.11 533 1.71037 0.91463
SO SRCPARAM 43 0.000129148 12.8 533 1.19207 0.60976
SO SRCPARAM 44 0.016589726 4.57 294 0.01 0.01
SO SRCPARAM 45 0.035523538 12.2 298.56 0.00305 0.91463
SO SRCPARAM 46 0.035523538 12.2 298.56 0.00305 0.91463
SO SRCPARAM 47 0.001021633 34.45 460.78 17.07317 2.59146
SO SRCPARAM 48 0.006104221 41.77 430.22 10 1.44817
SO SRCPARAM 49 0.035216418 12.2 298.56 0.00305 0.91463
SO SRCPARAM 50 0.005044694 48.78 449.67 9.60366 3.04878
SO SRCPARAM 51 0.002311054 12.2 298.56 0.00305 0.91463
SO SRCPARAM 52 0.006643219 4.57 294 0.01 0.01
SO SRCPARAM 53 0.00535025 6.1 294 0.01 0.01
SO SRCPARAM 54 0.075161086 12.2 298.56 0.00305 0.91463
SO SRCPARAM 55 0.006883203 4.57 294 0.01 0.01
SO SRCPARAM 56 0.006242147 14.33 298.56 0.00305 0.91463
SO SRCPARAM 57 0.076299372 12.2 298.56 0.00305 0.91463
SO SRCPARAM 58 0.002649715 7.93 307.44 8.84146 3.35366
SO SRCPARAM 59 0.001979721 12.2 298.56 0.00305 0.91463
SO SRCPARAM 60 0.032941189 12.2 298.56 0.00305 0.91463
SO SRCPARAM 61 0.003410585 14.33 298.56 0.00305 0.91463
SO SRCPARAM 62 0.002847112 6.1 298.56 0.00305 0.91463
SO SRCPARAM 63 0.001382071 12.2 298.56 0.00305 0.91463
SO SRCPARAM 64 0.01310749 12.2 298.56 0.00305 0.91463
SO SRCPARAM 65 0.031871887 12.2 298.56 0.00305 0.91463
SO SRCPARAM 66 0.001631946 12.2 298.56 0.00305 0.91463
SO SRCPARAM 67 0.000731838 12.2 298.56 0.00305 0.91463
SO SRCPARAM 68 0.000481942 14.02 310.78 6.40244 4.87805
SO SRCPARAM 69 0.026008679 14.33 298.56 0.00305 0.91463
SO SRCPARAM 70 0.000174297 0.91 294 0.01 0.01
SO SRCPARAM 71 0.000207897 0.91 294 0.01 0.01
SO SRCPARAM 72 0.060811845 12.2 298.56 0.00305 0.91463
SO SRCPARAM 73 0.045117355 12.2 298.56 0.00305 0.91463
SO SRCPARAM 74 0.012465383 14.63 304.67 0.00305 0.91463
SO SRCPARAM 75 0.046417433 1.83 294 0.01 0.01
SO SRCPARAM 76 0.002486821 6.1 294 0.01 0.01
SO SRCPARAM 77 0.000439943 7.62 616.33 23.78049 0.20427
SO SRCPARAM 78 0.000439943 7.62 616.33 23.78049 0.20427
SO SRCPARAM 79 0.000439943 7.62 616.33 23.78049 0.20427
SO SRCPARAM 80 0.057833044 6.1 294 0.01 0.01
SO SRCPARAM 81 0.000313945 12.2 309.67 4.57317 4.57317
SO SRCPARAM 82 0.00159106 6.1 298.56 0.00305 0.91463
SO SRCPARAM 83 0.00159023 12.8 298.56 0.00305 0.91463
SO SRCPARAM 84 0.001485169 12.2 298.56 0.00305 0.91463
SO SRCPARAM 85 0.001487636 12.8 298.56 0.00305 0.91463
SO SRCPARAM 86 0.002005152 10.67 298.56 0.00305 0.91463
SO SRCPARAM 87 0.000318145 9.15 298.56 0.00305 0.91463
SO SRCPARAM 88 0.000300295 10.67 298.56 0.00305 0.91463
SO SRCPARAM 89 0.002106076 10.67 298.56 0.00305 0.91463
SO SRCPARAM 90 0.001344356 9.15 298.56 0.00305 0.91463
SO SRCPARAM 91 0.001068231 17.38 298.56 0.00305 0.91463
SO SRCPARAM 92 0.001571677 3.05 294 0.01 0.01
SO SRCPARAM 93 0.006084985 12.2 298.56 0.00305 0.91463
SO SRCPARAM 94 0.000278245 4.57 294 0.01 0.01
SO SRCPARAM 95 0.002751396 76.22 810.78 0.01 0.1
```

```
SO SRCPARAM 96 0.000119698 1 294 0.01 0.1
SO SRCPARAM 97 0.000127048 1 294 0.01 0.1
SO SRCPARAM 98 0.009028423 6.1 298.56 0.00305 0.91463
SO SRCPARAM 99 0.013183551 6.1 298.56 0.00305 0.91463
SO SRCPARAM 100 0.013132248 6.1 298.56 0.00305 0.91463
SO SRCPARAM 101 0.012223037 14.63 298.56 0.00305 0.91463
SO SRCPARAM 102 0.000190047 3.05 294 0.01 0.01
SO SRCPARAM 103 0.008977121 6.1 298.56 0.00305 0.91463
SO SRCPARAM 104 0.000319195 3.05 294 0.01 0.01
SO SRCPARAM 105 0.041961643 9.15 298.56 0.00305 0.91463
SO SRCPARAM 106 0.013696005 3.66 298.56 0.00305 1.82927
SO SRCPARAM 107 0.000909285 14.33 298.56 0.00305 0.91463
SO SRCPARAM 108 0.007206241 6.1 294 0.01 0.01
SO SRCPARAM 109 0.000408443 3.66 298.56 0.00305 0.91463
SO SRCPARAM 110 0.001822612 1.83 298.56 0.00305 0.91463
SO SRCPARAM 111 0.000302395 4.57 298.56 0.00305 0.91463
SO SRCPARAM 112 0.000239396 7.01 616.33 25 0.20427
SO SRCPARAM 113 0.000239396 7.01 616.33 25 0.20427
SO SRCPARAM 114 0.000239396 7.01 616.33 25 0.20427
SO SRCPARAM 115 0.000302395 4.57 298.56 0.00305 0.91463
SO SRCPARAM 116 0.000302395 4.88 298.56 0.00101 0.91463
SO SRCPARAM 117 0.000707688 14.63 298.56 0.00305 0.91463
SO SRCPARAM 118 0.000239396 7.01 616.33 25 0.20427
SO SRCPARAM 119 0.003197197 12.2 298.56 0.00305 0.91463
SO SRCPARAM 120 0.001400246 14.63 298.56 0.00305 0.91463
SO SRCPARAM 121 0.002472237 45.73 580.78 8.23171 1.82927
SO SRCPARAM 122 0.000442043 6.1 300.22 7.0122 4.26829
SO SRCPARAM 123 0.000763337 20.12 580.78 7.28659 0.7622
SO SRCPARAM 124 0.003197197 12.2 298.56 0.00305 0.91463
SO SRCPARAM 125 0.004257207 45.73 580.78 5.79268 2.28659
SO SRCPARAM 126 0.00331699 45.73 580.78 6.09756 2.28659
SO SRCPARAM 127 0.000916635 25.91 580.78 5.18293 0.99085
SO SRCPARAM 128 0.00307836 30.18 527.44 5.53049 1.44817
SO SRCPARAM 129 0.001099836 14.63 298.56 0.00305 0.91463
SO SRCPARAM 130 0.002095188 28.96 599.67 5.2561 1.29573
SO SRCPARAM 131 0.000590195 6.1 294 0.01 0.01
SO SRCPARAM 132 0.001389337 14.63 298.56 0.00305 0.91463
SO SRCPARAM 133 0.03809862 4.57 294 0.01 0.01
SO SRCPARAM 134 0.00247797 11.89 302.44 8.23171 4.26829
SO SRCPARAM 135 0.006310112 60.98 521.89 2.7378 2.7439
SO SRCPARAM 136 0.000267746 22.87 577.44 5.97561 0.7561
SO SRCPARAM 137 0.000669889 22.87 505.22 13.59756 0.90244
SO SRCPARAM 138 0.000669889 22.87 505.22 13.59756 0.90244
SO SRCPARAM 139 0.002023317 15.55 560.78 8.29268 1.8689
SO SRCPARAM 140 0.002023317 15.55 560.78 8.29268 1.8689
SO SRCPARAM 141 0.002252265 15.55 616.33 8.44512 1.8689
SO SRCPARAM 142 0.002252265 15.55 616.33 8.44512 1.8689
SO SRCPARAM 143 0.010664002 45.73 505.22 4.60366 2.71951
SO SRCPARAM 144 0.001299112 15.24 477.44 4.77439 1.04268
SO SRCPARAM 145 0.001299112 15.24 477.44 4.77439 1.04268
SO SRCPARAM 146 0.00229689 30.18 583 6.34146 1.12805
SO SRCPARAM 147 0.001157658 36.89 449.67 4.72561 0.97561
SO SRCPARAM 148 0.001690567 28.96 683 7.28659 1.05488
SO SRCPARAM 149 0.000786437 27.44 583 3.62805 1.12805
SO SRCPARAM 150 0.00144884 0.91 294 0.01 0.01
SO SRCPARAM 151 0.013339032 30.49 424.67 6.40244 2.53049
SO SRCPARAM 152 0.000770687 16.46 302.44 8.84146 4.87805
SO SRCPARAM 153 0.001036333 15.55 302.44 4.57317 3.35366
SO SRCPARAM 154 0.000457792 10.37 299.67 4.57317 3.35366
SO SRCPARAM 155 0.001064031 6.1 730.22 21.64634 0.30488
SO SRCPARAM 156 0.001542299 7.32 296.89 0.00305 0.91463
SO SRCPARAM 157 0.029152852 8.54 297.35 0.00305 0.91463
```

```
SO SRCPARAM 158 0.001642078 9.45 299.67 0.00305 0.91463
SO SRCPARAM 159 0.005592785 9.15 304.67 0.00305 0.91463
SO SRCPARAM 160 0.001417876 9.15 302.14 0.00305 0.91463
SO SRCPARAM 161 0.003356826 9.15 291.37 0.00305 0.91463
SO SRCPARAM 162 0.000954119 8.84 298.53 0.00305 0.91463
SO SRCPARAM 163 0.000787487 9.15 297.52 0.00305 0.91463
SO SRCPARAM 164 0.037503437 11.59 298.71 0.00305 0.91463
SO SRCPARAM 165 0.000940784 14.63 317.44 0.00305 0.91463
SO SRCPARAM 166 0.001457796 14.63 298.7 0.00305 0.91463
SO SRCPARAM 167 0.010395521 14.63 297.34 0.00305 0.91463
SO SRCPARAM 168 0.000108148 14.63 302.69 0.00305 0.91463
SO SRCPARAM 169 0.000330745 14.63 308.01 0.00305 0.91463
SO SRCPARAM 170 0.001300341 14.63 306.44 0.00305 0.91463
SO SRCPARAM 171 0.004686608 14.63 298.91 0.00305 0.91463
SO SRCPARAM 172 0.005589016 14.63 295.5 0.00305 0.91463
SO SRCPARAM 173 0.006098016 14.63 300.02 0.00305 0.91463
SO SRCPARAM 174 0.000136498 9.15 295.22 0.00305 0.91463
SO SRCPARAM 175 0.003714923 12.8 299.94 0.00305 0.91463
SO SRCPARAM 176 0.033247784 14.63 295 0.00305 0.91463
SO SRCPARAM 177 0.001482124 14.63 301.09 0.00305 0.91463
SO SRCPARAM 178 0.007904752 12.8 294.81 0.00305 0.91463
SO SRCPARAM 179 0.00553996 12.8 297.52 0.00305 0.91463
SO SRCPARAM 180 0.001402199 10.98 298.22 0.00305 0.91463
SO SRCPARAM 181 0.003343628 10.98 298.5 0.00305 0.91463
SO SRCPARAM 182 0.000480892 3.05 298.61 0.00305 0.91463
SO SRCPARAM 183 0.00059639 4.88 299.24 0.00305 0.91463
SO SRCPARAM 184 0.006357645 12.2 298.61 0.00305 0.91463
SO SRCPARAM 185 0.007844945 3.05 294 0.01 0.01
SO SRCPARAM 186 0.000860986 3.05 294 0.01 0.01
SO SRCPARAM 187 0.000564891 0.91 294 0.01 0.01
SO SRCPARAM 188 0.000412643 3.05 294 0.01 0.01
SO SRCPARAM 189 0.011314613 0.91 294 0.01 0.01
SO SRCPARAM 190 0.00272103 0.91 294 0.01 0.01
SO SRCPARAM 191 0.096370032 3.05 294 0.01 0.01
SO SRCPARAM 192 0.006544017 3.05 294 0.01 0.01
SO SRCPARAM 193 0.004788971 3.05 294 0.01 0.01
SO SRCPARAM 194 0.000212097 3.05 294 0.01 0.01
SO SRCPARAM 195 0.000196347 3.05 294 0.01 0.01
SO SRCPARAM 196 0.000751788 3.05 294 0.01 0.01
SO SRCPARAM 197 0.00063545 1.83 294 0.01 0.01
SO SRCPARAM 198 0.001447401 3.05 294 0.01 0.01
SO SRCPARAM 199 0.000447293 1.83 294 0.01 0.01
SO SRCPARAM 200 0.000480892 9.15 634.11 1.52439 1.82927
SO SRCPARAM 201 0.012133431 9.15 580.78 5.67073 1.25915
SO SRCPARAM 202 0.004308289 1.83 644.11 2.92683 0.04878
SO SRCPARAM 203 0.003570466 3.05 294 0.01 0.01
SO SRCPARAM 204 0.00063314 3.05 294 0.01 0.01
SO SRCPARAM 205 0.000855736 76.22 807.44 9.66463 1.67683
SO SRCPARAM 206 0.000177447 60.67 644.11 22.86585 0.46037
SO SRCPARAM 207 0.000129148 1 294 0.01 0.01
SO SRCPARAM 208 0.000293995 1.83 644.11 2.92683 0.04878
SO SRCPARAM 209 0.003760019 14.63 310.28 0.00305 0.91463
SO SRCPARAM 210 0.005484248 14.63 306.6 0.00305 0.91463
SO SRCPARAM 211 0.000130198 14.63 326.89 0.00305 0.91463
SO SRCPARAM 212 0.000186897 14.63 321.94 0.00305 0.91463
SO SRCPARAM 213 0.000327595 0.91 294 0.01 0.01
SO SRCPARAM 214 0.000240446 6.1 477.44 9.14634 0.30488
SO SRCPARAM 215 0.031897895 14.63 301.06 0.00305 0.91463
SO SRCPARAM 216 0.022449185 14.63 300.82 0.00305 0.91463
SO SRCPARAM 217 0.000707688 7.62 295.22 2.07317 0.20427
SO SRCPARAM 218 0.008373937 14.63 298.29 0.00305 0.91463
SO SRCPARAM 219 0.001774135 15.55 301.93 0.00305 0.91463
```

```
SO SRCPARAM 220 0.000171147 7.62 305.22 7.92683 3.35366
SO SRCPARAM 221 0.001749796 0.91 294 0.01 0.01
SO SRCPARAM 222 0.002658262 15.55 299.21 0.00305 0.91463
SO SRCPARAM 223 0.002778317 15.55 300.81 0.00305 0.91463
SO SRCPARAM 224 0.001464967 15.55 305.07 0.00305 0.91463
SO SRCPARAM 225 0.000659389 15.24 299.47 0.00305 0.91463
SO SRCPARAM 226 0.000323395 15.24 293.77 0.00305 0.91463
SO SRCPARAM 227 0.000685639 12.2 290.46 0.00305 0.91463
SO SRCPARAM 228 0.000656239 12.2 290.8 0.00305 0.91463
SO SRCPARAM 229 0.000646789 15.24 292.67 0.00305 0.91463
SO SRCPARAM 230 0.000415793 15.24 298 0.00305 0.91463
SO SRCPARAM 231 0.00319914 14.63 298.63 0.00305 0.91463
SO SRCPARAM 232 0.012105166 14.63 298.44 0.00305 0.91463
SO SRCPARAM 233 0.012418659 14.63 299.95 0.00305 0.91463
SO SRCPARAM 234 0.000228371 12.2 305.22 7.92683 6.09756
SO SRCPARAM 235 0.000652039 0.91 294 0.01 0.01
SO SRCPARAM 236 0.011884229 0.91 294 0.01 0.01
SO SRCPARAM 237 0.073931378 11.36 384.04 0.00305 0.91463
SO SRCPARAM 238 0.000851746 9.76 299.39 0.00305 0.91463
SO SRCPARAM 239 0.001219271 7.32 303.54 0.00305 0.91463
SO SRCPARAM 240 0.000899835 9.76 299.16 0.00305 0.91463
SO SRCPARAM 241 0.004586272 53.35 421.89 3.3628 3.35366
SO SRCPARAM 242 0.002628632 0.91 294 0.01 0.01
SO SRCPARAM 243 0.000938685 0.91 294 0.01 0.01
SO SRCPARAM 244 0.00269898 0.91 294 0.01 0.01
SO SRCPARAM 245 0.002355353 30.49 421.89 9.78659 1.21951
SO SRCPARAM 246 0.010030673 53.35 310.78 0.01 3.35366
SO SRCPARAM 247 0.007249269 53.35 421.89 9.32927 1.52439
SO SRCPARAM 248 0.025604929 64.02 421.89 5.27439 3.65854
SO SRCPARAM 249 0.03356007 0.91 294 0.01 0.01
SO SRCPARAM 250 0.003193743 12.2 297.61 0.00305 0.91463
SO SRCPARAM 251 0.024089164 12.2 299.67 0.00305 0.91463
SO SRCPARAM 252 0.002716704 12.2 297.91 0.00305 0.91463
SO SRCPARAM 253 0.002492648 14.63 297.08 0.00305 0.91463
SO SRCPARAM 254 0.070419102 0.91 294 0.01 0.01
SO SRCPARAM 255 0.002834575 12.2 295.99 0.00305 0.91463
SO SRCPARAM 256 0.003312748 12.2 295.78 0.00305 0.91463
SO SRCPARAM 257 0.001562553 12.2 296.36 0.00305 0.91463
SO SRCPARAM 258 0.002673434 17.07 295.39 0.00305 0.91463
SO SRCPARAM 259 0.001367707 17.07 297.62 0.00305 0.91463
SO SRCPARAM 260 0.010040711 12.2 296.84 0.00305 0.91463
SO SRCPARAM 261 0.001685065 12.2 296.56 0.00305 0.91463
SO SRCPARAM 262 0.001451843 14.63 378.28 0.00305 0.91463
SO SRCPARAM 263 0.001596184 12.2 352.15 0.00305 0.91463
SO SRCPARAM 264 0.002673067 14.63 306.07 0.00305 0.91463
SO SRCPARAM 265 0.00515111 12.8 299.13 0.00305 0.91463
SO SRCPARAM 266 0.004333184 12.8 300.47 0.00305 0.91463
SO SRCPARAM 267 0.000539691 14.63 381.21 0.00305 0.91463
SO SRCPARAM 268 0.005249913 10.67 308 7.31707 6.70732
SO SRCPARAM 269 0.079528709 12.2 306.2 0.00305 0.91463
SO SRCPARAM 270 0.062441418 0.91 294 0.01 0.01
SO SRCPARAM 271 0.002086494 14.63 298.07 0.00305 0.91463
SO SRCPARAM 272 0.001990767 0.91 294 0.01 0.01
SO SRCPARAM 273 0.004454835 30.49 421.89 8.14024 1.52439
SO SRCPARAM 274 0.010105474 3.05 294 0.01 0.01
SO SRCPARAM 275 0.001013233 28.66 605.22 1.06707 1.82927
SO SRCPARAM 276 0.001344356 12.2 293.16 0.00305 0.91463
SO SRCPARAM 277 0.072882161 12.2 394.11 20.12195 3.35366
SO SRCPARAM 278 0.00155598 9.15 310.78 4.57317 0.15244
SO SRCPARAM 279 0.044249838 12.2 300 0.00305 0.91463
SO SRCPARAM 280 0.000514492 4.88 324.22 0.00305 0.91463
SO SRCPARAM 281 0.000136498 4.88 298.22 0.00305 0.91463
```

```
SO SRCPARAM 282 0.006264721 0.91 294 0.01 0.01
SO SRCPARAM 283 0.001850783 15.85 318.22 0.00305 0.91463
SO SRCPARAM 284 0.000197397 0.91 294 0.01 0.01
SO SRCPARAM 285 0.011298863 14.02 305.22 7.92683 6.09756
SO SRCPARAM 286 0.016383929 0.91 294 0.01 0.01
SO SRCPARAM 287 0.117416934 0.91 294 0.01 0.01
SO SRCPARAM 288 0.003680189 0.91 294 0.01 0.01
SO SRCPARAM 289 0.007765514 12.2 302.54 0.00305 0.91463
SO SRCPARAM 290 0.000795362 0.91 294 0.01 0.01
SO SRCPARAM 291 0.000327595 0.91 294 0.01 0.01
SO SRCPARAM 292 0.000308695 0.91 294 0.01 0.01
SO SRCPARAM 293 0.00167426 7.23 298.28 0.00305 0.91463
SO SRCPARAM 294 0.000535491 7.32 298.28 0.00305 0.91463
SO SRCPARAM 295 0.118603571 12.2 301.02 0.00305 0.91463
SO SRCPARAM 296 0.089920618 12.2 301.02 0.00305 0.91463
SO SRCPARAM 297 0.00190679 12.2 294.68 0.00305 0.91463
SO SRCPARAM 298 0.000205797 0.91 294 0.01 0.01
SO SRCPARAM 299 0.003125851 30.49 602.44 15.2439 1.21951
SO SRCPARAM 300 0.002199714 0.91 294 0.01 0.01
SO SRCPARAM 301 0.001555602 30.49 421.89 9.20732 2.43902
SO SRCPARAM 302 0.000472492 1.83 644.11 2.92683 0.04878
SO SRCPARAM 303 0.005693814 25.91 580.78 13.35366 1.21951
SO SRCPARAM 304 0.000823186 1 294 0.01 0.01
SO SRCPARAM 305 0.003252846 15.24 308 8.23171 3.35366
SO SRCPARAM 306 0.015664166 13.41 308 8.23171 3.35366
SO SRCPARAM 307 0.000113923 14.02 308 8.23171 6.09756
SO SRCPARAM 308 0.280748558 0.91 294 0.01 0.01
SO SRCPARAM 309 0.000108148 0.91 294 0.01 0.01
SO SRCPARAM 310 0.000503467 0.91 294 0.01 0.01
SO SRCPARAM 311 0.013083834 30.49 421.89 15.39634 1.52439
SO SRCPARAM 312 0.000132298 0.91 294 0.01 0.01
SO SRCPARAM 313 0.108713628 0.91 294 0.01 0.01
SO SRCPARAM 314 0.004363969 45.73 421.89 20.42683 1.52439
SO SRCPARAM 315 0.000642589 0.91 294 0.01 0.01
SO SRCPARAM 316 0.049701684 13.72 634.11 10.21341 2.7439
SO SRCPARAM 317 0.010199048 12.8 299.46 0.00305 0.91463
SO SRCPARAM 318 0.006705714 14.63 297.89 0.00305 0.91463
SO SRCPARAM 319 0.000896685 12.2 298.62 0.00305 0.91463
SO SRCPARAM 320 0.000172197 4.88 325.84 0.00305 0.91463
SO SRCPARAM 321 0.006826221 30.49 421.89 6.37195 1.52439
SO SRCPARAM 322 0.002548497 45.73 421.89 20.42683 1.52439
SO SRCPARAM 323 0.000808434 7.32 305.22 0.00305 0.91463
SO SRCPARAM 324 0.001316941 7.32 321.89 0.00305 0.91463
SO SRCPARAM 325 0.013371529 0.91 294 0.01 0.01
SO SRCPARAM 326 0.000140698 3.05 299.67 0.00305 0.07622
SO SRCPARAM 327 0.000712413 18.29 580.78 4.5122 0.60976
SO SRCPARAM 328 0.004179456 38.11 514.11 6.06707 1.52439
SO SRCPARAM 329 0.018477175 0.91 294 0.01 0.01
SO SRCPARAM 330 0.001745596 0.91 294 0.01 0.01
SO SRCPARAM 331 0.000638389 30.49 555.22 2.46951 1.21951
SO SRCPARAM 332 0.005351709 43.9 421.89 4.7561 1.82927
SO SRCPARAM 333 0.000845761 23.17 588.56 4.60366 1.21951
SO SRCPARAM 334 0.001529877 28.96 588.56 5.94512 1.21951
SO SRCPARAM 335 0.005177989 30.49 438.56 20.60976 1.21951
SO SRCPARAM 336 0.002934019 15.24 298 0.00305 0.91463
SO SRCPARAM 337 0.002612871 18.29 296.49 0.00305 0.91463
SO SRCPARAM 338 0.005962893 12.2 298.01 0.00305 0.91463
SO SRCPARAM 339 0.0011682 30.49 584.67 5.21341 1.21951
SO SRCPARAM 340 0.001478376 0.91 294 0.01 0.01
SO SRCPARAM 341 0.002761549 17.68 616.33 3.93293 1.82927
SO SRCPARAM 342 0.000454643 11.43 297.63 0.00305 0.91463
SO SRCPARAM 343 0.000219446 0.91 294 0.01 0.01
```

```
SO SRCPARAM 344 0.000497849 7.32 288.56 0.00305 0.91463
SO SRCPARAM 345 0.001043683 11.89 299.26 0.00305 0.91463
SO SRCPARAM 346 0.000317095 11.89 297.09 0.00305 0.91463
SO SRCPARAM 347 0.001155947 14.02 300.81 0.00305 0.91463
SO SRCPARAM 348 0.013718023 45.73 421.89 16.46341 1.52439
SO SRCPARAM 349 0.064578111 12.2 289.47 0.00305 0.91463
SO SRCPARAM 350 0.000280345 7.32 298.22 0.00305 0.91463
SO SRCPARAM 351 0.000552291 14.18 296.62 0.00305 0.91463
SO SRCPARAM 352 0.010130999 30.49 421.89 6.54878 2.7439
SO SRCPARAM 353 0.002836024 0.91 294 0.01 0.01
SO SRCPARAM 354 0.070917066 12.2 290.63 0.00305 0.91463
SO SRCPARAM 355 0.000209472 11.89 299.67 0.00305 0.91463
SO SRCPARAM 356 0.001133456 9.15 299.52 0.00305 0.91463
SO SRCPARAM 357 0.001000634 4.57 298.61 0.00305 0.91463
SO SRCPARAM 358 0.000136498 5.49 297.69 0.00305 0.91463
SO SRCPARAM 359 0.003529118 12.2 296.24 0.00305 0.91463
SO SRCPARAM 360 0.000553341 9.15 312.44 0.00305 0.91463
SO SRCPARAM 361 0.00734108 12.8 299.3 0.00305 0.91463
SO SRCPARAM 362 0.007796814 12.8 299.22 0.00305 0.91463
SO SRCPARAM 363 0.001950217 6.71 298.72 0.00305 0.91463
SO SRCPARAM 364 0.000787487 0.91 294 0.01 0.01
SO SRCPARAM 365 0.000787487 0.91 294 0.01 0.01
SO SRCPARAM 366 0.001172306 7.32 533 14.54268 1.82927
SO SRCPARAM 367 0.00121526 26.22 591.33 3.91768 2.28659
SO SRCPARAM 368 0.018304505 9.45 629.67 21.34146 0.25305
SO SRCPARAM 369 0.022574301 9.45 629.67 21.34146 0.35976
SO SRCPARAM 370 0.02289925 9.45 629.67 21.34146 0.35976
SO SRCPARAM 371 0.007902474 9.45 629.67 21.34146 0.25305
SO SRCPARAM 372 0.001112982 18.9 588.56 3.70732 1.21951
SO SRCPARAM 373 0.000205272 22.56 533 3.84146 0.99085
SO SRCPARAM 374 0.000778037 30.49 598 4.72866 1.06707
SO SRCPARAM 375 0.000502942 30.49 593.56 2.93902 1.06707
SO SRCPARAM 376 0.000713988 30.49 598 4.60366 1.06707
SO SRCPARAM 377 0.002097288 27.74 598 7.07012 1.37195
SO SRCPARAM 378 0.002200386 26.22 574.67 4.29878 1.37195
SO SRCPARAM 379 0.006085174 46.34 554.11 3.71646 2.37805
SO SRCPARAM 380 0.003215572 46.34 554.11 3.71646 2.37805
SO SRCPARAM 381 0.005443446 46.34 554.11 3.71646 2.37805
SO SRCPARAM 382 0.002135812 26.22 574.67 4.92683 1.37195
SO SRCPARAM 383 0.003850958 36.59 494.11 4.96341 2.28659
SO SRCPARAM 384 0.00243114 37.2 598 4.7561 0.60976
SO SRCPARAM 385 0.001080905 23.17 544.11 5.03049 1.06707
SO SRCPARAM 386 0.005274399 51.83 446.89 3.95122 2.59146
SO SRCPARAM 387 0.000108148 12.2 294.11 9.14634 6.09756
SO SRCPARAM 388 0.000724488 12.2 294.11 9.14634 6.09756
SO SRCPARAM 389 0.004239777 12.2 294.11 9.14634 6.09756
SO SRCPARAM 390 0.000532341 30.49 598 3.35976 1.82927
SO SRCPARAM 391 0.007496351 30.49 598 5.22561 2.59146
SO SRCPARAM 392 0.001341878 30.49 598 6.34146 1.52439
SO SRCPARAM 393 0.002615643 43.29 578 4.34451 3.20122
SO SRCPARAM 394 0.009522818 12.2 294.11 9.14634 6.09756
SO SRCPARAM 395 0.019023586 3.05 295.22 0.00305 1
SO SRCPARAM 396 0.02451342 4.88 295.22 0.00305 1
SO SRCPARAM 397 0.02451342 1 294 0.01 0.01
SO SRCPARAM 398 0.021992936 1 294 0.01 0.01
SO SRCPARAM 399 0.000424193 0.91 294 0.01 0.01
SO SRCPARAM 400 0.000824236 0.91 294 0.01 0.01
SO SRCPARAM 401 0.008304838 0.91 294 0.01 0.01
SO SRCPARAM 402 0.000951284 15.24 477.44 22.46951 3.04878
SO SRCPARAM 403 0.000774887 15.24 477.44 22.46951 3.04878
SO SRCPARAM 404 0.004232711 0.91 294 0.01 0.01
SO SRCPARAM 405 0.007748504 0.91 294 0.01 0.01
```

```
SO SRCPARAM 406 0.000952334 0.91 294 0.01 0.01
SO SRCPARAM 407 0.001043683 0.91 294 0.01 0.01
SO SRCPARAM 408 0.001326128 4.57 294 0.01 0.01
SO SRCPARAM 409 0.029937105 4.57 294 0.01 0.01
SO SRCPARAM 410 0.039487747 4.57 294 0.01 0.01
SO SRCPARAM 411 0.000445718 4.57 294 0.01 0.01
SO SRCPARAM 412 0.001160231 30.49 810.78 0.01 0.1
SO SRCPARAM 413 0.004545396 0.91 294 0.01 0.01
SO SRCPARAM 414 0.002630259 0.91 294 0.01 0.01
SO SRCPARAM 415 0.002349074 0.91 294 0.01 0.01
SO SRCPARAM 416 0.000345444 4.57 294 0.01 0.01
SO SRCPARAM 417 0.000897735 0.91 294 0.01 0.01
SO SRCPARAM 418 0.000215771 15.24 294 0.01 0.01
SO SRCPARAM 419 0.000885135 0.91 294 0.01 0.01
SO SRCPARAM 420 0.000979634 0.91 294 0.01 0.01
SO SRCPARAM 421 0.015942936 0.91 294 0.01 0.01
SO SRCPARAM 422 0.000176397 0.91 294 0.01 0.01
SO SRCPARAM 423 0.000484042 0.91 294 0.01 0.01
SO SRCPARAM 424 0.005101488 0.91 294 0.01 0.01
SO SRCPARAM 425 0.003580493 0.91 294 0.01 0.01
SO SRCPARAM 426 0.007514043 0.91 294 0.01 0.01
SO SRCPARAM 427 0.000215246 0.91 294 0.01 0.01
SO SRCPARAM 428 0.000771737 6.1 294 0.01 0.01
SO SRCPARAM 429 0.002475964 3.05 294 0.01 0.01
SO SRCPARAM 430 0.003115131 21.65 491.33 16.96341 1.625
SO SRCPARAM 431 0.000275096 24.09 513.56 4.14329 1.21951
SO SRCPARAM 432 0.000713988 25.61 563 4.43598 1.21951
SO SRCPARAM 433 0.001985759 25.91 598 4.29573 2.12195
SO SRCPARAM 434 0.002617607 24.39 598 2.77439 1.77744
SO SRCPARAM 435 0.000155397 15.24 598 6.4878 1.5
SO SRCPARAM 436 0.011987127 0.91 294 0.01 0.01
SO SRCPARAM 437 0.000748638 12.2 294.11 9.14634 6.09756
SO SRCPARAM 438 0.000742338 12.2 294.11 9.14634 6.09756
SO SRCPARAM 439 0.003539114 54.27 546.33 3.08537 2.89634
SO SRCPARAM 440 0.00061319 0.91 294 0.01 0.01
SO SRCPARAM 441 0.001587101 32.32 572.44 5.70732 1.60061
SO SRCPARAM 442 0.001977863 0.91 294 0.01 0.01
SO SRCPARAM 443 0.003191191 0.91 294 0.01 0.01
SO SRCPARAM 444 0.003051008 6.1 294 0.01 0.01
SO SRCPARAM 445 0.000430493 12.2 294.11 9.14634 6.09756
SO SRCPARAM 446 0.00063314 12.2 294 0.01 0.01
SO SRCPARAM 447 0.015597492 64.94 810.78 0.01 0.1
SO SRCPARAM 448 0.002555773 0.91 294 0.01 0.01
SO SRCPARAM 449 0.000996434 77.74 634.11 10.08232 1.21951
SO SRCPARAM 450 0.116332827 6.1 294 0.01 0.01
SO SRCPARAM 451 0.001814213 0.91 294 0.01 0.01
SO SRCPARAM 452 0.001219555 0.91 294 0.01 0.01
SO SRCPARAM 453 0.002101698 14.63 295.22 0.00305 0.91463
SO SRCPARAM 454 0.001392225 9.76 295.22 0.00305 0.91463
SO SRCPARAM 455 0.000327595 14.63 295.22 0.00305 0.91463
SO SRCPARAM 456 0.001772539 14.63 295.22 0.00305 0.91463
SO SRCPARAM 457 0.022045068 10.98 295.22 0.00305 0.91463
SO SRCPARAM 458 0.032671417 10.67 295.22 0.00305 0.91463
SO SRCPARAM 459 0.000205797 10.98 295.22 0.00305 0.91463
SO SRCPARAM 460 0.000184797 10.98 295.22 0.00305 0.91463
SO SRCPARAM 461 0.000369594 14.63 295.22 0.00305 0.91463
SO SRCPARAM 462 0.001272611 12.2 295.22 0.00305 0.91463
SO SRCPARAM 463 0.002419759 12.2 295.22 0.00305 0.91463
SO SRCPARAM 464 0.046905486 12.5 295.22 0.00305 0.91463
SO SRCPARAM 465 0.004756978 12.2 295.22 0.00305 0.91463
SO SRCPARAM 466 0.036514826 12.2 295.22 0.00305 0.91463
SO SRCPARAM 467 0.000375894 9.15 295.22 0.00305 0.91463
```

```
SO SRCPARAM 468 0.000390594 14.63 295.22 0.00305 0.91463
SO SRCPARAM 469 0.001091719 9.76 296.89 0.03049 0.30488
SO SRCPARAM 470 0.000159597 5.49 295.22 0.00305 0.91463
SO SRCPARAM 471 0.001305622 12.2 295.22 0.00305 0.91463
SO SRCPARAM 472 0.198955362 12.2 295.22 0.00305 0.91463
SO SRCPARAM 473 0.002055037 14.63 295.22 0.00305 0.91463
SO SRCPARAM 474 0.002537357 14.63 295.22 0.00305 0.91463
SO SRCPARAM 475 0.000118648 12.2 295.22 0.00305 0.91463
SO SRCPARAM 476 0.0018232 9.15 295.22 0.00305 0.91463
SO SRCPARAM 477 0.002621502 8.84 295.22 0.00305 0.91463
SO SRCPARAM 478 0.000996434 14.63 295.22 0.00305 0.91463
SO SRCPARAM 479 0.000241496 7.32 295.22 0.00305 0.91463
SO SRCPARAM 480 0.000238346 7.32 295.22 0.00305 0.91463
SO SRCPARAM 481 0.005149178 7.32 295.22 0.00305 0.91463
SO SRCPARAM 482 0.000393744 14.63 295.22 0.00305 0.91463
SO SRCPARAM 483 0.002187576 12.2 295.22 0.00305 0.91463
SO SRCPARAM 484 0.024340278 12.2 295.22 0.00305 0.91463
SO SRCPARAM 485 0.028417812 12.2 295.22 0.00305 0.91463
SO SRCPARAM 486 0.002234132 12.2 295.22 0.00305 0.91463
SO SRCPARAM 487 0.000116548 12.2 295.22 0.00305 1
SO SRCPARAM 488 0.000133348 12.2 295.22 0.00305 1
SO SRCPARAM 489 0.000919785 14.63 295.22 0.00305 0.91463
SO SRCPARAM 490 0.003051008 14.63 295.22 0.00305 0.91463
SO SRCPARAM 491 0.005307148 14.63 295.22 0.00305 1
SO SRCPARAM 492 0.006251166 14.63 295.22 0.00305 0.91463
SO SRCPARAM 493 0.000163797 14.63 295.22 0.00305 0.91463
SO SRCPARAM 494 0.001825395 14.63 295.22 0.00305 0.91463
SO SRCPARAM 495 0.002669329 14.33 295.22 0.00305 0.91463
SO SRCPARAM 496 0.000107098 14.33 295.22 0.00305 0.91463
SO SRCPARAM 497 0.000453593 14.63 295.22 0.00305 0.91463
SO SRCPARAM 498 0.024682204 14.63 295.22 0.00305 0.91463
SO SRCPARAM 499 0.000752838 14.63 295.22 0.00305 0.91463
SO SRCPARAM 500 0.002941894 14.63 295.22 0.00305 0.91463
SO SRCPARAM 501 0.000245696 14.63 295.22 0.00305 0.91463
SO SRCPARAM 502 0.00114656 14.63 295.22 0.00305 0.91463
SO SRCPARAM 503 0.002292417 14.63 295.22 0.00305 0.91463
SO SRCPARAM 504 0.001753713 14.63 295.22 0.00305 0.91463
SO SRCPARAM 505 0.002961119 12.8 295.22 0.00305 0.91463
SO SRCPARAM 506 0.000129148 7.62 295.22 0.00305 0.91463
SO SRCPARAM 507 0.000758088 7.32 295.22 0.00305 0.91463
SO SRCPARAM 508 0.000169047 7.32 295.22 0.00305 0.91463
SO SRCPARAM 509 0.005825241 8.84 295.22 0.00305 0.91463
SO SRCPARAM 510 0.008048684 12.8 295.22 0.00305 0.91463
SO SRCPARAM 511 0.063012178 12.8 295.22 0.00305 0.91463
SO SRCPARAM 512 0.089142056 12.8 295.22 0.00305 0.91463
SO SRCPARAM 513 0.01673141 12.8 295.22 0.00305 0.91463
SO SRCPARAM 514 0.02852975 14.94 295.22 0.00305 0.91463
SO SRCPARAM 515 0.046238296 10.67 295.22 0.00305 0.91463
SO SRCPARAM 516 0.002648172 14.94 295.22 0.00305 0.91463
SO SRCPARAM 517 0.003727491 14.63 295.22 0.00305 0.91463
SO SRCPARAM 518 0.000387444 9.15 295.22 0.00305 0.91463
SO SRCPARAM 519 0.000697189 11.59 295.22 0.00305 0.91463
SO SRCPARAM 520 0.009735954 12.8 295.22 0.00305 0.91463
SO SRCPARAM 521 0.001304026 12.2 295.22 0.00305 0.91463
SO SRCPARAM 522 0.040623125 14.63 295.22 0.00305 0.91463
SO SRCPARAM 523 0.013203238 13.41 295.22 0.00305 0.91463
SO SRCPARAM 524 0.003381595 14.63 295.22 0.00305 0.91463
SO SRCPARAM 525 0.001850227 14.63 295.22 0.00305 0.91463
SO SRCPARAM 526 0.000719238 14.63 295.22 0.00305 0.91463
SO SRCPARAM 527 0.019326558 9.15 295.22 0.00305 0.91463
SO SRCPARAM 528 0.000479842 9.15 295.22 0.00305 0.91463
SO SRCPARAM 529 0.000190047 14.94 295.22 0.00305 0.91463
```

```
SO SRCPARAM 530 0.00060899 14.63 295.22 0.00305 0.91463
SO SRCPARAM 531 0.000544941 14.94 295.22 0.00305 0.91463
SO SRCPARAM 532 0.001537973 14.94 295.22 0.00305 0.91463
SO SRCPARAM 533 0.002786465 14.94 295.22 0.00305 0.91463
SO SRCPARAM 534 0.001353396 14.63 295.22 0.00305 0.91463
SO SRCPARAM 535 0.003882899 14.63 295.22 0.00305 0.91463
SO SRCPARAM 536 0.003745551 14.63 295.22 0.00305 0.91463
SO SRCPARAM 537 0.001251422 14.63 295.22 0.00305 0.91463
SO SRCPARAM 538 0.001770239 14.63 295.22 0.00305 0.91463
SO SRCPARAM 539 0.001819788 14.63 295.22 0.00305 0.91463
SO SRCPARAM 540 0.002098789 14.63 295.22 0.00305 0.91463
SO SRCPARAM 541 0.008136862 0.91 294 0.01 0.01
SO SRCPARAM 542 0.004587689 0.91 294 0.01 0.01
SO SRCPARAM 543 0.004008235 0.91 294 0.01 0.01
SO SRCPARAM 544 0.004284643 0.91 294 0.01 0.01
SO SRCPARAM 545 0.0861726 15.24 439.67 21.34146 2.43902
SO SRCPARAM 546 0.001105821 3.05 294 0.01 0.01
SO SRCPARAM 547 0.043152187 56.71 810.78 0.01 0.1
SO SRCPARAM 548 0.010647055 3.05 299.67 0.00305 0.91463
SO SRCPARAM 549 0.006727764 30.49 616.33 7.5 1.76829
SO SRCPARAM 550 0.006480272 12.2 298.56 0.00305 0.91463
SO SRCPARAM 551 0.000341244 12.2 298.56 0.00305 0.91463
SO SRCPARAM 552 0.017025521 45.73 449.67 9.14634 3.96341
SO SRCPARAM 553 0.00388293 4.57 294 0.01 0.01
SO SRCPARAM 554 0.003868252 13.72 298 0.00305 0.91463
SO SRCPARAM 555 0.034925636 60.98 352.44 12.19512 3.75
SO SRCPARAM 556 0.00387704 1 294 0.01 0.1
SO SRCPARAM 557 0.000730788 45.73 310.78 9.14634 1.29573
SO SRCPARAM 558 0.001725878 0.3 294 0.01 0.01
SO SRCPARAM 559 0.002350911 83.84 810.78 0.01 0.1
SO SRCPARAM 560 0.008581361 6.1 294 0.01 0.01
SO SRCPARAM 561 0.027080669 17.07 298.56 0.00305 0.91463
SO SRCPARAM 562 0.009873564 30.49 388.56 9.87805 2.43902
SO SRCPARAM 563 0.000370644 1.83 294 0.01 0.01
SO SRCPARAM 564 0.000180597 6.1 294 0.01 0.01
SO SRCPARAM 565 0.012901137 15.24 298 0.00305 0.91463
SO SRCPARAM 566 0.000374686 9.76 298.56 0.00305 0.91463
SO SRCPARAM 567 0.009010762 45.43 449.67 7.31707 2.13415
SO SRCPARAM 568 0.001729794 24.39 553.56 6.70732 0.91463
SO SRCPARAM 569 0.026072696 81.71 449.67 5.79268 3.35366
SO SRCPARAM 570 0.007024856 15.24 449.67 6.40244 2.43902
SO SRCPARAM 571 0.001244859 6.1 298 0.00305 0.91463
SO SRCPARAM 572 0.004810559 2.74 810.78 0.01 0.1
SO SRCPARAM 573 0.021366664 74.7 449.67 10.79268 2.59146
SO SRCPARAM 574 0.010601297 0.3 477.44 14.02439 0.30488
SO SRCPARAM 575 0.008597825 18.9 294.67 0.00305 0.91463
SO SRCPARAM 576 0.008921136 18.9 294.11 0.00305 0.91463
SO SRCPARAM 577 0.004115596 32.01 309.67 9.14634 4.57317
SO SRCPARAM 578 0.01827184 16.46 296.89 0.00305 0.91463
SO SRCPARAM 579 0.000757563 12.2 298.56 0.00305 0.91463
SO SRCPARAM 580 0.003077741 41.16 477.44 6.09756 1.37195
SO SRCPARAM 581 0.036770392 15.85 296.89 0.00305 0.91463
SO SRCPARAM 582 0.03894793 15.85 296.89 0.00305 0.91463
SO SRCPARAM 583 0.012563063 4.57 294 0.01 0.01
SO SRCPARAM 584 0.026336316 14.63 296.33 0.00305 0.91463
SO SRCPARAM 585 0.001461471 15.24 296.33 0.00305 0.91463
SO SRCPARAM 586 0.000149686 7.62 294 0.01 0.01
SO SRCPARAM 587 0.000431543 1 294 0.01 0.1
SO SRCPARAM 588 0.006964052 17.07 294.11 0.00305 0.91463
SO SRCPARAM 589 0.007252314 17.07 294.11 0.00305 0.91463
SO SRCPARAM 590 0.004727925 17.07 294.11 0.00305 0.91463
SO SRCPARAM 591 0.006177594 1.83 294 0.01 0.01
```

```
SO SRCPARAM 592 0.001907462 0.91 294 0.01 0.01
SO SRCPARAM 593 0.004674155 4.57 294 0.01 0.01
SO SRCPARAM 594 0.003389659 6.1 294 0.01 0.01
SO SRCPARAM 595 0.008788775 4.57 294 0.01 0.01
SO SRCPARAM 596 0.006261351 17.07 298.56 0.00305 0.91463
SO SRCPARAM 597 0.00614495 12.2 298 0.00305 0.91463
SO SRCPARAM 598 0.000313262 10.67 298.56 0.00305 0.91463
SO SRCPARAM 599 0.000276408 10.67 298.56 0.00305 0.91463
SO SRCPARAM 600 0.000661489 6.1 294 0.01 0.01
SO SRCPARAM 601 0.000803237 6.1 294 0.01 0.01
SO SRCPARAM 602 0.000233096 6.1 294 0.01 0.01
SO SRCPARAM 603 0.003838138 17.07 298.56 0.00305 0.91463
SO SRCPARAM 604 0.000900885 6.1 294 0.01 0.01
SO SRCPARAM 605 0.013423986 12.2 298.56 0.00305 0.91463
SO SRCPARAM 606 0.000739188 1 294 0.01 0.01
SO SRCPARAM 607 0.002077916 7.62 294 0.01 0.01
SO SRCPARAM 608 0.001774376 30.49 505.22 8.95122 1.52439
SO SRCPARAM 609 0.002172414 30.49 505.22 8.95122 1.82927
SO SRCPARAM 610 0.000878206 1.83 294 0.01 0.01
SO SRCPARAM 611 0.001117917 12.2 298.56 0.00305 0.91463
SO SRCPARAM 612 0.001524071 1.52 294 0.01 0.01
SO SRCPARAM 613 0.001340072 12.2 298.56 0.00305 0.91463
SO SRCPARAM 614 0.02724075 14.63 302.44 0.00305 0.91463
SO SRCPARAM 615 0.027775075 14.63 302.44 0.00305 0.91463
SO SRCPARAM 616 0.080024658 14.63 298 0.00305 0.91463
SO SRCPARAM 617 0.003372922 14.63 302.44 0.00305 0.91463
SO SRCPARAM 618 0.00426462 14.63 302.44 0.00305 0.91463
SO SRCPARAM 619 0.004652358 7.32 298 0.00305 0.91463
SO SRCPARAM 620 0.000678289 17.07 298.56 0.00305 0.91463
SO SRCPARAM 621 0.001114578 17.07 298.56 0.00305 0.91463
SO SRCPARAM 622 0.0041785 30.49 580.78 7.95732 1.82927
SO SRCPARAM 623 0.003906061 17.07 298.56 0.00305 0.91463
SO SRCPARAM 624 0.012113975 0.91 294 0.01 0.01
SO SRCPARAM 625 0.006628204 17.38 298.56 0.00305 0.91463
SO SRCPARAM 626 0.04344132 15.24 298.56 0.00305 0.91463
SO SRCPARAM 627 0.008214644 12.2 298.56 0.00305 0.91463
SO SRCPARAM 628 0.021943608 17.38 298.56 0.00305 0.91463
SO SRCPARAM 629 0.049786722 15.24 298.56 0.00305 0.91463
SO SRCPARAM 630 0.017578011 17.38 298.56 0.00305 0.91463
SO SRCPARAM 631 0.000542841 17.07 298.56 0.00305 0.91463
SO SRCPARAM 632 0.000648889 17.07 298.56 0.00305 0.91463
SO SRCPARAM 633 0.001443747 12.8 298.56 0.00305 0.91463
SO SRCPARAM 634 0.005257137 1.83 294 0.01 0.01
SO SRCPARAM 635 0.000864136 12.2 588.56 8.35366 0.30488
SO SRCPARAM 636 0.000111298 12.2 588.56 8.35366 0.30488
SO SRCPARAM 637 0.001149847 9.15 588.56 3.04878 0.15244
SO SRCPARAM 638 0.001393831 9.15 588.56 3.04878 0.30488
SO SRCPARAM 639 0.001546036 3.05 588.56 3.04878 0.30488
SO SRCPARAM 640 0.000983834 9.15 588.56 3.04878 0.15244
SO SRCPARAM 641 0.000202647 9.15 588.56 3.04878 0.15244
SO SRCPARAM 642 0.000250946 9.15 588.56 3.04878 0.15244
SO SRCPARAM 643 0.001702988 9.15 588.56 3.04878 0.15244
SO SRCPARAM 644 0.002365096 9.15 588.56 3.04878 0.15244
SO SRCPARAM 645 0.001342077 12.2 644.11 16.03659 0.3811
SO SRCPARAM 646 0.001509613 12.2 644.11 16.03659 0.3811
SO SRCPARAM 647 0.001370091 12.2 644.11 16.03659 0.3811
SO SRCPARAM 648 0.000673585 3.05 294 0.01 0.01
SO SRCPARAM 649 0.001859446 4.57 294 0.01 0.01
SO SRCPARAM 650 0.008460403 6.1 294 0.01 0.01
SO SRCPARAM 651 0.011362545 24.39 294 0.01 0.01
SO SRCPARAM 652 0.0121584 6.1 294 0.01 0.01
SO SRCPARAM 653 0.000208086 1.83 294 0.01 0.01
```

```
SO SRCPARAM 654 0.000401429 6.1 294 0.01 0.01
SO SRCPARAM 655 0.001185189 19.82 298 0.00305 0.30488
SO SRCPARAM 656 0.000257246 14.33 298 0.00305 0.30488
SO SRCPARAM 657 0.00343758 0.91 294 0.01 0.01
SO SRCPARAM 658 0.000480892 9.15 310.78 1.89024 0.30488
SO SRCPARAM 659 0.000269846 5.49 560.78 21.34146 0.60976
SO SRCPARAM 660 0.005329155 7.32 299.67 0.00305 0.91463
SO SRCPARAM 661 0.002047036 7.32 299.67 0.00305 0.91463
SO SRCPARAM 662 0.000197397 6.4 644.11 22.86585 0.36585
SO SRCPARAM 663 0.000206847 4.27 644.11 27.43902 0.20122
SO SRCPARAM 664 0.000359094 4.57 299.67 0.00305 0.91463
SO SRCPARAM 665 0.002590202 4.57 294 0.01 0.01
SO SRCPARAM 666 0.000104998 48.78 391.33 17.31707 4.57317
SO SRCPARAM 667 0.000001239 7.62 294.67 0.00305 0.91463
SO SRCPARAM 668 5.302E-07 2.13 294.67 0.00305 0.91463
SO SRCPARAM 669 0.000157497 48.78 391.33 17.31707 4.69512
SO SRCPARAM 670 0.001744662 9.76 294.67 0.00305 0.91463
SO SRCPARAM 671 0.003199581 5.49 866.33 83.53659 0.30488
SO SRCPARAM 672 0.001092129 4.27 897.44 32.62195 0.25305
SO SRCPARAM 673 0.000775937 6.71 783 32.92683 0.25305
SO SRCPARAM 674 0.000941834 5.79 783 32.92683 0.25305
SO SRCPARAM 675 0.000198447 0.91 294 0.01 0.01
SO SRCPARAM 676 0.187873982 9.15 296.06 0.00305 0.91463
SO SRCPARAM 677 0.000123898 6.1 296.06 0.00305 0.91463
SO SRCPARAM 678 0.020076918 6.1 296.06 0.00305 0.91463
SO SRCPARAM 679 0.021120569 6.1 296.06 0.00305 0.91463
SO SRCPARAM 680 0.000247796 10.67 296.89 0.00305 0.91463
SO SRCPARAM 681 0.001344356 14.33 298.56 0.00305 0.91463
SO SRCPARAM 682 0.001273597 14.63 298.56 0.00305 0.91463
SO SRCPARAM 683 0.000227552 12.8 298.56 0.00305 0.91463
SO SRCPARAM 684 0.002961697 1.83 294 0.01 0.01
SO SRCPARAM 685 0.026947804 7.93 298.56 0.00305 0.91463
SO SRCPARAM 686 0.001645071 17.07 298.56 0.00305 0.91463
SO SRCPARAM 687 0.000237296 6.1 294 0.01 0.01
SO SRCPARAM 688 0.00159064 14.63 298.56 0.00305 0.91463
SO SRCPARAM 689 0.00177802 14.63 298.56 0.00305 0.91463
SO SRCPARAM 690 0.00146713 14.63 298.56 0.00305 0.91463
SO SRCPARAM 691 0.004860443 4.57 294 0.01 0.01
SO SRCPARAM 692 0.002297583 14.63 298.56 0.00305 0.91463
SO SRCPARAM 693 0.001986693 14.63 299.67 0.00305 0.91463
SO SRCPARAM 694 0.002093161 14.63 298.56 0.00305 0.91463
SO SRCPARAM 695 0.000203697 0.91 294 0.01 0.01
SO SRCPARAM 696 0.000304495 13.41 298.56 0.00305 0.91463
SO SRCPARAM 697 0.000280345 13.41 298.56 0.00305 0.91463
SO SRCPARAM 698 0.000721338 1.52 294 0.01 0.01
SO SRCPARAM 699 0.002207578 13.41 298.56 0.00305 0.91463
SO SRCPARAM 700 0.002134678 6.1 294 0.01 0.01
SO SRCPARAM 701 0.006129274 21.34 468 7.0122 3.81098
SO SRCPARAM 702 0.001049983 54.88 444.11 17.66463 1.82927
SO SRCPARAM 703 0.000821086 54.88 444.11 17.66463 1.82927
SO SRCPARAM 704 0.000795887 54.88 371.89 17.0122 3.04878
SO SRCPARAM 705 0.000440993 54.88 371.89 17.0122 3.04878
SO SRCPARAM 706 0.019521781 0.91 294 0.01 0.01
SO SRCPARAM 707 0.028569429 4.57 294.11 10.97561 0.10061
SO SRCPARAM 708 0.025815608 3.05 294 0.01 0.01
SO SRCPARAM 709 0.000116485 6.1 294 0.01 0.01
SO SRCPARAM 710 0.001107511 2.13 294 0.01 0.01
SO SRCPARAM 711 0.002338595 40.24 511.89 7.92683 1.15854
SO SRCPARAM 712 0.004662878 42.68 488 5.18293 1.58537
SO SRCPARAM 713 0.002213552 6.1 299.67 0.00305 0.91463
SO SRCPARAM 714 0.025290239 3.05 294 0.01 0.01
SO SRCPARAM 715 0.001390734 2.74 294 0.01 0.01
```

```
SO SRCPARAM 716 0.001390734 2.74 294 0.01 0.01
SO SRCPARAM 717 0.000517641 3.96 294 0.01 0.01
SO SRCPARAM 718 0.00058799 1 294 0.01 0.01
SO SRCPARAM 719 0.000200547 1 294 0.01 0.01
SO SRCPARAM 720 0.001680445 4.57 298.56 0.00305 0.91463
SO SRCPARAM 721 0.001680445 4.57 298.56 0.00305 0.91463
SO SRCPARAM 722 0.000353844 1.28 305.22 0.00305 1.52439
SO SRCPARAM 723 0.002275627 12.2 305.22 0.00305 0.91463
SO SRCPARAM 724 0.002275627 12.2 305.22 0.00305 0.91463
SO SRCPARAM 725 0.000726588 2.99 305.22 0.00305 0.91463
SO SRCPARAM 726 0.000313945 2.99 305.22 0.00305 0.91463
SO SRCPARAM 727 0.034643022 3.05 294 0.01 0.01
SO SRCPARAM 728 0.000267746 68.6 810.78 0.01 0.1
SO SRCPARAM 729 0.001521246 14.63 414.11 0.00305 0.91463
SO SRCPARAM 730 0.001857335 14.63 417.44 0.00305 0.91463
SO SRCPARAM 731 0.015315068 9.15 298 0.00305 0.91463
SO SRCPARAM 732 0.015384052 9.15 299.67 0.00305 0.91463
SO SRCPARAM 733 0.002317249 6.1 299.67 0.00305 0.91463
SO SRCPARAM 734 0.00560739 6.1 299.67 0.00305 0.91463
SO SRCPARAM 735 0.002458755 7.62 299.67 0.00305 0.91463
SO SRCPARAM 736 0.005342049 7.62 299.67 0.00305 0.91463
SO SRCPARAM 737 0.001998852 7.62 299.67 0.00305 0.91463
SO SRCPARAM 738 0.009451188 6.4 304.11 0.00305 0.91463
SO SRCPARAM 739 0.016009925 3.05 294 0.01 0.01
SO SRCPARAM 740 0.005549284 3.05 294 0.01 0.01
SO SRCPARAM 741 0.004543369 73.48 516.89 10.67988 3.58232
SO SRCPARAM 742 0.001465198 19.82 559.67 3.35366 0.7622
SO SRCPARAM 743 0.000206847 23.48 573 5.12195 0.60976
SO SRCPARAM 744 0.003929644 0.91 294 0.01 0.01
SO SRCPARAM 745 0.000507142 3.05 299.67 0.00305 0.91463
SO SRCPARAM 746 0.001842121 2.13 533 21.34146 0.15244
SO SRCPARAM 747 0.008599358 100 810.78 0.01 0.1
SO SRCPARAM 748 0.008599358 100 810.78 0.01 0.1
SO SRCPARAM 749 0.004886 9.76 298 0.00305 0.91463
SO SRCPARAM 750 0.004892835 9.76 298 0.00305 0.91463
SO SRCPARAM 751 0.000108148 7.32 298 0.00305 0.91463
SO SRCPARAM 752 0.022419754 14.63 298 0.00305 0.91463
SO SRCPARAM 753 0.005030372 39.63 449.67 5.32317 1.29573
SO SRCPARAM 754 0.006242619 39.63 449.67 5.32317 1.29573
SO SRCPARAM 755 0.006376261 39.63 449.67 5.32317 1.29573
SO SRCPARAM 756 0.006686478 39.63 449.67 5.32317 1.29573
SO SRCPARAM 757 0.006767611 39.63 449.67 5.32317 1.29573
SO SRCPARAM 758 0.005450365 39.63 449.67 5.32317 1.29573
SO SRCPARAM 759 0.006557614 39.63 449.67 5.32317 1.29573
SO SRCPARAM 760 0.004930141 39.63 449.67 5.32317 1.29573
SO SRCPARAM 761 0.005669906 39.63 449.67 5.32317 1.29573
SO SRCPARAM 762 0.004925374 39.63 449.67 5.32317 1.29573
SO SRCPARAM 763 0.005316734 39.63 449.67 5.32317 1.29573
SO SRCPARAM 764 0.008595536 39.63 449.67 7.93902 1.29573
SO SRCPARAM 765 0.007569419 39.63 449.67 7.93902 1.29573
SO SRCPARAM 766 0.005937652 9.76 298 0.00305 0.91463
SO SRCPARAM 767 0.025286207 14.63 298 0.00305 0.91463
SO SRCPARAM 768 0.001945093 14.63 298 0.00305 0.91463
SO SRCPARAM 769 0.001945093 14.63 302.44 0.00305 0.91463
SO SRCPARAM 770 0.00184272 14.63 298 0.00305 0.91463
SO SRCPARAM 771 0.000296095 34.76 534.11 1.42988 0.91463
SO SRCPARAM 772 0.002047466 7.32 298 0.00305 0.91463
SO SRCPARAM 773 0.004543558 36.59 433 4.71341 1.09146
SO SRCPARAM 774 0.005030372 36.59 433 4.71341 1.09146
SO SRCPARAM 775 0.007063758 5.49 298 0.00305 0.91463
SO SRCPARAM 776 0.000484042 22.87 449.67 23.71646 3.04878
SO SRCPARAM 777 0.004343106 22.87 449.67 19.81707 3.42988
```

```
SO SRCPARAM 778 0.003999478 60.98 435.78 1.98171 3.5061
SO SRCPARAM 779 0.003799026 60.98 435.78 19.42073 3.5061
SO SRCPARAM 780 0.004639012 60.98 435.78 19.42073 3.5061
SO SRCPARAM 781 0.003736983 60.98 435.78 19.5122 3.65854
SO SRCPARAM 782 0.010505076 5.49 296.89 0.00305 0.91463
SO SRCPARAM 783 0.010505076 5.49 296.89 0.00305 0.91463
SO SRCPARAM 784 0.002346953 12.2 298 0.00305 0.30488
SO SRCPARAM 785 0.000204747 5.49 298 0.00305 0.30488
SO SRCPARAM 786 0.000199497 7.32 298 0.00305 0.91463
SO SRCPARAM 787 0.002066555 33.23 444.11 4.40549 1.14329
SO SRCPARAM 788 0.002004511 33.23 444.11 4.40549 1.14329
SO SRCPARAM 789 0.001493842 36.28 560.78 1.74085 1.82927
SO SRCPARAM 790 0.000281395 25.61 505.22 1.74085 0.60976
SO SRCPARAM 791 0.000648889 18.9 699.67 1.58537 1.06707
SO SRCPARAM 792 0.000215246 19.51 534.11 2.28049 1.06707
SO SRCPARAM 793 0.001032133 1.52 644.11 30.4878 0.07622
SO SRCPARAM 794 0.003531879 36.59 810.78 0.01 0.1
SO SRCPARAM 795 0.002131465 6.1 298 0.00305 0.91463
SO SRCPARAM 796 0.031131985 0.91 294 0.01 0.01
SO SRCPARAM 797 0.024464596 9.15 294 0.01 0.01
SO SRCPARAM 798 0.034964422 9.15 294 0.01 0.01
SO SRCPARAM 799 0.000387444 1.52 644.11 30.4878 0.07622
SO SRCPARAM 800 0.000125998 0.91 294 0.01 0.01
SO SRCPARAM 801 0.000305545 0.91 294 0.01 0.01
SO SRCPARAM 802 0.019505927 4.88 305.22 0.00305 0.91463
SO SRCPARAM 803 0.001997067 9.15 293 0.00305 0.91463
SO SRCPARAM 804 0.003706439 3.66 373 4.57317 0.15244
SO SRCPARAM 805 0.000179547 0.91 294 0.01 0.01
SO SRCPARAM 806 0.002675755 6.1 298 0.03049 0.91463
SO SRCPARAM 807 0.001975479 17.07 298 0.00305 0.91463
SO SRCPARAM 808 0.000178497 6.1 294 0.01 0.01
SO SRCPARAM 809 0.000471358 1.22 296.06 0.00305 0.91463
SO SRCPARAM 810 0.000116548 1 294 0.01 0.01
SO SRCPARAM 811 0.002114088 16.77 298 0.00305 0.91463
SO SRCPARAM 812 0.002319307 14.63 298 0.00305 0.91463
SO SRCPARAM 813 0.002301352 14.63 298 0.00305 0.91463
SO SRCPARAM 814 0.001679143 14.63 298 0.00305 0.91463
SO SRCPARAM 815 0.000707688 14.63 298 0.00305 0.91463
SO SRCPARAM 816 0.002320304 14.63 298 0.00305 0.91463
SO SRCPARAM 817 0.001660191 14.63 298 0.00305 0.91463
SO SRCPARAM 818 0.002747175 17.07 295.22 0.00305 0.60976
SO SRCPARAM 819 0.002425176 17.07 298 0.00305 0.91463
SO SRCPARAM 820 0.001797119 17.07 298 0.00305 0.91463
SO SRCPARAM 821 0.002744991 16.77 298 0.00305 0.91463
SO SRCPARAM 822 0.002040253 14.63 298 0.00305 0.91463
SO SRCPARAM 823 0.002656404 17.07 298 0.00305 0.91463
SO SRCPARAM 824 0.000899835 6.1 298 0.00305 0.91463
SO SRCPARAM 825 0.000389544 14.63 302.21 0.00305 0.91463
SO SRCPARAM 826 0.00060269 14.63 303.31 0.00305 0.91463
SO SRCPARAM 827 0.001698378 12.2 298.04 0.00305 0.91463
SO SRCPARAM 828 0.00181415 12.8 299.34 0.00305 0.91463
SO SRCPARAM 829 0.000935535 12.2 296.49 0.00305 0.91463
SO SRCPARAM 830 0.000909285 12.2 298.03 0.00305 0.91463
SO SRCPARAM 831 0.000873586 12.2 296.84 0.00305 0.91463
SO SRCPARAM 832 0.000507142 60.67 571.89 13.59756 5.79268
SO SRCPARAM 833 0.000509242 60.67 571.89 13.59756 5.79268
SO SRCPARAM 834 1.36498E-05 60.67 425.22 20.12195 1.82927
SO SRCPARAM 835 7.96937E-05 60.67 425.22 23.17073 1.82927
SO SRCPARAM 836 0.000325495 7.01 699.67 3.84146 0.60976
SO SRCPARAM 837 0.000149098 6.71 699.67 27.7439 0.30488
SO SRCPARAM 838 0.000837886 6.71 699.67 27.7439 0.30488
SO SRCPARAM 839 0.000657289 6.71 699.67 27.7439 0.30488
```

```
SO SRCPARAM 840 0.000191097 6.71 699.67 27.7439 0.30488
SO SRCPARAM 841 0.000783287 7.01 699.67 5.12195 0.60976
SO SRCPARAM 842 0.000174297 6.71 699.67 25 0.20122
SO SRCPARAM 843 0.00059954 7.62 699.67 15.2439 0.45732
SO SRCPARAM 844 0.00062999 8.84 689.11 10.125 0.60976
SO SRCPARAM 845 0.000229946 5.79 699.67 27.7439 0.32927
SO SRCPARAM 846 0.000839986 6.71 546.89 27.7439 0.30488
SO SRCPARAM 847 0.001964602 8.84 689.11 10.125 0.60976
SO SRCPARAM 848 0.000687739 11.59 559.67 4.26829 0.91463
SO SRCPARAM 849 0.000687739 11.59 559.67 4.26829 0.91463
SO SRCPARAM 850 0.00029347 3.05 294 0.01 0.01
SO SRCPARAM 851 0.000478792 7.62 294 0.01 0.01
SO SRCPARAM 852 0.000853321 4.57 310.78 0.00305 0.91463
SO SRCPARAM 853 0.003722189 1.52 294 0.01 0.01
SO SRCPARAM 854 0.008388836 6.1 293.56 0.00305 0.91463
SO SRCPARAM 855 0.008327937 6.1 293.56 0.00305 0.91463
SO SRCPARAM 856 0.014055078 3.05 294.11 0.00305 0.91463
SO SRCPARAM 857 0.020271311 3.96 1255.22 0.01 0.1
SO SRCPARAM 858 0.000513778 3.66 294.94 0.00305 0.91463
SO SRCPARAM 859 0.000177447 4.57 294 0.01 0.01
SO SRCPARAM 860 0.006089899 3.35 452.44 0.01 0.15244
SO SRCPARAM 861 0.000240446 3.05 295.22 0.00305 2.13415
SO SRCPARAM 862 0.001154981 9.15 635.78 7.92683 0.25305
SO SRCPARAM 863 0.000245696 6.1 295.22 0.00305 0.91463
SO SRCPARAM 864 0.000245696 6.1 294.94 0.00305 0.91463
SO SRCPARAM 865 0.000245696 6.1 294.94 0.00305 0.91463
SO SRCPARAM 866 0.000361446 3.66 294.94 0.00305 0.91463
SO SRCPARAM 867 0.000450443 0.91 294 0.01 0.01
SO SRCPARAM 868 0.000842086 0.91 294 0.01 0.01
SO SRCPARAM 869 0.000150148 1.22 294 0.01 0.01
SO SRCPARAM 870 0.000351744 0.91 294 0.01 0.01
SO SRCPARAM 871 0.000131248 15.24 644.11 15.2439 1.06707
SO SRCPARAM 872 0.000131248 15.24 644.11 15.2439 1.06707
SO SRCPARAM 873 0.000180597 15.24 644.11 15.2439 1.06707
SO SRCPARAM 874 0.000131248 15.24 644.11 15.2439 1.06707
SO SRCPARAM 875 0.000131248 15.24 644.11 15.2439 1.06707
SO SRCPARAM 876 0.000498217 4.57 296.33 0.00305 0.91463
SO SRCPARAM 877 0.000497692 4.57 296.33 0.00305 0.91463
SO SRCPARAM 878 0.000854686 6.1 294 0.01 0.01
SO SRCPARAM 879 0.004164588 0.91 294 0.01 0.01
SO SRCPARAM 880 0.000191097 7.62 296.89 0.00305 0.91463
SO SRCPARAM 881 0.000190047 7.62 296.89 0.00305 0.91463
SO SRCPARAM 882 0.000316045 7.32 296.89 0.00305 0.91463
SO SRCPARAM 883 0.000288745 7.32 296.89 0.00305 0.91463
SO SRCPARAM 884 0.000288745 7.32 296.89 0.00305 0.91463
SO SRCPARAM 885 0.011727372 15.24 296.33 0.00305 0.91463
SO SRCPARAM 886 0.014063006 15.24 296.33 0.00305 0.91463
SO SRCPARAM 887 0.011671901 15.24 296.33 0.00305 0.91463
SO SRCPARAM 888 0.011541315 15.24 296.33 0.00305 0.91463
SO SRCPARAM 889 0.000106048 4.27 755.22 76.21951 0.21646
SO SRCPARAM 890 0.000139648 12.8 373 13.71951 0.25305
SO SRCPARAM 891 0.000139648 12.8 373 13.71951 0.25305
SO SRCPARAM 892 0.003476661 3.05 294 0.01 0.01
SO SRCPARAM 893 0.00255571 18.29 366.33 9.14634 0.91463
SO SRCPARAM 894 0.004026925 18.29 366.33 9.14634 0.91463
SO SRCPARAM 895 0.00573238 0.3 421.89 0.00305 0.30488
SO SRCPARAM 896 0.000239396 19.82 377.44 11.28049 0.91463
SO SRCPARAM 897 0.051303107 9.15 413 23.47561 1.82927
SO SRCPARAM 898 0.013045415 9.15 413 23.47561 1.82927
SO SRCPARAM 899 0.000406343 10.06 294 0.01 0.20427
SO SRCPARAM 900 0.128673188 4.57 294.72 0.00305 0.91463
SO SRCPARAM 901 0.000108148 25 653.56 22.95732 1.21951
```

```
SO SRCPARAM 902 0.004483426 23.78 616.33 23.01829 0.60976
SO SRCPARAM 903 0.000215771 23.78 616.33 23.01829 1.60061
SO SRCPARAM 904 0.003470193 23.78 616.33 17.86585 0.60976
SO SRCPARAM 905 0.002309962 23.78 616.33 17.86585 0.60976
SO SRCPARAM 906 0.000311845 8.54 569.11 4.63415 0.60976
SO SRCPARAM 907 0.000199497 6.71 666.33 3.01829 0.30488
SO SRCPARAM 908 0.000250946 6.1 294 0.01 0.01
SO SRCPARAM 909 0.001195846 25 616.33 3.29268 1.21951
SO SRCPARAM 910 0.001338413 25 616.33 3.29268 0.12195
SO SRCPARAM 911 0.000226796 15.85 535.78 2.83537 0.7622
SO SRCPARAM 912 0.001746426 2.44 295.22 0.00305 0.91463
SO SRCPARAM 913 0.000830536 2.13 295.22 0.00305 0.91463
SO SRCPARAM 914 0.000227552 0.91 294 0.01 0.01
SO SRCPARAM 915 0.000118291 13.72 294 0.01 0.01
SO SRCPARAM 916 0.005879063 15.24 296.33 0.00305 0.91463
SO SRCPARAM 917 0.000343344 9.15 296.33 0.00305 0.91463
SO SRCPARAM 918 0.013854521 14.63 296.33 0.00305 0.91463
SO SRCPARAM 919 0.012927166 16.46 295.22 0.00305 0.91463
SO SRCPARAM 920 0.013852694 16.46 296.33 0.00305 0.91463
SO SRCPARAM 921 0.000286645 0.91 294 0.01 0.01
SO SRCPARAM 922 0.000209997 16.77 321.89 0.00305 0.91463
SO SRCPARAM 923 0.000131248 9.15 321.89 0.00305 0.91463
SO SRCPARAM 924 0.000283495 16.46 321.89 0.00305 0.91463
SO SRCPARAM 925 0.000206847 9.15 321.89 0.00305 0.91463
SO SRCPARAM 926 0.011545462 0.91 294 0.01 0.01
SO SRCPARAM 927 0.001215197 16.46 321.89 0.00305 0.91463
SO SRCPARAM 928 0.001313507 16.46 302.44 0.00305 0.91463
SO SRCPARAM 929 0.000803237 16.46 302.44 0.00305 0.91463
SO SRCPARAM 930 0.000536541 16.46 302.44 0.00305 0.91463
SO SRCPARAM 931 0.000755988 42.68 1255.22 0.01 0.1
SO SRCPARAM 932 0.007696971 0.91 294 0.01 0.01
SO SRCPARAM 933 0.000247796 36.59 305.22 9.87805 1.82927
SO SRCPARAM 934 0.004948054 0.91 294 0.01 0.01
SO SRCPARAM 935 0.045616181 22.87 440.78 5.80793 2.13415
SO SRCPARAM 936 0.007181776 57.93 1273 0.01 0.1
SO SRCPARAM 937 0.000264596 5.18 299.67 0.00305 0.91463
SO SRCPARAM 938 0.000152248 3.05 310.78 0.00305 0.05183
SO SRCPARAM 939 0.000198447 9.15 296.89 0.00305 0.91463
SO SRCPARAM 940 0.002473066 12.5 294 0.01 0.01
SO SRCPARAM 941 0.000426293 3.66 416.33 0.00305 0.91463
SO SRCPARAM 942 0.000149098 1.52 294 0.01 0.01
SO SRCPARAM 943 0.000214197 17.07 377.44 25 0.07622
SO SRCPARAM 944 0.000109198 17.07 377.44 19.5122 0.07622
SO SRCPARAM 945 0.000115498 6.1 388.56 0.00305 0.91463
SO SRCPARAM 946 0.000311845 12.2 321.89 0.30488 0.91463
SO SRCPARAM 947 0.000172197 12.2 321.89 0.30488 0.91463
SO SRCPARAM 948 0.000141748 67.07 333 25.30488 0.58841
SO SRCPARAM 949 0.000943934 14.02 306.33 0.00305 0.30488
SO SRCPARAM 950 0.000348594 44.51 377.44 0.03049 0.10366
SO SRCPARAM 951 0.009896107 6.1 305.22 9.14634 0.30488
SO SRCPARAM 952 0.000136498 6.1 299.67 0.30488 0.15244
SO SRCPARAM 953 0.000344394 21.95 441.33 15.51829 3.65854
SO SRCPARAM 954 0.001462626 21.34 394.11 15.54878 0.91463
SO SRCPARAM 955 0.001059884 3.96 294 0.01 0.01
SO SRCPARAM 956 0.00549731 7.01 977.44 0.01 0.1
SO SRCPARAM 957 0.000356994 0.91 294 0.01 0.01
SO SRCPARAM 958 0.001059884 12.2 294 0.01 0.01
SO SRCPARAM 959 0.000261446 1.52 294 0.01 0.01
SO SRCPARAM 960 0.000417893 6.4 299.67 0.00305 0.91463
SO SRCPARAM 961 0.000363294 1.52 294 0.01 0.01
SO SRCPARAM 962 0.000446243 3.05 296.89 0.00305 0.91463
SO SRCPARAM 963 0.000183747 3.05 294 0.01 0.01
```

```
SO SRCPARAM 964 0.000176397 3.05 294 0.01 0.01
SO SRCPARAM 965 0.000452543 1.01 294 0.01 0.01
SO SRCPARAM 966 0.000121798 3.05 294 0.01 0.01
SO SRCPARAM 967 0.000466192 1.52 294 0.01 0.01
SO SRCPARAM 968 0.000641539 57.93 977.44 0.01 0.1
SO SRCPARAM 969 0.000755988 25.91 316.33 0.00305 0.91463
SO SRCPARAM 970 0.000119698 0.3 321.89 0.00305 0.91463
SO SRCPARAM 971 0.002473066 12.2 294 0.01 0.01
SO SRCPARAM 972 0.001494125 12.8 296.89 0.00305 0.91463
SO SRCPARAM 973 0.005947889 3.05 294 0.01 0.01
SO SRCPARAM 974 0.004769483 10.67 294 0.01 0.01
SO SRCPARAM 975 0.00152573 6.71 296.89 0.00305 0.91463
SO SRCPARAM 976 0.000717138 12.2 343 0.00305 0.91463
SO SRCPARAM 977 0.000524634 0.91 294 0.01 0.01
SO SRCPARAM 978 0.001355433 18.6 533 7.9878 0.91463
SO SRCPARAM 979 0.001078616 30.49 555.22 5.30488 2.16463
SO SRCPARAM 980 0.000315152 0.91 294 0.01 0.01
SO SRCPARAM 981 0.001219198 13.11 327.44 0.00305 0.91463
SO SRCPARAM 982 0.001320532 13.11 327.44 0.00305 0.91463
SO SRCPARAM 983 0.003368764 12.2 335.78 0.00305 0.91463
SO SRCPARAM 984 0.001443873 16.46 352.44 0.00305 0.91463
SO SRCPARAM 985 0.001668716 16.46 308 0.00305 0.91463
SO SRCPARAM 986 0.000845236 12.2 449.67 0.00305 0.91463
SO SRCPARAM 987 0.000900885 12.2 449.67 0.00305 0.91463
SO SRCPARAM 988 0.000760187 14.63 449.67 0.00305 0.91463
SO SRCPARAM 989 0.000531291 14.63 449.67 0.00305 0.91463
SO SRCPARAM 990 0.001013233 14.63 449.67 0.00305 0.91463
SO SRCPARAM 991 0.001550121 14.63 317.44 0.00305 0.91463
SO SRCPARAM 992 0.013686524 4.57 294 0.01 0.01
SO SRCPARAM 993 0.001012183 3.05 299.67 0.00305 0.91463
SO SRCPARAM 994 0.007035241 12.2 298.56 0.00305 0.91463
SO SRCPARAM 995 0.003081237 17.07 298.56 0.00305 0.91463
SO SRCPARAM 996 0.003052226 17.38 294 0.00305 0.91463
SO SRCPARAM 997 0.005910594 16.46 296.89 0.00305 0.91463
SO SRCPARAM 998 0.002556046 17.07 298.56 0.00305 0.91463
SO SRCPARAM 999 0.002608934 17.07 298.56 0.00305 0.91463
SO SRCPARAM 1000 0.003532425 17.07 298.56 0.00305 0.91463
SO SRCPARAM 1001 0.002942555 17.07 298.56 0.00305 0.91463
SO SRCPARAM 1002 0.000923985 17.07 298.56 0.00305 0.91463
SO SRCPARAM 1003 0.002283765 16.46 302.44 0.00305 0.91463
SO SRCPARAM 1004 0.001187131 16.46 302.44 0.00305 0.91463
SO SRCPARAM 1005 0.001071434 16.46 302.44 0.00305 0.91463
SO SRCPARAM 1006 0.008315558 16.46 302.44 0.00305 0.91463
SO SRCPARAM 1007 0.000390594 14.63 302.44 0.00305 0.91463
SO SRCPARAM 1008 0.001753681 14.63 302.44 0.00305 0.91463
SO SRCPARAM 1009 0.000442043 14.63 298 0.00305 0.91463
SO SRCPARAM 1010 0.000642589 14.63 298 0.00305 0.91463
SO SRCPARAM 1011 0.003313724 17.07 298.56 0.00305 0.91463
SO SRCPARAM 1012 0.004068746 17.07 298.56 0.00305 0.91463
SO SRCPARAM 1013 0.003722986 17.38 298 0.00305 0.91463
SO SRCPARAM 1014 0.00151628 15.24 298.56 0.00305 0.91463
SO SRCPARAM 1015 0.001319671 15.24 298.56 0.00305 0.91463
SO SRCPARAM 1016 0.000153298 12.8 295.22 0.00305 0.91463
SO SRCPARAM 1017 0.000197397 12.8 310.78 0.00305 0.91463
SO SRCPARAM 1018 0.004791438 12.44 310.78 0.00305 0.91463
SO SRCPARAM 1019 0.001241615 14.63 294.11 0.00305 0.91463
SO SRCPARAM 1020 0.010324889 12.8 294.11 0.00305 0.91463
SO SRCPARAM 1021 0.000300295 12.8 294.11 0.00305 0.91463
SO SRCPARAM 1022 0.001572958 12.8 294.11 0.00305 0.91463
SO SRCPARAM 1023 0.006138052 14.63 294.11 0.00305 0.91463
SO SRCPARAM 1024 0.002342553 17.07 310.78 0.00305 0.91463
SO SRCPARAM 1025 0.0055912 14.63 305.22 0.00305 0.91463
```

```
SO SRCPARAM 1026 0.0055912 14.63 305.22 0.00305 0.91463
SO SRCPARAM 1027 0.007023407 14.63 305.22 0.00305 0.91463
SO SRCPARAM 1028 0.007548724 0.91 294 0.01 0.01
SO SRCPARAM 1029 0.002290327 0.91 294 0.01 0.01
SO SRCPARAM 1030 0.001199983 0.91 294 0.01 0.01
SO SRCPARAM 1031 0.000249896 0.91 294 0.01 0.01
SO SRCPARAM 1032 0.003710471 0.91 294 0.01 0.01
** Specify source parameters for gas deposition
** Parameters: Src Rng     Da      Dw    rcl   Henry's Law constant
**                       (cm2/s) (cm2/s)(s/cm) (Pa-m3/mol)
**                ----    ------  ------ ------ ----
SO GASDEPOS  1-1032 0.08962 104000 25100  557
SO DEPOUNIT  1.0E6 GRAMS/SEC MICROGRAMS/M**2
SO SRCGROUP  ALL
SO SRCGROUP  CE 1-134
SO SRCGROUP  FE 135-208
SO SRCGROUP  FW 209-366
SO SRCGROUP  VE 367-547
SO SRCGROUP  VW 548-658
SO SRCGROUP  OT 659-1032
SO FINISHED

RE STARTING
** Use INCLUDED keyword to include receptor x, y, z and hc from AERMAP
RE INCLUDED AERMAP_STAR.REC
RE FINISHED

ME STARTING
ME DAYRANGE 274-334
ME SURFFILE  TC_C633.SFC
ME PROFFILE  TC_C633.PFL
ME SURFDATA  12924  2006  CORPUS_CHRISTI,TX
ME UAIRDATA  12924  2006  CORPUS_CHRISTI,TX
ME SITEDATA  633  2006 C633
ME PROFBASE  20.0  METERS
ME FINISHED

OU STARTING
OU RECTABLE  1  FIRST
OU RECTABLE  8  FIRST
OU PLOTFILE  1    ALL   FIRST   PLT1ALL.FST
OU PLOTFILE  8    ALL   FIRST   PLT8ALL.FST
OU PLOTFILE  1    CE   FIRST   PLT1CE.FST
OU PLOTFILE  8    CE   FIRST   PLT8CE.FST
OU PLOTFILE  1    FE   FIRST   PLT1FE.FST
OU PLOTFILE  8    FE   FIRST   PLT8FE.FST
OU PLOTFILE  1    FW   FIRST   PLT1FW.FST
OU PLOTFILE  8    FW   FIRST   PLT8FW.FST
OU PLOTFILE  1    VE   FIRST   PLT1VE.FST
OU PLOTFILE  8    VE   FIRST   PLT8VE.FST
OU PLOTFILE  1    VW   FIRST   PLT1VW.FST
OU PLOTFILE  8    VW   FIRST   PLT8VW.FST
OU PLOTFILE  1    OT   FIRST   PLT1OT.FST
OU PLOTFILE  8    OT   FIRST   PLT8OT.FST
OU FINISHED
```